| level Me Energy type time to market CLTC pure electric range [km] NEDC pure electric range [km] Fast charging time[h] Fast charging capacity [%] Slow charging time[h] Slow charging tapacity[%] Motor[Ps] gearbox 1st | forest version 525 front-leel drive motor 160kW Medium and large cars pure electricity 2023/6/16 525 - 0.43 30-80 5.7 30-80 218 st gear fixed gear ratio 4930*1940*1599 | Email 23 forest version 525E front-wheel drive motor 160kW Medium and large cars pure electricity 2023/6/16 525 - 0.43 30-80 5.7 30-80 218 1st gear fixed gear ratio | 23 forest version 735E front-wheel drive motor 160kW Basic Info Medium and large cars pure electricity 2023/8/9 735 - 0.5 30-80 7.6 30-80 | 23 forest version 735E+ front-wheel drive motor 160kW ormation Medium and large cars pure electricity 2023/6/16 735 - 0.5 30-80 7.6 30-80 | 23 forest version 735E front-wheel drive motor 175kW Medium and large cars pure electricity 2023/8/9 735 - 0.5 30-80 7.6 | 23 forest version 603D four-wheel drive motor 320kW Medium and large cars pure electricity 2023/6/16 603 - 0.5 30-80 7.6 | 23 models of 500km four-wheel drive advanced version with 473kW motor Medium and large cars pure electricity 2023/5/19 - 500 0.25 30-80 |
|--|--|--|--|--|---|--|---|
| level Me Energy type time to market CLTC pure electric range [km] NEDC pure electric range [km] Fast charging time[h] Fast charging capacity [%] Slow charging time[h] Slow charging tapacity[%] Motor[Ps] gearbox 1st | Medium and large cars pure electricity 2023/6/16 525 - 0.43 30-80 5.7 30-80 218 st gear fixed gear ratio | Medium and large cars pure electricity 2023/6/16 525 - 0.43 30-80 5.7 30-80 218 | front-wheel drive motor 160kW Basic Info Medium and large cars pure electricity 2023/8/9 735 - 0.5 30-80 7.6 30-80 | front-wheel drive motor 160kW ormation Medium and large cars pure electricity 2023/6/16 735 - 0.5 30-80 7.6 | front-wheel drive motor 175kW Medium and large cars pure electricity 2023/8/9 735 - 0.5 30-80 | four-wheel drive motor 320kW Medium and large cars pure electricity 2023/6/16 603 - 0.5 30-80 | wheel drive advanced version with 473kW motor Medium and large cars pure electricity 2023/5/19 - 500 0.25 30-80 |
| Energy type time to market CLTC pure electric range [km] NEDC pure electric range [km] Fast charging time[h] Fast charging capacity [%] Slow charging time[h] Slow charging capacity[%] Motor[Ps] gearbox 1st | pure electricity 2023/6/16 525 - 0.43 30-80 5.7 30-80 218 st gear fixed gear ratio | pure electricity 2023/6/16 525 - 0.43 30-80 5.7 30-80 218 | Medium and large cars pure electricity 2023/8/9 735 - 0.5 30-80 7.6 30-80 | Medium and large cars pure electricity 2023/6/16 735 - 0.5 30-80 7.6 | pure electricity 2023/8/9 735 - 0.5 30-80 | pure electricity 2023/6/16 603 - 0.5 30-80 | pure electricity 2023/5/19 - 500 0.25 30-80 |
| Energy type time to market CLTC pure electric range [km] NEDC pure electric range [km] Fast charging time[h] Fast charging capacity [%] Slow charging time[h] Slow charging capacity[%] Motor[Ps] gearbox 1st | pure electricity 2023/6/16 525 - 0.43 30-80 5.7 30-80 218 st gear fixed gear ratio | pure electricity 2023/6/16 525 - 0.43 30-80 5.7 30-80 218 | pure electricity 2023/8/9 735 - 0.5 30-80 7.6 30-80 | pure electricity 2023/6/16 735 - 0.5 30-80 7.6 | pure electricity 2023/8/9 735 - 0.5 30-80 | pure electricity 2023/6/16 603 - 0.5 30-80 | pure electricity 2023/5/19 - 500 0.25 30-80 |
| time to market CLTC pure electric range [km] NEDC pure electric range [km] Fast charging time[h] Fast charging capacity [%] Slow charging time[h] Slow charging capacity[%] Motor[Ps] gearbox 1st | 2023/6/16 525 - 0.43 30-80 5.7 30-80 218 st gear fixed gear ratio | 2023/6/16 525 - 0.43 30-80 5.7 30-80 218 | 2023/8/9 735 - 0.5 30-80 7.6 30-80 | 2023/6/16 735 - 0.5 30-80 7.6 | 2023/8/9 735 - 0.5 30-80 | 2023/6/16 603 - 0.5 30-80 | 2023/5/19 - 500 0.25 30-80 |
| CLTC pure electric range [km] NEDC pure electric range [km] Fast charging time[h] Fast charging capacity [%] Slow charging time[h] Slow charging capacity[%] Motor[Ps] gearbox 1st | 525 - 0.43 30-80 5.7 30-80 218 st gear fixed gear ratio | 525 - 0.43 30-80 5.7 30-80 218 | 735 - 0.5 30-80 7.6 30-80 | 735 - 0.5 30-80 7.6 | 735 - 0.5 30-80 | 603 - 0.5 30-80 | 500 0.25 30-80 |
| [km] NEDC pure electric range [km] Fast charging time[h] Fast charging capacity [%] Slow charging time[h] Slow charging capacity[%] Motor[Ps] gearbox 1st | - 0.43 30-80 5.7 30-80 218 st gear fixed gear ratio | - 0.43 30-80 5.7 30-80 218 | - 0.5 30-80 7.6 30-80 | - 0.5 30-80 7.6 | - 0.5 30-80 | - 0.5 30-80 | 0.25 30-80 |
| [km] Fast charging time[h] Fast charging capacity [%] Slow charging time[h] Slow charging capacity[%] Motor[Ps] gearbox 1st | 30-80 5.7 30-80 218 st gear fixed gear ratio | 30-80 5.7 30-80 218 | 30-80 7.6 30-80 | 30-80 7.6 | 30-80 | 30-80 | 0.25 30-80 |
| Fast charging capacity [%] Slow charging time[h] Slow charging capacity[%] Motor[Ps] gearbox 1st | 30-80 5.7 30-80 218 st gear fixed gear ratio | 30-80 5.7 30-80 218 | 30-80 7.6 30-80 | 30-80 7.6 | 30-80 | 30-80 | 30-80 |
| Slow charging time[h] Slow charging capacity[%] Motor[Ps] gearbox 1st | 5.7 30-80 218 st gear fixed gear ratio | 5.7 30-80 218 | 7.6 30-80 | 7.6 | | | |
| Slow charging capacity[%] Motor[Ps] gearbox 1st | 30-80 218 st gear fixed gear ratio | 30-80 218 | 30-80 | | 7.6 | 7.6 | c - |
| Motor[Ps] gearbox 1st | 218 st gear fixed gear ratio | 218 | | 30-80 | | | 6.5 |
| gearbox 1st | st gear fixed gear ratio | | 210 |] | 30-80 | 30-80 | 30-80 |
| | | 1st gear fixed gear ratio | 218 | 218 | 238 | 435 | 643 |
| I a sola tidal tite 3 | 4930*1940*1599 | .s. gear fixed gear faile | 1st gear fixed gear ratio | 1st gear fixed gear ratio | 1st gear fixed gear ratio | 1st gear fixed gear ratio | 1st gear fixed gear ratio |
| Length*width*height[mm] | | 4930*1940*1599 | 4930*1940*1599 | 4930*1940*1599 | 4930*1940*1599 | 4930*1940*1599 | 4980*1960*1599 |
| Body structure 5-do | oor, 5-seater hatchback | 5-door, 5-seater hatchback | 5-door, 5-seater hatchback | 5-door, 5-seater hatchback | 5-door, 5-seater hatchback | 5-door, 5-seater hatchback | 5-door, 5-seater hatchback |
| Maximum speed [km/h] | 180 | 180 | 180 | 180 | 180 | 180 | 200 |
| Official 0-100km/h acceleration [s] | 7.7 | 7.7 | 8.3 | 8.3 | 8.3 | 4.2 | 3.5 |
| Vehicle warranty | 3 years or 120,000 | 3 years or 120,000 | 3 years or 120,000 | 3 years or 120,000 | 3 years or 120,000 | 3 years or 120,000 | 3 years or 120,000 |
| vernicle warranty | kilometers 5 years or 120,000 | kilometers 5 years or 120,000 | kilometers 5 years or 120,000 | kilometers 5 years or 120,000 | kilometers 5 years or 120,000 | kilometers 5 years or 120,000 | kilometers 5 years or 120,000 |
| | | | - | | | | |
| exen | ilometers (the liability emption clause shall be subiect to the official) | kilometers (the liability exemption clause shall be subject to the official) | kilometers (the liability exemption clause shall be subject to the official) | kilometers (the liability exemption clause shall be subject to the official) | kilometers (the liability exemption clause shall be subject to the official) | kilometers (the liability exemption clause shall be subject to the official) | kilometers (the liability exemption clause shall be subject to the official) |
| Exterior color | | | | | | | |
| interior color | | | | | | | |
| | | | Во | ody | | | |
| Length[mm] | 4930 | 4930 | 4930 | 4930 | 4930 | 4930 | 4980 |
| Width[mm] | 1940 | 1940 | 1940 | 1940 | 1940 | 1940 | 1960 |
| Height[mm] | 1599 | 1599 | 1599 | 1599 | 1599 | 1599 | 1599 |
| Wheelbase [mm] | 2915 | 2915 | 2915 | 2915 | 2915 | 2915 | 2915 |
| Front wheelbase [mm] Rear wheelbase [mm] | 1660 1640 | 1660 1640 | 1660 1640 | 1660 1640 | 1660 1640 | 1660 1640 | 1660 1640 |
| Car door opening method | swing door | swing door | swing door | swing door | swing door | swing door | swing door |
| Number of doors | 5 | 5 | 5 Swing door | 5 | 5 | 5 | 5 |
| number of seats | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Approach angle [°] | 16 | 16 | 16 | 16 | 16 | 13.5 | 16 |
| Departure angle [°] | 16 | 16 | 16 | 16 | 16 | 13.5 | 16 |
| Minimum ground clearance with full load | 140 | 140 | 140 | 140 | 140 | - | - |
| [mm] | 0.004 | 2.22. | 0.00. | 0.00 | 0.00. | | 0.515 |
| Drag coefficient [Cd] | 0.234 | 0.234 | 0.234 | 0.234 | 0.234 | 0.234 | 0.246 |
| Official trunk volume [L] | 560-1300 | 560-1300 | 560-1300 2078 | 560-1300 | 560-1300 | 560-1300 | 550-1290 2115 |
| Curb weight [kg] Full load mass [kg] | 1910 2360 | 1940 2390 | 2078 2528 | 2030 2480 | 2010 2460 | 2245 2695 | 2565 |

| | | | electric | motor | | | |
|---|--|--|--|---|--|--|--|
| Number of drive motors | single motor | single motor | single motor | single motor | single motor | Dual motor | Dual motor |
| Motor layout | prefix | prefix | prefix | prefix | prefix | Front + rear | Front + rear |
| Wiotor layout | prenx | prenx | prenx | prenx | prenx | Tront + rear | Front AC |
| | Permanent magnet | Permanent magnet | Permanent magnet | Permanent magnet | Permanent magnet | Permanent magnet | asynchronous/rear |
| Motor type | synchronization | synchronization | synchronization | synchronization | synchronization | synchronization | permanent magnet |
| | Synchronization | Synchronization | Synchionization | Synchronization | Synchronization | Syncinonization | synchronous |
| Total motor power [kW] | 160 | 160 | 160 | 160 | 175 | 320 | 473 |
| Total motor horsepower | | | | | | | |
| [Ps] | 218 | 218 | 218 | 218 | 238 | 435 | 643 |
| Motor total torque [N·m] | 360 | 360 | 360 | 360 | 360 | 720 | 655 |
| Maximum power of front | | | 160 | | | | |
| electric motor [kW] | 160 | 160 | 160 | 160 | 175 | 160 | 221 |
| Maximum torque of front | 360 | 360 | 360 | 360 | 360 | 360 | 285 |
| electric motor [N·m] | 360 | 360 | 360 | 360 | 360 | 360 | 203 |
| Maximum power of rear | _ | | _ | | _ | 160 | 252 |
| electric motor [kW] | _ | _ | _ | _ | _ | 100 | 232 |
| Maximum torque of rear | _ | _ | _ | _ | _ | 360 | 370 |
| electric motor [N·m] | | | | | | 300 | 370 |
| | | | Battery/ | recharge | | | |
| Battery Type | Ternary lithium battery | Ternary lithium battery | Ternary lithium battery | Ternary lithium battery | Ternary lithium battery | Ternary lithium battery | Ternary lithium battery |
| Battery brand | Ningde era | Ningde era | Ningde era | CATL/Nortel Aste | Ningde era | Nortel Aste | Ningde era |
| Dattery Drand | 7 | 1 | | , | i | | |
| Battery temperature | Low temperature | Low temperature | Low temperature | Low temperature | Low temperature | Low temperature | Low temperature |
| management | heating | heating | heating | heating | heating | heating | heating |
| - | Liquid cooling | Liquid cooling | Liquid cooling | Liquid cooling | Liquid cooling | Liquid cooling | Liquid cooling |
| CLTC pure electric range | 525 | 525 | 735 | 735 | 735 | 603 | |
| [km] | 323 | 323 | 755 | 733 | 733 | 003 | _ |
| NEDC pure electric range | _ | _ | _ | _ | _ | _ | 500 |
| [km] | | | | | | | |
| Battery power [kWh] | 65.6 | 65.6 | 93.6 | 93.6 | 94.5 | 93.6 | 74.5 |
| Battery energy density | 183.3 | 183.3 | 194.1 | 188.8 | 188.8 | 191.7 | 181 |
| [Wh/kg] | | | | | | | |
| Electricity consumption per | 140 | 140 | 45.4 | 45.4 | 45.4 | 474 | 47 |
| 100 kilometers | 14.8 | 14.8 | 15.4 | 15.4 | 15.4 | 17.1 | 17 |
| [kWh/100km] | . Classachausiana and | Class shared as a set | | | Class shared as a set | . Classian and | . Class de anaisan a ant |
| vehicle charging port | Slow charging port | Slow charging port | Slow charging port | Slow charging port Oviets sharping port | Slow charging port | Slow charging port | Slow charging port Ovids sharging port |
| | Quick charging port | Quick charging port | Quick charging port | Quick charging port | Quick charging port | Quick charging port | Quick charging port |
| Slow charging port location | Car right front side | Car right front side | Car right front side | Car right front side |
| | | | | | | | _ |
| Fast charging port location | Car left front side | Car left front side | Car left front side | Car left front side |
| Fast charging power [kW] | _ | _ | _ | _ | _ | _ | 180 |
| Fast charging time[min] | 25 | 25 | 30 | 30 | 30 | 30 | 15 |
| Fast charging time[h] | 0.43 | 0.43 | 0.5 | 0.5 | 0.5 | 0.5 | 0.25 |
| | | | | | | | |
| Fast charging capacity [%] | 30-80 | 30-80 | 30-80 | 30-80 | 30-80 | 30-80 | 30-80 |
| Cl. I i ii iii ii ii ii ii ii ii ii ii ii i | 7 | _ | - | _ | _ | - | 7 |
| Slow charging power [kW] | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| Slow charging time[h] | 5.7 | 5.7 | 7.6 | 7.6 | 7.6 | 7.6 | 6.5 |
| Slow charging capacity[%] | 30.80 | 30-80 | 30.80 | 30-80 | 20.90 | 30.80 | 20.90 |
| . , , , , , , , , , , , , , , , , , , , | 30-80 | 30-00 | 30-80 | 30-00 | 30-80 | 30-80 | 30-80 |
| Vehicle battery swap | - | - | - | - | - | - | - |
| Home charging pile | • | • | • | • | • | • | • |
| Car charging gun | - | - | - | - | - | - | - |
| External discharge function | • | • | • | • | • | • | • |
| _ | | c class | - | c clus | | | 2.5111 |
| External discharge power | • 6.6kW | • 6.6kW | • 6.6kW | • 6.6kW | • 6.6kW | • 6.6kW | • 3.5kW |
| Battery pack warranty | 8 years or 150,000 | 8 years or 150,000 | 8 years or 150,000 | 8 years or 150,000 |
| , , , , , , , , , , , , , , , , , , , | kilometers 8 years or 160,000 | kilometers 8 years or 160,000 | kilometers 8 years or 160,000 | kilometers 8 years or 160,000 |
| First owner battan and | | | | | | | |
| First owner battery pack | kilometers (the liability | kilometers (the liability | kilometers (the liability | kilometers (the liability | kilometers (the liability | kilometers (the liability | kilometers (the liability |
| warranty | exemption clause shall be | exemption clause shall be | exemption clause shall be | exemption clause shall be |
| | subject to the official) | subject to the official) | subject to the official) | subject to the official) |

| | | | gea | rbox | | | |
|---|--|---|---|--|---|---|---|
| Control to the | Electric vehicle single | Electric vehicle single | Electric vehicle single | Electric vehicle single | Electric vehicle single | Electric vehicle single | Electric vehicle single |
| Gearbox description | speed gearbox | speed gearbox | speed gearbox | speed gearbox | speed gearbox | speed gearbox | speed gearbox |
| Gearbox type | Fixed gear ratio | Fixed gear ratio | Fixed gear ratio | Fixed gear ratio | Fixed gear ratio | Fixed gear ratio | Fixed gear ratio |
| Number of gears | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | | chassis | steering | | | |
| Drive form | Front wheel drive | Front wheel drive | Front wheel drive | Front wheel drive | Front wheel drive | Dual motor four-wheel drive | Dual motor four-wheel drive |
| four-wheel drive | - | - | - | - | - | Electric four-wheel drive | Electric four-wheel drive |
| Center differential structure | - | - | - | - | - | - | - |
| Front suspension type | MacPherson independent suspension | MacPherson independent suspension | MacPherson independent suspension | MacPherson independent suspension | MacPherson independent suspension | MacPherson independent suspension | MacPherson independent suspension |
| rear suspension type | Multi-link independent suspension | Multi-link independent suspension | Multi-link independent suspension | Multi-link independent suspension | Multi-link independent suspension | Multi-link independent suspension | Multi-link independent suspension |
| Assist type | electric assist | electric assist | electric assist | electric assist | electric assist | electric assist | electric assist |
| Adjustable suspension features | - | - | - | - | - | - | - |
| Adjustable suspension | - | - | - | - | - | - | - |
| types Body structure | Load-bearing | Load-bearing | Load-bearing | Load-bearing | Load-bearing | Load-bearing | Load-bearing |
| limited slip differential | - | - Load-bearing | - Load-bearing | - Load-bearing | Load-bearing - | - Load-bearing | - Load-bearing |
| differential lock | - | - | = | - | - | - | - |
| annormal rock | | | wheel | brake | | | |
| F | West Library | I verelated Person | | | L. W. Chin L. P | L. Verglere I. Perer | V Charles |
| Front brake type | Ventilated disc type | Ventilated disc type | Ventilated disc type | Ventilated disc type | Ventilated disc type Ventilated disc type | Ventilated disc type | Ventilated disc type |
| rear brake type Parking brake type | Ventilated disc type Electronic parking | Ventilated disc type Electronic parking | Ventilated disc type Electronic parking | Ventilated disc type Electronic parking | Ventilated disc type Electronic parking | Ventilated disc type Electronic parking | Ventilated disc type Electronic parking |
| Front tire specifications | • 235/50 R19 | • 235/50 R19 | • 235/50 R19 | • 235/50 R19 | • 235/50 R19 | • 245/45R20 | • 245/45R20 |
| Rear tire specifications | • 235/50 R19 | • 235/50 R19 | • 235/50 R19 | • 235/50 R19 | • 235/50 R19 | • 245/45R20 | • 245/45R20 |
| Spare tire | No spare tire | No spare tire | No spare tire | No spare tire | No spare tire | No spare tire | No spare tire |
| Spare tire placement | - | - | - | - | - | - | - |
| | | 1 | active | safety | | 1 | • |
| ABS anti-lock | • | • | • | • | • | • | • |
| Braking force distribution (EBD/CBC, etc.) | • | • | • | • | • | • | • |
| Brake assist (BA/EBA/BAS, etc.) | • | • | • | • | • | • | • |
| Traction control (ASR/TCS/TRC, etc.) | • | • | • | • | • | • | • |
| Body stability control (ESP/DSC/VSC, etc.) | • | • | • | • | • | • | • |
| Seat belt not fastened reminder | The whole car | The whole car | The whole car | The whole car | The whole car | The whole car | The whole car |
| Tire pressure monitoring | Tire pressure display | Tire pressure display | Tire pressure display | Tire pressure display | Tire pressure display | Tire pressure display | Tire pressure display |
| o pressure mornioning | o p. essure dispidy | e pressure display | passive | | e p. essure dispidy | o p. cosare aispidy | , p. coodic display |
| Main driver airbag | • | • | • | • | • | • | • |
| Passenger airbag | • | • | • | • | • | • | • |
| First row side airbag | - | • | • | • | • | • | • |
| Second row side airbags | - | - | - | - | - | - | - |
| side curtain airbags | - | • | • | • | • | • | • |
| knee air bag | - | - | - | - | - | - | - |
| Passenger seat cushion airbag | - | - | - | - | - | - | - |
| Rear seat belt airbag | - | - | - | - | - | - | - |
| Rear seat anti-skid airbags | - | - | - | - | - | - | - |
| center airbag | - | - | - | - | - | - | - |
| Second row forward airbags | - | - | - | - | - | - | - |
| child seat interface | • | • | • | • | • | • | • |
| passive pedestrian protection | - | - | - | - | - | - | - |
| Run-flat tires | - | - | - | _ | - | _ | - |
| Null lidt tiles | · · | | <u>-</u> | _ | | <u>-</u> | |

| front narking radar | _ | _ | | | _ | | _ |
|---|----------------------|-------------------------------|---|-------------------------------|-------------------------------|-------------------------------|------------------------------|
| front parking radar Rear parking radar | • | • | • | • | • | • | • |
| Reverse side warning | • | | • | | • | | |
| system | - | - | - | • | - | • | • |
| Door opening collision warning | - | - | - | • | - | • | • |
| Driving assistance images | Reversing image | Reversing image | 360-degree panoramic | 360-degree panoramic | 360-degree panoramic | 360-degree panoramic | 360-degree panoramic |
| - | • Reversing image | • Reversing image | image | image | image | image | image |
| Chassis perspective | - | Full-speed adaptive | Full-speed adaptive | Full-speed adaptive | Full-speed adaptive | Full-speed adaptive | Full-speed adaptive |
| cruise system | - | cruise | cruise | cruise | cruise | cruise | cruise |
| | • Sports | • Sports | • Sports | • Sports | • Sports | • Sports | • Sports |
| | Economy | Economy | Economy | Economy | Economy | Economy | Economy |
| Driving mode selection | Standard/Comfortable | Standard/Comfortable Snow | Standard/ComfortableSnow | Standard/Comfortable Snow | Standard/Comfortable Snow | Standard/Comfortable Snow | Standard/Comfortable |
| | | Customization/personalizat | Customization/personalizat | Customization/personalizat | Customization/personalizat | Customization/personalizat | |
| Fatigue reminder | - | 0 | - | • | - 1011 | • | • |
| automatic parking | - | - | • | • | • | • | • |
| remote control parking | - | - | • | • | • | • | • |
| remote summoning | - | | - | - | - | | - |
| Engine start and stop | - | - | - | - | - | - | - |
| automatic parking Hill assist | • | • | • | • | • | • | • |
| steep descent | • | • | • | • | • | • | • |
| night vision system | <u> </u> | - | <u> </u> | | | | _ |
| variable steering ratio | - | - | - | - | - | - | - |
| Integral active steering | | | | | | | |
| system | - | - | - | - | - | - | - |
| Wading sensing system | - | - | - | - | - | - | - |
| | | | Assisted driv | ing functions | | | |
| Parallel assistance | | | = | • | | • | • |
| (BSM/BSD) | - | _ | - | • | _ | • | • |
| Lane Departure Warning (LDWS) | - | • | • | • | • | • | • |
| Lane Keeping (LKAS) | - | • | • | • | • | • | • |
| Lane centering | - | • | • | • | • | • | • |
| Road traffic sign recognition | - | • | • | • | • | • | • |
| forward collision warning | - | • | • | • | • | • | • |
| rear collision warning | - | - | - | • | - | • | • |
| Active braking | - | • | • | • | • | • | • |
| Automatic lane change assist | - | - | - | - | - | - | • |
| Automatic ramp exit/entry | - | - | - | - | - | - | • |
| High-speed assisted | - | - | - | - | - | - | • |
| driving Urban assisted driving | - | - | - | - | - | - | 0 |
| Reverse tracking | - | - | - | <u>-</u> | - | - | - |
| Reverse tracking | | | | ing hardware | | | |
| Dulyding a seletere in the 1 | | - 12 | | • | - 10 | - 10 | - 12 |
| Driving assistance level | - | • L2 | • L2 • α-Pilot | L2 α-Pilot | • L2 | • L2 • α-Pilot | • L2 • α-Pilot |
| Assisted driving system Assisted driving chip | - | • α-Pilot - | • α-Pilot - | • α-Pilot - | • α-Pilot - | • α-Pilot - | α-Pilot 1 Huawei MDC 810 |
| Chip computing power | - | - | - | - | - | - | • 400 TOPS |
| Lidar brand | = | = | = | - | - | = | HUAWEI Huawei |
| LiDAR quantity | - | - | - | - | - | - | • 3 |
| Lidar line number | = | = | = | - | - | - | 96 lines |
| Lidar 10% reflectivity | - | - | - | _ | _ | _ | • 150 |
| detection distance [m] Number of lidar point | _ | _ | _ | _ | _ | _ | • 120 |
| clouds [10,000/second] | - | | | | | | |
| millimeter wave radar | | • 1 | • 1 | • 5 | • 1 | • 5 | • 6 |
| ultrasonic radar | Front 4/Last 4 | • Front 4/Last 4 | • First 6/Last 6 | First 6/Last 6 | First 6/Last 6 | First 6/Last 6 | First 6/Last 6 |
| Front sensing camera type | - | monocular | monocular | monocular | monocular | monocular | Binocular |
| Environment aware camera | - | • 1 | • 1 | • 1 | • 1 | • 1 | • 7 |
| surround camera | - | - | • 4 | • 4 | • 4 | • 4 | • 4 |

| | | | External co | nfiguration | | | |
|--|------------------------------------|---|---------------------------|--------------------------------|-----------------------------------|---------------------------|---|
| Skylight type | The panoramic sunroof | The panoramic sunroof cannot be opened | The panoramic sunroof | The panoramic sunroof | The panoramic sunroof | The panoramic sunroof | The panoramic sunroof |
| , <u>, , , , , , , , , , , , , , , , , , </u> | cannot be opened | The panoramic sunroof can be opened | cannot be opened | can be opened | cannot be opened | can be opened | can be opened |
| Sport appearance package | - | - | - | - | - | - | - |
| Electric spoiler | - | | - | | - | <u>-</u> | - |
| Rim material | Aluminum alloy | Aluminum alloy | Aluminum alloy | Aluminum alloy | Aluminum alloy | Aluminum alloy | Aluminum alloy |
| Electric suction door | - | - | The whole car | The whole car | The whole car | The whole car | - |
| Automatic opening and closing of car doors | - | - | Main driver | Main driver The whole car | Main driver | The whole car | - |
| Frameless door | - | - | _ | o The whole car | - | _ | - |
| sliding door | _ | _ | _ | _ | _ | _ | _ |
| roof rack | _ | _ | _ | _ | _ | _ | _ |
| | Remote key | Remote key | Remote key | Remote key | Remote key | Remote key | Remote kev |
| Key type | Bluetooth key | Bluetooth key | Bluetooth key | Bluetooth key | Bluetooth key | Bluetooth key | Bluetooth key |
| Keyless start | - Didetootil key | Bluetootii key | Diuctootii key | Didetootil key | • Didetootil key | • Didetootil Key | Didetootil key |
| keyless entry | First row | First row | First row | First row | First row | First row | The whole car |
| Hidden electric door | • That low | • Thist Tow | • Thist Tow | • Thist Tow | Thistiow | Thistrow | The whole cal |
| handle Active closing air intake | • | • | • | • | • | • | • |
| grille | - | • | • | • | • | • | • |
| Electric tailgate | • | • | • | • | • | • | • |
| Tailgate position memory | • | • | • | • | • | • | • |
| Induction tailgate | • | • | • | • | • | • | • |
| Tailgate glass opens independently | - | - | - | - | - | - | - |
| car side pedals | - | - | - | - | - | - | - |
| Low speed driving warning sound | • | • | • | • | • | • | • |
| Sentinel (clairvoyance) mode | - | - | - | - | - | - | - |
| | | | Internal co | nfiguration | | | |
| Steering wheel material | • Leather | Leather Genuine leather | Genuine leather | Genuine leather | Genuine leather | Genuine leather | Genuine leather |
| | | o containe reaction | Manual up and down + | Manual up and down + | Manual up and down + | Electric up and down + | Electric up and down + |
| | | | front and rear adjustment | front and rear adjustment | front and rear adjustment | front and rear adjustment | front and rear adjustment |
| steering wheel adjustment | Manual up and down + | Manual up and down + | Electric up and down + | Electric up and down + | Flectric up and down + | | |
| 3 | front and rear adjustment | front and rear adjustment | front and rear adjustment | front and rear adjustment | | Steering wheel memory | Steering wheel memory |
| | | | Steering wheel memory | Steering wheel memory | Steering wheel memory | | |
| Shift pattern | Electronic gear shifting | Electronic gear shifting | Electronic gear shifting | Electronic gear shifting | Electronic gear shifting | Electronic gear shifting | Electronic gear shifting |
| Multifunction steering wheel | • | • | • | • | • | • | • |
| steering wheel gear shift | - | - | - | - | - | - | - |
| Steering wheel heating | - | 0 | • | • | • | • | • |
| Trip computer display | Color | Color | Color | Color | Color | Color | Color |
| Full LCD instrument panel | • | • | • | • | • | • | • |
| Instrument screen size [inches] | • 12.3 | • 12.3 | • 12.3 | • 12.3 | • 12.3 | • 12.3 | • 12.3 |
| HUD heads up display | - | 0 | - | • | - | • | • |
| Built-in driving recorder | - | • | • | • | • | • | • |
| Mobile phone wireless charging | - | • First row | • First row | • First row | • First row | • First row | • First row |
| ETC device | - | - | - | - | - | - | - |
| Active noise reduction Electrically adjustable | - | - | - | - | - | - | - |
| pedals | - | - | - | - | - | - | - |
| Single pedal mode | • | • | • | • | • | • | • |

| seat material | | <u></u> | Seat Com | figuration | | | |
|---|--|--|--|--|--|--|--|
| | Imitation leather | Imitation leather | Imitation leather | Imitation leather | Imitation leather | Imitation leather | Leather/fleece materia mix and match |
| Sports style seats | - | | - | - | | | • • |
| Electric driver's seat adjustment | Electric adjustment | Electric adjustment with memory | Electric adjustment with memory | Electric adjustment with memory | Electric adjustment with memory | Electric adjustment with memory | Electric adjustment wi memory |
| Passenger seat electric adjustment | Electric adjustment | Electric adjustment Electric adjustment with memory | Electric adjustment with memory | Electric adjustment with memory | Electric adjustment with memory | Electric adjustment with memory | Electric adjustment |
| | Front and back | Front and back | Front and back | Front and back | Front and back | Front and back | Front and back |
| | adjustment | adjustment | adjustment | adjustment | adjustment | adjustment | adjustment |
| Driver's seat adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment |
| method | Height adjustment (2- way) | Height adjustment (4- way) | Height adjustment (4- way) | Height adjustment (4- way) | Height adjustment (4- way) | Height adjustment (4- way) | Height adjustment (4 way) |
| | Waist adjustment (4- | Waist adjustment (4- | Waist adjustment (4- | Waist adjustment (4- | Waist adjustment (4- | Waist adjustment (4- | Waist adjustment (4) |
| | way) • Front and back | way) • Front and back | way) • Front and back | way) • Front and back | way) • Front and back | way) • Front and back | way) • Front and back |
| Passenger seat adjustment | adjustment | adjustment | adjustment | adjustment | adjustment | adjustment | adjustment |
| method | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment |
| Final name and from alice and | | Heating | Heating | Heating | Heating | Heating | Heating |
| First row seat functions | - | VentilationMassage | VentilationMassage | VentilationMassage | VentilationMassage | VentilationMassage | Ventilation |
| Boss button | <u>-</u> | o iviassage | ■ iviassage - | - Wassage | - iviassage | ■ iviassage - | - |
| Electrically adjustable | | _ | | _ | | | |
| second row seats | - | - | - | - | - | - | - |
| Second row seat adjustment method | - | - | - | - | - | - | - |
| Second row seat functions | - | - | HeatingMassage | HeatingMassage | HeatingMassage | Heating Massage | Heating |
| center armrest | First row | First row | First row | First row | First row | First row | First row |
| | Second row | Second row | Second row | Second row | Second row | Second row | Second row |
| Seat layout | • 2+3 | • 2+3 | • 2+3 | • 2+3 | • 2+3 | • 2+3 | • 2+3 |
| Rear seat folding method Electrically reclining rear | Inverted proportions - | Inverted proportions - | Inverted proportions - | Inverted proportions - | Inverted proportions - | Inverted proportions - | Inverted proportions |
| seats Rear cup holder | Second row | Second row | Second row | Second row | Second row | Second row | Second row |
| Heated/cooled cup holder | - Second Tow | - Second Tow | - Second Tow | - Second Tow | - Second Tow | - Second Tow | - Second Tow |
| Rear folding table | _ | - | _ | _ | - | _ | _ |
| Real lolding table | | | l | iternet | | | <u> </u> |
| Central control color screen | Touch LCD screen | Touch LCD screen | Touch LCD screen | Touch LCD screen | Touch LCD screen | Touch LCD screen | Touch LCD screen |
| Central control screen size [inch] | | - 20.2 | • 20.3 | 20.2 | • 20.3 | | |
| | • 20.3 | • 20.3 | ₹ 20.5 | • 20.3 | ₹ 20.5 | • 20.3 | • 21.7 |
| Central control screen | • 20.3 • OLED | • 20.3 • OLED | • OLED | • 20.3 • OLED | • OLED | • 20.3 • OLED | • 21.7 • OLED |
| Central control screen material Central control screen | | | | | | | · |
| Central control screen material Central control screen resolution [px] Central control screen pixel | • OLED • 3840 x 720 | • OLED | • OLED | • OLED | • OLED | • OLED | • OLED |
| Central control screen material Central control screen resolution [px] | • OLED • 3840 x 720 • 192 | • OLED • 3840 x 720 • 192 | OLED 3840 x 720 192 - | OLED 3840 x 720 192 - | OLED 3840 x 720 192 - | OLED 3840 x 720 192 - | OLED 3840 x 720 192 - |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system | • OLED • 3840 x 720 • 192 - α-OS | • OLED • 3840 x 720 • 192 - α-OS | • OLED • 3840 x 720 • 192 - α-OS | • OLED • 3840 x 720 • 192 - α-OS | • OLED • 3840 x 720 • 192 - α-OS | • OLED • 3840 x 720 • 192 - α-OS | OLED 3840 x 720 192 - HarmonyOS |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system [GB] | • OLED • 3840 x 720 • 192 | • OLED • 3840 x 720 • 192 | OLED 3840 x 720 192 - | OLED 3840 x 720 192 - | OLED 3840 x 720 192 - | OLED 3840 x 720 192 - | OLED 3840 x 720 192 - |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] | • OLED • 3840 x 720 • 192 - α-OS | • OLED • 3840 x 720 • 192 - α-OS | • OLED • 3840 x 720 • 192 - α-OS | • OLED • 3840 x 720 • 192 - α-OS | • OLED • 3840 x 720 • 192 - α-OS | • OLED • 3840 x 720 • 192 - α-OS | OLED 3840 x 720 192 - HarmonyOS |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network | OLED 3840 x 720 192 - α-OS 8 128 4G | OLED 3840 x 720 192 - α-OS 8 128 4G | OLED 3840 x 720 192 - α-OS 8 128 4G | OLED 3840 x 720 192 - α-OS 8 128 4G | OLED 3840 x 720 192 - α-OS 8 128 4G | OLED 3840 x 720 192 - α-OS 8 128 4G | • OLED • 3840 x 720 • 192 - HarmonyOS • 8 • 128 • 5G |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA | OLED 3840 x 720 192 - HarmonyOS 8 128 5G Vehicle OTA |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - HarmonyOS 8 128 5G Vehicle OTA WiFi connection |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot | OLED |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function Car navigation map V2X communication | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection | OLED 3840 x 720 192 - HarmonyOS 8 128 5G Vehicle OTA WiFi connection |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function Car navigation map V2X communication roadside assistance call | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu • | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu • | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu • | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu | OLED |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function Car navigation map V2X communication | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu • | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu • | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu • | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu • | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu • | OLED 3840 x 720 192 | OLED |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function Car navigation map V2X communication roadside assistance call Bluetooth/car phone | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu 0 Original | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu 0 Original | OLED 3840 x 720 192 | OLED 3840 x 720 192 | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot 8 Original | OLED 3840 x 720 192 | OLED |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function Car navigation map V2X communication roadside assistance call Bluetooth/car phone | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu • | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu • Original interconnection/mapping | OLED | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu • Original interconnection/mapping | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping | OLED 3840 x 720 192 - HarmonyOS 8 128 5G Vehicle OTA WiFi connection WiFi hotspot Gaode - Original interconnection/mappin |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function Car navigation map V2X communication roadside assistance call Bluetooth/car phone Mobile phone interconnection/mapping | OLED 3840 x 720 192 α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar | OLED 3840 x 720 192 - α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar | OLED 3840 x 720 192 α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar | OLED 3840 x 720 192 - α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar | OLED 3840 x 720 192 - α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar | OLED 3840 x 720 192 HarmonyOS 8 128 5G Vehicle OTA WiFi connection WiFi hotspot Gaode Gaode Original interconnection/mappin Support HiCar |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function Car navigation map V2X communication roadside assistance call Bluetooth/car phone | OLED 3840 x 720 192 α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Iittle fox | OLED 3840 x 720 192 α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar little fox | OLED 3840 x 720 192 α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar little fox | OLED 3840 x 720 192 - α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar little fox | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar little fox | OLED 3840 x 720 192 α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar little fox | OLED 3840 x 720 192 HarmonyOS 8 128 5G Vehicle OTA WiFi connection WiFi hotspot Gaode Original interconnection/mappir Support HiCar Ittle fox |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function Car navigation map V2X communication roadside assistance call Bluetooth/car phone Mobile phone interconnection/mapping | OLED 3840 x 720 192 α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar little fox First row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar little fox First row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row | OLED 3840 x 720 192 HarmonyOS 8 128 5G Vehicle OTA WiFi connection WiFi hotspot Gaode Original interconnection/mappin Support HiCar Ittle fox First row |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function Car navigation map V2X communication roadside assistance call Bluetooth/car phone Mobile phone interconnection/mapping Voice assistant wake word Voice zone wake-up | OLED 3840 x 720 192 α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Iittle fox First row Second row | OLED 3840 x 720 192 α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Iittle fox First row Second row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support CarPlay Support HiCar little fox First row Second row | OLED 3840 x 720 192 α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row Second row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row Second row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support CarPlay Ittle fox First row Second row | OLED 3840 x 720 192 HarmonyOS 8 128 5G Vehicle OTA WiFi connection WiFi hotspot Gaode Original interconnection/mappir Support HiCar Ittle fox First row Second row |
| Central control screen material Central control screen resolution [px] Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function Car navigation map V2X communication roadside assistance call Bluetooth/car phone Mobile phone interconnection/mapping Voice assistant wake word Voice zone wake-up Voice wake-up-free Speech continuous | OLED 3840 x 720 192 α-OS 8 128 128 Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar little fox First row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar little fox First row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row | OLED 3840 x 720 192 HarmonyOS 8 128 5G Vehicle OTA WiFi connection WiFi hotspot Gaode Original interconnection/mappin Support HiCar Ittle fox First row |
| Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade Car WiFi function Car navigation map V2X communication roadside assistance call Bluetooth/car phone Mobile phone interconnection/mapping Voice assistant wake word Voice zone wake-up | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row Second row Second row | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row Second row Second row | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Iittle fox First row Second row Second row | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row Second row Second row | OLED 3840 x 720 192 α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row Second row Second row | OLED 3840 x 720 192 - α-OS 8 128 4G Vehicle OTA WiFi connection WiFi hotspot Baidu Original interconnection/mapping Support CarPlay Support HiCar Ittle fox First row Second row Second row | OLED 3840 x 720 192 - HarmonyOS 8 128 5G Vehicle OTA WiFi connection WiFi hotspot Gaode - Original interconnection/mappin Support HiCar Ittle fox First row Second row Second row • |

| function | Telephone | Telephone | Telephone | Telephone | Telephone | Telephone | Telephone |
|---|--|---|---|---|---|---|--|
| Turiction | Air conditioning | Air conditioning | Air conditioning | Air conditioning | Air conditioning | Air conditioning | Air conditioning |
| gesture control | _ | _ | _ | _ | _ | _ | Skylight |
| face recognition | - | - | - | • | - | • | • |
| .acc recognicion | Door control | Door control | Door control | Door control | Door control | Door control | Door control |
| | Vehicle starts | Vehicle starts | Vehicle starts | Vehicle starts | Vehicle starts | Vehicle starts | Vehicle starts |
| | Air conditioning control | Air conditioning control | Air conditioning control | Air conditioning control | Air conditioning control | Air conditioning control | Air conditioning contro |
| | Charging management | Charging management | Charging management | Charging management | Charging management | Charging management | Charging managemen |
| | Vehicle condition | Vehicle condition | Vehicle condition | Vehicle condition | Vehicle condition | Vehicle condition | Vehicle condition |
| Remote control function | inquiry/diagnosis | inquiry/diagnosis | inquiry/diagnosis | inquiry/diagnosis | inquiry/diagnosis | inquiry/diagnosis | inquiry/diagnosis |
| Themote control furication | Vehicle positioning/car | Vehicle positioning/car | Vehicle positioning/car | Vehicle positioning/car | Vehicle positioning/car | Vehicle positioning/car | Vehicle positioning/ca |
| • | search • Maintenance/repair | search Maintenance/repair | search Maintenance/repair | search • Maintenance/repair | search Maintenance/repair | search • Maintenance/repair | search • Maintenance/repair |
| | - | • | appointment | appointment | appointment | appointment | · · |
| ľ | appointmentCar owner services (find | appointment Car owner services (find | Car owner services (find) | Car owner services (find) | | Car owner services (find) | appointment Car owner services (fin |
| | charging piles, gas stations, | charging piles, gas stations, | charging piles, gas stations, | charging piles, gas stations, | charging piles, gas stations, | charging piles, gas stations, | charging piles, gas station |
| | parking lots, etc.) | parking lots, etc.) | parking lots, etc.) Media ent | parking lots, etc.) ertainment | parking lots, etc.) | parking lots, etc.) | parking lots, etc.) |
| Car APP application market | • | • | • | • | • | • | • |
| Car CD/DVD | - | - | - | - | - | - | - |
| | • USB | • USB | • USB | • USB | • USB | • USB | • USB |
| Multimedia/charging interface | Type-C | Type-C | Type-C | Type-C | Type-C | Type-C | Type-C |
| | • SD | • SD | • SD | • SD | • SD | • SD | • SD |
| Number of USB/Type-C | • 2 in the front row/2 in | 2 in the front row/2 in | 2 in the front row/2 in | 2 in the front row/2 in | 2 in the front row/2 in | 2 in the front row/2 in | 2 in the front row/2 in |
| interfaces | the back row | the back row | the back row | the back row | the back row | the back row | the back row |
| In-car entertainment functions | - | Karaoke | Karaoke | Karaoke | Karaoke | Karaoke | - |
| simulated sound | • | • | • | • | • | • | - |
| Rear seat control | | | | - | | | _ |
| multimedia | - | 0 | 0 | • | 0 | • | • |
| Cockpit 220V/230V power supply | - | - | - | - | - | - | - |
| Luggage compartment power interface | - | 。 220V | • 220V | • 220V | • 220V | • 220V | - |
| audio brand | - | Infinity Yanfeilishi | Infinity Yan Feilishi | Infinity Yan Feilishi | Infinity Yan Feilishi | Infinity Yan Feilishi | Infinity Yan Feilishi |
| Number of speakers | • 8 | • 8 | • 12 | • 12 | • 12 | • 12 | • 12 |
| | | o 12 | liaht f | unction | | | |
| | | | | | | | |
| Low beam light source | • LED | • LED | • LED | • LED | • LED | • LED | • LED |
| high beam light source | • LED | • LED | • LED | • LED | • LED | • LED | LED Matrix |
| Lighting features | - | = | - | - | - | - | • Matrix |
| ED daytime running lights | • | • | • | • | • | • | • |
| | Height adjustment | Height adjustment | Height adjustment | Height adjustment | Height adjustment | Height adjustment | Height adjustment |
| | Automatic opening and | Automatic opening and | Automatic opening and | Automatic opening and | Automatic opening and | Automatic opening and | Automatic opening and |
| Headlight function | closing | closing Adaptive high and low | closingAdaptive high and low | closing Adaptive high and low | closing Adaptive high and low | closingAdaptive high and low | closing Adaptive high and low |
| neadilight function | Delayed shutdown | | beam | beam | beam | beam | beam |
| | | beamDelayed shutdown | Delayed shutdown | Delayed shutdown | Delayed shutdown | Delayed shutdown | Automatic steering |
| | | - 20.ajea mataomi | - 20.0jeu snatuomi | - 2 siajea silataomii | - 20.0jeu snatuomi | - 20.ayea shataomii | Delayed shutdown |
| Turn assist light | - | - | - | - | - | - | - |
| Front fog lights | - | - | - | - | - | - | - |
| Headlight cleaning device | - | | | | | | - |
| Car interior ambient light | - | • 230 colors | • 230 colors | • 230 colors | • 230 colors | • 230 colors | • 230 colors |
| | | | glass/rear | view mirror | | | 1 |
| First row electric windows | • | • | • | • | • | • | • |
| Second row electric windows | • | • | • | • | • | • | • |
| One-click lifting and lowering of windows | The whole car | The whole car | The whole car | The whole car | The whole car | The whole car | The whole car |
| Window anti-pinch function | The whole car | The whole car | The whole car | The whole car | The whole car | The whole car | The whole car |
| Multilayer soundproof | Second row | The whole car | The whole car | The whole car | The whole car | The whole car | First row |
| glass | | | l . | | | | |

| | Electric folding | Heated rearview mirrors | Heated rearview mirrors | Heated rearview mirrors | Heated rearview mirrors | Heated rearview mirrors | Heated rearview mirrors |
|---|---|--|---|---|---|---|---|
| | Automatic folding when | | | | | | |
| Exterior rearview mirror | locking the car | Electric folding | Electric folding | Electric folding | Electric folding | Electric folding | Electric folding |
| function | | 1 | Rearview mirror memory | Rearview mirror memory | Rearview mirror memory | Rearview mirror memory | 1 |
| latarias van invasivas | | Automatically roll down when reversing Automatic folding when locking the car | Automatically roll down when reversing Automatic folding when locking the car | Automatically roll down when reversing Automatic folding when locking the car | Automatically roll down when reversing Automatic folding when locking the car | Automatically roll down when reversing Automatic folding when locking the car | Automatically roll down when reversing Automatic folding when locking the car |
| Interior rearview mirror | Manual anti-dazzle | Manual anti-dazzle | Automatic anti-dazzle | Automatic anti-dazzle | Automatic anti-dazzle | Automatic anti-dazzle | Automatic anti-dazzle |
| function Rear side privacy glass | • | • | • | • | • | • | • |
| Rear side sunshades | - | - | - | - | - | - | - |
| Rear windshield sunshade | Main driver | Main driving + lighting | Main driving + lighting | Main driving + lighting | Main driving + lighting | Main driving + lighting | Main driving + lighting |
| Car vanity mirror | Co-pilot | Co-pilot + lighting | Co-pilot + lighting | Co-pilot + lighting | Co-pilot + lighting | Co-pilot + lighting | Co-pilot + lighting |
| Sensing wiper function | Rain sensor type | Rain sensor type | Rain sensor type | Rain sensor type | Rain sensor type | Rain sensor type | Rain sensor type |
| rear wiper Heated water nozzle | - | - | - | - | - | - | - |
| Ticated water mozzie | | | Air conditionin | g/refrigeration | | | |
| | | | | T T | _ | | |
| First row air conditioner | Dual temperature zone automatic air conditioning | Dual temperature zone automatic air conditioning | Dual temperature zone automatic air conditioning | Dual temperature zone automatic air conditioning | Dual temperature zone automatic air conditioning | • Dual temperature zone automatic air conditioning | Dual temperature zone automatic air conditioning |
| Second row air conditioner | Manual air conditioner | Manual air conditioner | Manual air conditioner | Manual air conditioner | Manual air conditioner | Manual air conditioner | Air outlet |
| Third row air conditioner | - | - | - | - | - | - | - |
| heat pump air conditioner | - | - | 0 | 0 | 0 | • | • |
| air quality monitoring | - | - | - | - | - | - | - |
| In-car PM2.5 filter device Car air purifier | • - | • | • | • | • | • | • |
| negative ion generator | - | • | • | • | • | • | - |
| Fragrance system | - | - | - | - | - | - | - |
| car refrigerator | - | - | | - | - | - | - |
| | | | Featured co | onfiguration | | | |
| It can be said that it is visible | - | - | - | - | - | - | • |
| AVP automated valet parking | - | - | - | - | - | - | • |
| ICA urban intelligent cruise assistance | - | - | - | - | - | - | o Optional |
| NCA Urban Intelligent Driving Navigation Assistance | - | - | - | - | - | - | o Optional |
| Assistance | <u> </u> | <u> </u> | Optional | package | | | |
| | _ | _ | | ○ No price for options yet | _ | _ | _ |
| | _ | | | o No price for options yet | | | |
| Smart electric suit | Electronic button openir | ng and closing doors (three d charging port cover, o | | | electric doors (three doors c eering wheel adjustment (wit | | r), door dancing, electric |
| Light and Shadow | | | | | | | - |
| Light and Shadow Entertainment Advanced | - | o No price for options yet | - | - | - | - | |
| | Openable panoramic sun | roof, 8-inch head-up display | | | owoofer), AR laser projection r sill welcome tread trim, trun | | nt mat, multimedia crystal |
| Entertainment Advanced | Openable panoramic sun | roof, 8-inch head-up display | | | | | nt mat, multimedia crystal - |
| Entertainment Advanced | - NAPPA leather steering wl | roof, 8-inch head-up display knob, Ultrasuede® n | nicrofiber velvet Door panels, | driver fatigue warning, door - river's seat ventilation function | sill welcome tread trim, trun - on, driver's seat massage fun | k 220V power supply - ction, passenger seat memor | - y function, passenger seat |
| Entertainment Advanced Package Interior luxury upgrade package | - NAPPA leather steering wl | roof, 8-inch head-up display knob, Ultrasuede® n Ono price for options yet | nicrofiber velvet Door panels, | driver fatigue warning, door - river's seat ventilation function | sill welcome tread trim, trun - on, driver's seat massage fun | k 220V power supply - ction, passenger seat memor | - y function, passenger seat |
| Entertainment Advanced Package Interior luxury upgrade | - NAPPA leather steering wl welcome function - | oroof, 8-inch head-up display knob, Ultrasuede® n No price for options yet heel, steering wheel heating (a, passenger nap mode, passe | including remote heating), denger seat ventilation function | river's seat ventilation function, passenger seat Massage for | on, driver's seat massage fununction, rear air conditioning | k 220V power supply - ction, passenger seat memor control panel, 220V power s | y function, passenger seat upply in the trunk |
| Entertainment Advanced Package Interior luxury upgrade package | - NAPPA leather steering wl welcome function - | roof, 8-inch head-up display knob, Ultrasuede® n o No price for options yet heel, steering wheel heating (a, passenger nap mode, passe o No price for options yet | including remote heating), denger seat ventilation function | river's seat ventilation function, passenger seat Massage for | on, driver's seat massage fununction, rear air conditioning | k 220V power supply - ction, passenger seat memor control panel, 220V power s | y function, passenger seat upply in the trunk |