	Yuanhe Unique New Energy							
	Email: wenbin_zheng@hotmail.com WhatsApp: +86 139 0639 1027							
	23 models of Hongmeng version, 630km, rear drive version, 5 seats	23 models of Hongmeng version, 630km, rear drive version, 4 seats	23 models of Hongmeng version, 730km, rear-wheel drive version, 5 seats	23 Hongmeng versions, 730km, rear-wheel drive version, 4 seats	22 models of 680km 011 joint limited edition 4- seater			
		Basic Info	ormation					
level	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV			
Energy type	pure electricity	pure electricity	pure electricity	pure electricity	pure electricity			
time to market	2023/8/24	2023/8/24	2023/8/24	2023/8/24	2022/8/8			
CLTC pure electric range [km]	630	630	730	730	680			
Fast charging time[h]	0.25	0.25	0.42	0.42	0.42			
Fast charging capacity [%]	30-80	30-80	30-80	30-80	30-80			
Slow charging time[h]	10.5	10.5	13.5	13.5	13.5			
Slow charging capacity[%]	0-100	0-100	0-100	0-100	0-100			
Motor[Ps]	313	313	313	313	578			
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio			
Length*width*height[mm]	4880*1970*1601	4880*1970*1601	4880*1970*1601	4880*1970*1601	4880*1970*1601			
Body structure	4-door, 5-seater SUV	4-door, 4-seater SUV	4-door, 5-seater SUV	4-door, 4-seater SUV	4-door, 4-seater SUV			
Maximum speed [km/h]	200	200	200	200	200			
Official 0-100km/h acceleration [s]	6.6	6.6	6.9	6.9	4.5			
Vehicle warranty	5 years or 120,000 kilometers	5 years or 120,000 kilometers	5 years or 120,000 kilometers	5 years or 120,000 kilometers	5 years or 120,000 kilometers			
Exterior color								
interior color								
		Во	dy					
Length[mm]	4880	4880	4880	4880	4880			
Width[mm]	1970	1970	1970	1970	1970			
Height[mm]	1601	1601	1601	1601	1601			
Wheelbase [mm]	2975	2975	2975	2975	2975			
Front wheelbase [mm]	1678	1678	1678	1678	1678			
Rear wheelbase [mm]	1678	1678	1678	1678	1678			
Car door opening method	swing door	swing door	swing door	swing door	swing door			
Number of doors	4 5	4	5	4	4			
		т	,	т				

Approach angle [°]	20	20	20	20	20
Departure angle [°]	twenty three				
Drag coefficient [Cd]	0.308	0.308	0.308	0.308	0.308
Official front trunk volume [L]	95	95	95	95	95
Actual measured front trunk volume [L]	-	-	-	-	84
Official trunk volume [L]	489	489	489	489	394
Actual measured trunk volume [L]	-	-	-	-	464
Curb weight [kg]	2280	2280	2365	2365	2425
Full load mass [kg]	2655	2655	2750	2750	2873
		electric	motor		
Number of drive motors	single motor	single motor	single motor	single motor	Dual motor
Motor layout	rear	rear	rear	rear	Front + rear
Motor type	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization	Front AC asynchronous/rear permanent magnet synchronous
Total motor power [kW]	230	230	230	230	425
Total motor horsepower [Ps]	313	313	313	313	578
Motor total torque [N·m]	370	370	370	370	650
Maximum power of front electric motor [kW]	-	-	-	-	195
Maximum torque of front electric motor [N·m]	-	-	-	-	280
Maximum power of rear electric motor [kW]	230	230	230	230	230
Maximum torque of rear electric motor [N·m]	370	370	370	370	370
		Battery/	recharge		
Battery Type	Ternary lithium battery				

Battery brand	Ningde era	Ningde era	Ningde era	Ningde era	Ningde era
Battery temperature	Low temperature heating	 Low temperature heating 	Low temperature heating	Low temperature heating	 Low temperature heating
management	Liquid cooling	Liquid cooling	Liquid cooling	Liquid cooling	Liquid cooling
CLTC pure electric range [km]	630	630	730	730	680
Battery power [kWh]	90	90	116	116	116
Battery energy density [Wh/kg]	180	180	190	190	190
Electricity consumption per 100 kilometers [kWh/100km]	17.1	17.1	18.35	18.35	19
vehicle charging port	Slow charging port	Slow charging port	Slow charging port	Slow charging port	Slow charging port
venicle charging port	Quick charging port	Quick charging port	Quick charging port	Quick charging port	Quick charging port
Slow charging port location	Car left rear side	Car left rear side	• Car left rear side	Car left rear side	• Car left rear side
Fast charging port location	• Car left rear side	Car left rear side	 Car left rear side 	Car left rear side	Car left rear side
Fast charging power [kW]	240	240	240	240	240
Fast charging time[min]	15	15	25	25	25
Fast charging time[h]	0.25	0.25	0.42	0.42	0.42
Fast charging capacity [%]	30-80	30-80	30-80	30-80	30-80
Slow charging power [kW]	11	11	11	11	11
Slow charging time[h]	10.5	10.5	13.5	13.5	13.5
Slow charging capacity[%]	0-100	0-100	0-100	0-100	0-100
Vehicle battery swap	-	-	-	-	-
Home charging pile	•	•	•	•	•
Car charging gun	•	•	•	•	•
External discharge function	•	•	•	•	•
External discharge power	• 3.3kW	• 3.3kW	• 3.3kW	• 3.3kW	• 3.3kW
Battery pack warranty	8 years or 160,000 kilometers	8 years or 160,000 kilometers	8 years or 160,000 kilometers	8 years or 160,000 kilometers	8 years or 160,000 kilometers

year bus

	T	954.					
Gearbox description	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox		
Gearbox type	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio		
Number of gears	1	1	1	1	1		
		chassis	steering				
Drive form	rear wheel drive	rear wheel drive	rear wheel drive	rear wheel drive	Dual motor four-wheel drive		
four-wheel drive	-	-	-	-	Electric four-wheel drive		
Center differential structure	-	-	-	-	-		
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension		
rear suspension type	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension		
Assist type	electric assist	electric assist	electric assist	electric assist	electric assist		
Adjustable suspension features	-	-	-	-	-		
Adjustable suspension types	-	-	-	-	-		
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing		
limited slip differential	-	-	-	-	-		
differential lock	-	-	-	-	-		
		wheel	brake				
Front brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type		
rear brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type		
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking		
Front tire specifications	• 265/45 R21	• 265/45 R21	• 265/45 R21	• 265/45 R21	• 265/40 R22		
Front tire specifications	o 265/40 R22	。 265/40 R22	o 265/40 R22	。 265/40 R22	● 203/40 NZ2		
Poar tire specifications	• 265/45 R21	• 265/45 R21	• 265/45 R21	• 265/45 R21	• 265/40 R22		
Rear tire specifications	。 265/40 R22	。 265/40 R22	o 265/40 R22	。 265/40 R22	₩ 203/40 K22		
Spare tire	Tire repair tools only	Tire repair tools only	Tire repair tools only	Tire repair tools only	Tire repair tools only		
Spare tire placement	-	-	-	-	-		
active safety							
ABS anti-lock	•	•	•	•	•		
Braking force distribution (EBD/CBC, etc.)	•	•	•	•	•		

		I	I		1
Brake assist (BA/EBA/BAS, etc.)	•	•	•	•	•
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•	•
Body stability control (ESP/DSC/VSC, etc.)	•	•	•	•	•
Seat belt not fastened reminder	•	•	•	•	•
Tire pressure monitoring	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display
		passive	safety		
Main driver airbag	•	•	•	•	•
Passenger airbag	•	•	•	•	•
First row side airbag	•	•	•	•	•
Second row side airbags	-	-	-	-	-
side curtain airbags	•	•	•	•	•
knee air bag	-	-	-	-	-
Passenger seat cushion airbag	-	-	-	-	-
Rear seat belt airbag	-	-	-	-	-
Rear seat anti-skid airbags	-	-	-	-	-
center airbag	-	-	-	-	-
Second row forward airbags	-	-	-	-	-
child seat interface	•	•	•	•	•
passive pedestrian protection	-	-	-	-	-
Run-flat tires	-	-	-	-	-
	<u> </u>	Auxiliary/contro	l ol configuration	<u> </u>	<u> </u>
forms and the		y . y , c	9		
front parking radar	•	-	•	-	•
Rear parking radar	•	•	•	•	•
Reverse side warning system	•	•	•	•	•
Door opening collision warning	•	•	•	•	•
Driving assistance images	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image

Chassis perspective	•	•	•	•	•
cruise system	Full-speed adaptive cruise	Full-speed adaptive cruise	Full-speed adaptive cruise	Full-speed adaptive cruise	Full-speed adaptive cruise
	• Sports	• Sports	• Sports	• Sports	• Sports
	• Economy	• Economy	• Economy	• Economy	• Economy
Driving mode selection	Standard/Comfortable	Standard/Comfortable	Standard/Comfortable	Standard/Comfortable	Standard/Comfortable
	• Customization/personalizat ion	uise cruise cruise cruise sports • Sports • Sports • Sports sonomy • Economy	• Customization/personalizat ion		
Fatigue reminder	•	•	•	•	•
automatic parking	•	•	•	•	•
remote control parking	•	•	•	•	•
remote summoning	-	-	-	-	-
Engine start and stop	-	-	-	-	-
automatic parking	•	•	•	•	•
Hill assist	•	•	•	•	•
steep descent	•	•	•	•	•
night vision system	-	-	-	-	-
variable steering ratio	-	-	-	-	-
Integral active steering system	-	-	-	-	-
Wading sensing system	-	-	-	-	-
Anti-rollover system	•	•	•	•	-
		Assisted driv	ing functions		
Parallel assistance (BSM/BSD)	•	•	•	•	•
Lane Departure Warning (LDWS)	•	•	•	•	•
Lane Keeping (LKAS)	•	•	•	•	•
Lane centering	•	•	•	•	•
Road traffic sign recognition	•	•	•	•	•
forward collision warning	•	•	•	•	•
rear collision warning	•	•	•	•	•
Active braking	•	•	•	•	•
Automatic lane change assist	•	•	•	•	•

				T	T
Automatic ramp exit/entry	•	•	•	•	•
High-speed assisted driving	•	•	•	•	•
Urban assisted driving	0	0	0	0	0
Reverse tracking	-	-	-	-	-
		Assisted driv	ing hardware	Į.	
Driving assistance level	• L2				
Assisted driving system	• AVATRUTH	• AVATRUTH	• AVATRUTH	• AVATRUTH	• AVATRANS
Assisted driving chip	• 1 MDC810				
Chip computing power	• 400 TOPS				
Lidar brand	HUAWEI Huawei				
LiDAR quantity	• 3	• 3	• 3	• 3	• 3
Lidar line number	• 96 lines				
Lidar 10% reflectivity detection distance [m]	• 150	• 150	• 150	• 150	• 150
Number of lidar point clouds [10,000/second]	• 120	• 120	• 120	• 120	• 120
millimeter wave radar	• 6	• 6	• 6	• 6	• 6
ultrasonic radar	• First 6/Last 6				
Front sensing camera type	• Binocular x 2				
Environment aware camera	• 9	• 9	• 9	• 9	• 9
surround camera	• 4	• 4	• 4	• 4	• 4
car camera	• 1	• 1	• 1	• 1	• 1
		External co	nfiguration		
Skylight type	 Segmented non- openable skylight 				
Light-sensing awning	-	-	-	-	-
Sport appearance package	o Optional 6,000 yuan	o Optional			
Electric spoiler	-	-	-	-	•
Rim material	Aluminum alloy				
Electric suction door	o The whole car	o The whole car	The whole car	The whole car	The whole car

Automatic opening and closing of car doors	The whole car costs 15,000 yuan	o The whole car costs 15,000 yuan	• The whole car	• The whole car	• The whole car
Frameless door	•	•	•	•	•
sliding door	-	-	-	-	-
roof rack	-	-	-	-	-
Key type	Bluetooth key	Bluetooth key	Bluetooth key	Bluetooth key	Bluetooth key
Key type	NFC/RFID key	NFC/RFID key	NFC/RFID key	NFC/RFID key	NFC/RFID key
Keyless start	•	•	•	•	•
keyless entry	The whole car	The whole car	The whole car	The whole car	The whole car
Hidden electric door handle	•	•	•	•	•
Active closing air intake grille	-	-	-	-	-
Electric tailgate	•	•	•	•	•
Tailgate position memory	•	•	•	•	•
Induction tailgate	-	-	-	-	-
Tailgate glass opens independently	-	-	-	-	-
car side pedals	-	-	-	-	-
Low speed driving warning sound	•	•	•	•	•
Sentinel (clairvoyance) mode	•	•	•	•	•
		Internal co	nfiguration		
Steering wheel material	Genuine leather	Genuine leather	Genuine leather	Genuine leather	Genuine leather
steering wheel adjustment	• Electric up and down + front and rear adjustment	• Electric up and down + front and rear adjustment	Electric up and down + front and rear adjustment	Electric up and down + front and rear adjustment	Electric up and down + front and rear adjustment
	Steering wheel memory	Steering wheel memory	Steering wheel memory	Steering wheel memory	Steering wheel memory
Shift pattern	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting
Multifunction steering wheel	•	•	•	•	•
steering wheel gear shift	-	-	-	-	-
Steering wheel heating	-	-	-	-	-
Trip computer display	• Color	• Color	• Color	• Color	• Color
Full LCD instrument panel	•	•	•	•	•

Instrument screen size [inches]	• 10.25	• 10.25	• 10.25	• 10.25	• 10.25
Instrument screen resolution [px]	• 1920 x 720	• 1920 x 720			
Instrument screen pixel density [PPI]	• 200	• 200	• 200	• 200	• 200
HUD heads up display	-	-	-	-	-
Built-in driving recorder	•	•	•	•	•
Mobile phone wireless charging	• First row	First rowSecond row	• First row	First rowSecond row	First rowSecond row
ETC device	-	-	-	-	-
Active noise reduction	•	•	•	•	•
Electrically adjustable pedals	-	-	-	-	-
		Seat conf	iguration		
seat material	Genuine leather	Genuine leather	Genuine leather	Genuine leather	Genuine leather/fleece material mix and match
Sports style seats	-	-	-	-	-
Electric driver's seat adjustment	Electric adjustment with memory	Electric adjustment with memory			
Passenger seat electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment	• Electric adjustment
	 Front and back adjustment 	 Front and back adjustment 			
Driver's seat adjustment method	Backrest adjustment	Backrest adjustment	Backrest adjustment	• 1920 x 720 • 200 • First row • Second row - • Genuine leather - • Genuine leather - • Height adjustment • Backrest adjustment 4- • Height adjustment (4- way) • Waist adjustment (4- way) • Front and back adjustment 4- • Backrest adjustment (4- way) • Front and back adjustment 4- • Backrest adjustment (4- way) • Backrest adjustment (4- way)	Backrest adjustment
	Height adjustment (4- way)	Height adjustment (4- way)	Height adjustment (4- way)		Height adjustment (4- way)
	Waist adjustment (4- way)	• Waist adjustment (4- way)	• Waist adjustment (4- way)	•	• Waist adjustment (4- way)
	 Front and back adjustment 	 Front and back adjustment 	 Front and back adjustment 		 Front and back adjustment
Passenger seat adjustment method	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment
	Waist adjustment (4- way)	Waist adjustment (4- way)	Waist adjustment (4- way)	•	Waist adjustment (4- way)
	Heating	Heating	Heating	Heating	Heating
First row seat functions	 Ventilation 	 Ventilation 	Ventilation	 Ventilation 	 Ventilation
Instrument screen resolution [px] Instrument screen pixel density [PPI] HUD heads up display Built-in driving recorder Mobile phone wireless charging ETC device Active noise reduction Electrically adjustable pedals seat material Sports style seats Electric driver's seat adjustment Passenger seat electric adjustment Driver's seat adjustment method	Massage	Massage	Massage	• Massage	Massage
Boss button	-	•	-	•	•

Electrically adjustable second row seats	-	-	-	-	• Electric adjustment
Second row seat adjustment method	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment
Second row seat functions	-	HeatingVentilationMassage	-	HeatingVentilationMassage	-
	• First row	• First row	• First row	• First row	• First row
center armrest	Second row	Second row	Second row	Second row	Second row
Seat layout	• 2+3	• 2+2	• 2+3	• 2+2	• 2+2
Rear seat folding method	Inverted proportions	Inverted proportions	Inverted proportions	Inverted proportions	-
Electrically reclining rear seats	-	-	-	-	-
Rear cup holder	Second row	Second row	Second row	Second row	Second row
Heated/cooled cup holder	-	-	-	-	-
Rear folding table	-	-	-	-	-
		Car/In	ternet		
Central control color screen	Touch LCD screen	Touch LCD screen	Touch LCD screen	Touch LCD screen	Touch LCD screen
Central control screen size [inch]	• 15.6	• 15.6	• 15.6	• 15.6	• 15.6
Central control screen resolution [px]	• 1920 x 1080	• 1920 x 1080	• 1920 x 1080	• 1920 x 1080	• 1920 x 1080
Central control screen pixel density [PPI]	• 141	• 141	• 141	• 141	• 141
Passenger screen	Touch LCD screen	Touch LCD screen	Touch LCD screen	Touch LCD screen	Touch LCD screen
Passenger screen size [inches]	• 10.25	• 10.25	• 10.25	• 10.25	• 10.25
Passenger screen resolution [px]	• 1920 x 720	• 1920 x 720	• 1920 x 720	• 1920 x 720	• 1920 x 720
Passenger screen pixel density [PPI]	• 200	• 200	• 200	• 200	• 200
Vehicle system	HarmonyOS	HarmonyOS	HarmonyOS	HarmonyOS	HarmonyOS
Car chip	Kirin 990A	Kirin 990A	Kirin 990A	Kirin 990A	Kirin 990A
Vehicle system memory [GB]	• 8	• 8	• 8	• 8	• 8
Vehicle system storage [GB]	• 128	• 128	• 128	• 128	• 128

Vehicle-to-machine network	• 5G	• 5G	• 5G	• 5G	• 5G
OTA upgrade	Vehicle OTA	Vehicle OTA	Vehicle OTA	Vehicle OTA	Vehicle OTA
Car WiFi function	WiFi connection	WiFi connection	WiFi connection	WiFi connection	WiFi connection
Car WiFi function	WiFi hotspot	WiFi hotspot	WiFi hotspot	WiFi hotspot	WiFi hotspot
Car navigation map	• Gaode	• Gaode	• Gaode	• Gaode	• Gaode
HD map	•	•	•	•	•
V2X communication	-	-	-	-	-
roadside assistance call	•	•	•	•	•
Bluetooth/car phone	•	•	•	•	•
Mobile phone interconnection/mapping	-	-	-	-	-
Voice assistant wake word	Small tower, small tower	Small tower, small tower	Small tower, small tower	Small tower, small tower	Small tower, small tower
	• First row	• First row	• First row	• First row	• First row
Voice zone wake-up	Second row	Second row	Second row	Second row	Second row
Voice wake-up-free	•	•	•	•	•
Speech continuous recognition	•	•	•	•	•
	Multimedia system	Multimedia system	Multimedia system	Multimedia system	Multimedia system
Voice recognition control	Navigation	 Navigation 	 Navigation 	 Navigation 	 Navigation
function	Telephone	• Telephone	Telephone	• Telephone	Telephone
	Air conditioning	Air conditioning	Air conditioning	Air conditioning	Air conditioning
gesture control	•	•	•	•	•
face recognition	•	•	•	•	•
	Door control	Door control	Door control	Door control	Door control
	Window control	Window control	Window control	Window control	Window control
	Car light control	Car light control	Car light control	Car light control	Car light control
	Vehicle starts	Vehicle starts	Vehicle starts	Vehicle starts	Vehicle starts
Remote control function	Air conditioning control	Air conditioning control	Air conditioning control	Air conditioning control	Air conditioning control
	Charging management	Charging management	Charging management	Charging management	Charging management
	 Vehicle condition inquiry/diagnosis 	 Vehicle condition inquiry/diagnosis 	Vehicle condition inquiry/diagnosis	 Vehicle condition inquiry/diagnosis 	Vehicle condition inquiry/diagnosis
	Vehicle positioning/car search	Vehicle positioning/car search	Vehicle positioning/car search	Vehicle positioning/car search	Vehicle positioning/car search
		Media ente	ertainment	<u> </u>	l

Car APP application market	•	•	•	•	•
Car CD/DVD	-	-	-	-	-
	• USB				
Multimedia/charging	• Type-C				
interface	■ Type-C	• Type-C	■ Type-C	• Type-C	
	• SD				
Number of USB/Type-C interfaces	• 2 in the front row/1 in the back row	• 2 in the front row/1 in the back row	• 2 in the front row/1 in the back row	• 2 in the front row/1 in the back row	• 2 in the front row/1 in the back row
simulated sound	•	•	•	•	•
Rear seat control multimedia	-	-	-	-	-
Cockpit 220V/230V power supply	-	-	-	-	-
Luggage compartment power interface	• 12V				
audio brand	-	-	-	-	-
Number of speakers	• 14	• 14	• 14	• 14	• 14
		Light fo	unction		
Low beam light source	• LED				
high beam light source	• LED				
Lighting features	-	-	-	-	-
LED daytime running lights	•	•	•	•	•
	Height adjustment				
Headlight function	Automatic opening and closing				
	Adaptive high and low beam				
	Delayed shutdown				
Turn assist light	-	-	-	-	-
Front fog lights	-	-	-	-	-
Headlight cleaning device	-	-	-	-	-
Car interior ambient light	• 256 colors	• 256 colors	• 256 colors	• 256 colors	• 64 colors
		glass/rear v	view mirror		
First row electric windows	•	•	•	•	•

Second row electric windows	•	•	•	•	•		
One-click lifting and lowering of windows	• The whole car						
Window anti-pinch function	The whole car	The whole car	• The whole car	The whole car	The whole car		
Multilayer soundproof glass	-	-	-	-	-		
Exterior rearview mirror function	Electric adjustment						
	Heated rearview mirrors						
	Electric folding						
	Rearview mirror memory						
	Automatically roll down when reversing						
	Automatic folding when locking the car						
Interior rearview mirror function	Automatic anti-dazzle						
	Streaming media rearview mirror	Streaming media rearview mirror	Streaming media rearview mirror	Streaming media rearview mirror	Streaming media rearview mirror		
Rear side privacy glass	0	•	0	•	•		
Rear side sunshades	-	-	-	-	-		
Rear windshield sunshade	-	-	-	-	-		
Car vanity mirror	Main driving + lighting						
	Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting		
Sensing wiper function	Rain sensor type	Rain sensor type	Rain sensor type	Rain sensor type	• Rain sensor type		
rear wiper	-	-	-	-	-		
Heated water nozzle	-	-	-	-	-		
Air conditioning/refrigeration							
First row air conditioner	Dual temperature zone automatic air conditioning						

Second row air conditioner	• Air outlet	• Air outlet	• Air outlet	• Air outlet	• Air outlet			
Third row air conditioner	-	-	-	-	-			
heat pump air conditioner	•	•	•	•	•			
air quality monitoring	•	•	•	•	•			
In-car PM2.5 filter device	•	•	•	•	•			
Car air purifier	•	•	•	•	•			
negative ion generator	•	•	•	•	•			
Fragrance system	o Optional 3,000 yuan	o Optional 3,000 yuan	o Optional 3,000 yuan	o Optional 3,000 yuan	•			
car refrigerator	-	-	-	-	-			
Featured configuration								
HALO screen	o Optional 5,000 yuan	•	o Optional 5,000 yuan	•	•			
Optional package								
ADS high-end function package	∘ No price for options yet	-	○ No price for options yet	-	-			
	City Navigation Assist (City NCA), Valet Parking Assist (AVP)							
Exclusive sports kit	-	-	-	-	○ No price for options yet			
	22-inch aluminum alloy forged wheels (with 265/40 R22 tires) front lip, side skirts, rear apron							