		Yuanhe Uniqu	ie New Energy		
	Email: v	wenbin_zheng@hotmail.co	m WhatsApp: +86 139 063	39 1027	
	24 models of eDrive 35 L	24 models of eDirve 40L night suit	24 models of eDrive 40 L Yaoye Sports Package	23 eDrive 40 L night packages	23 models of eDrive 40 L Yaoye Sports Package
		Basic Info	ormation		
level	mid-size car				
Energy type time to market	pure electricity 2023/11/22	pure electricity 2023/11/22	pure electricity 2023/11/22	pure electricity 2023/2/20	pure electricity 2023/2/20
CLTC pure electric range [km]	526	592	592	592	592
Fast charging time[h]	0.52	0.53	0.53	0.68	0.68
Fast charging capacity [%]	10-80	10-80	10-80	10-80	10-80
Slow charging time[h]	6.75	7.5	7.5	7.5	7.5
Slow charging capacity[%]	0-100	0-100	0-100	0-100	0-100
Motor[Ps]	286	340	340	340	340
gearbox Length*width*height[mm	1st gear fixed gear ratio				
]	4872*1846*1481	4872*1846*1481	4872*1846*1481	4872*1846*1481	4872*1846*1481
Body structure Maximum speed [km/h]	4-door, 5-seat sedan 180				
Official 0-100km/h acceleration [s]	6.2	5.6	5.6	5.6	5.6
Vehicle warranty	3 years or 100,000 kilometers				
Exterior color			***************************************		
interior color			•		
	.		ody	-	_
Length[mm]	4872	4872	4872	4872	4872
Width[mm] Height[mm]	1846 1481	1846 1481	1846 1481	1846 1481	1846 1481
Wheelbase [mm]	2966	2966	2966	2966	2966
Front wheelbase [mm]	1593	1593	1603	1593	1603
Rear wheelbase [mm]	1581	1581	1581	1581	1581
Car door opening	swing door				
Number of doors	4	4	4	4	<u>4</u> 5
number of seats	5 16	5 16	5 16	5 16	16
Approach angle [°] Departure angle [°]	15	15	15	15	15
Drag coefficient [Cd]	0.24	0.24	0.24	0.24	0.24
Official trunk volume [L]	410	410	410	410	410
Curb weight [kg]	2029	2087	2087	2087	2087
Full load mass [kg]	2530	2580	2580	2580	2580
			motor		
Number of drive motors	single motor				
Motor layout	rear Separately excited				
Motor type	synchronous motor				
Total motor power [kW]	210	250	250	250	250
Total motor horsepower	286	340	340	340	340
[Ps] Motor total torque [N·m]	400	430	430	430	430
Maximum power of rear electric motor [kW]	210	250	250	250	250
Maximum torque of rear electric motor [N·m]	400	430	430	430	430
		Battery/	recharge		
Battery Type	Ternary lithium battery				
Battery brand	Ningde era				
Battery temperature	 Low temperature heating 	Low temperature heating	Low temperature heating	Low temperature heating	 Low temperature heating
management	Liquid cooling				
CLTC pure electric range [km]	526	592	592	592	592
Battery power [kWh]	70	79.05	79.05	79.05	79.05
Battery energy density [Wh/kg]	138	140	140	140	140
Electricity consumption per 100 kilometers [kWh/100km]	14.3	14.1	14.1	14.1	14.1
vehicle charging port	Slow charging portQuick charging port				
Slow charging port location	Car left front side				
Fast charging port location	Right rear side of car				
Fast charging time[min]	31	32	32	41	41
Fast charging time[h]	0.52	0.53	0.53	0.68	0.68

Fast charging capacity	10-80	10-80	10-80	10-80	10-80
[%] Slow charging time[h]	6.75	7.5	7.5	7.5	7.5
Slow charging capacity[%]	0-100	0-100	0-100	0-100	0-100
Vehicle battery swap Home charging pile Car charging gun					- - -
Battery pack warranty	8 years or 160,000 kilometers				
	Kilometers		rbox	Kilometers	Kilotheters
	Electric vehicle single				
Gearbox description	speed gearbox				
Gearbox type	Fixed gear ratio				
Number of gears	1	1	1	1	1
			steering		_
Drive form four-wheel drive	rear wheel drive	rear wheel drive	rear wheel drive	rear wheel drive	rear wheel drive
Center differential	-	-	-	-	-
structure	-	-	-	-	-
Front suspension type	MacPherson independent suspension				
	Multi-link independent				
rear suspension type	suspension	suspension	suspension	suspension	suspension
Assist type	electric assist				
Adjustable suspension	Height adjustmentSoft and hard				
features	adjustment	adjustment	adjustment	adjustment	adjustment
Adjustable suspension	Air suspension	Air suspension	Air suspension	Air suspension	Air suspension
types	•	•	·	,	·
Body structure limited slip differential	Load-bearing -	Load-bearing -	Load-bearing -	Load-bearing -	Load-bearing -
differential lock	-	-	-	-	-
		wheel	brake		
Front brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type
rear brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type
Parking brake type	Electronic parking				
Front tire specifications	• 225/50 R18	• 225/50 R18	• 225/45 R19	• 225/50 R18	• 225/45 R19
Rear tire specifications Spare tire	• 245/45 R18	• 245/45 R18	• 245/40 R19	• 245/45 R18	• 245/40 R19
Spare tire placement	No spare tire -				
Spare the placement		active	safety		
ABS anti-lock	•	•	•	•	•
Braking force distribution	•	•	•	•	•
(EBD/CBC, etc.) Brake assist (BA/EBA/BAS,	•	•	•	•	•
etc.) Traction control	•	•	•	•	•
(ASR/TCS/TRC, etc.) Body stability control	•	•		•	•
(ESP/DSC/VSC, etc.) Seat belt not fastened	• First row				
reminder					
Tire pressure monitoring	Tire pressure display	Tire pressure display	Tire pressure display safety	Tire pressure display	Tire pressure display
National Control	Г	passive	e safety	T	T
Main driver airbag Passenger airbag	•	•	•	•	•
First row side airbag	•	•	•	•	•
Second row side airbags	-	-	-	-	-
side curtain airbags	•	•	•	•	•
knee air bag Passenger seat cushion	-	-	-	-	-
airbag	-	-	-	-	-
Rear seat belt airbag	-	-	-	-	-
Rear seat anti-skid	-	-	-	-	-
airbags center airbag	-	-	-	-	-
Second row forward	-	-	_	_	_
airbags	-	-		-	
child seat interface passive pedestrian	•	•	•	•	•
protection	•	•	•	•	•
Run-flat tires	-	-	-	-	-
		Auxiliary/contro	ol configuration		
front parking radar	•	•	•	•	•
Rear parking radar	•	•	•	•	•
Reverse side warning system Door opening collision	0	0	0	0	0
Door opening collision warning	-	-	-	-	-

Tailgate glass opens	-	-	-	-	-
independently car side pedals	_	_	_	_	
Low speed driving	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
warning sound	•	•	•	•	•
Sentinel (clairvoyance)	-	-	-	-	-
mode					
			nfiguration		
Steering wheel material	Genuine leather Manual up and down	Genuine leather Manual up and down	Genuine leather Manual up and down	Genuine leather Manual up and down	Genuine leatherManual up and down
steering wheel adjustment	Manual up and down+ front and rear	Manual up and down+ front and rear	Manual up and down+ front and rear	Manual up and down+ front and rear	+ front and rear
Shift pattern	Electronic gear shift	Electronic gear shift	Electronic gear shift	Electronic gear shift	Electronic gear shift
Multifunction steering	•	•	•	•	•
wheel steering wheel gear shift	_	_	_	_	_
Steering wheel heating	-	-	-	-	-
Trip computer display	• Color	• Color	• Color	• Color	• Color
Full LCD instrument Instrument screen size	•	•	•	•	•
[inches]	• 12.3	• 12.3	• 12.3	• 12.3	• 12.3
HUD heads up display	o Optional 10,000 yuan	o Optional 10,000 yuan	•	o Optional 10,000 yuan	•
Built-in driving recorder	 Optional 1900 yuan 	 Optional 1900 yuan 	•	 Optional 1900 yuan 	•
Mobile phone wireless charging	First row	First row	First row	First row	First row
ETC device	Optional 1,000 yuan	Optional 1,000 yuan	Optional 1,000 yuan	Optional 1,000 yuan	o Optional 1,000 yuan
Active noise reduction	-	-	-	-	-
Electrically adjustable	-	-	-	-	-
pedals Single pedal mode	•	•	•	•	•
omgre production		Seat conf	iguration		
seat material	Imitation leather	Imitation leather	Imitation leather	Imitation leather	Imitation leather
Sports style seats	-	-	-	-	-
Electric driver's seat	 Electric adjustment 	 Electric adjustment 	Electric adjustment	 Electric adjustment 	 Electric adjustment
adjustment Passenger seat electric	with memory	with memory	with memory	with memory	with memory
adjustment	Electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment
	 Front and back adjustment 	 Front and back adjustment 	 Front and back adjustment 	 Front and back adjustment 	 Front and back adjustment
	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment
Driver's seat adjustment	 Height adjustment (4- 	 Height adjustment (4- 	Height adjustment (4-	 Height adjustment (4- 	Height adjustment (4-
method	way)	way)	way)	way)	way)
	Leg rest adjustmentWaist adjustment (4-	Leg rest adjustmentWaist adjustment (4-	Leg rest adjustmentWaist adjustment (4-	Leg rest adjustmentWaist adjustment (4-	Leg rest adjustmentWaist adjustment (4-
	way) 1,400 yuan	way) 1,400 yuan	way) 1,400 yuan	way) 1,400 yuan	way) 1,400 yuan
	 Front and back 	 Front and back 	 Front and back 	 Front and back 	 Front and back
	adjustment	adjustment	adjustment	adjustment	adjustment
Passenger seat	Backrest adjustmentHeight adjustment (4-	Backrest adjustmentHeight adjustment (4-	Backrest adjustmentHeight adjustment (4-	Backrest adjustmentHeight adjustment (4-	 Backrest adjustment Height adjustment (4-
adjustment method	way)	way)	way)	way)	way)
	Leg rest adjustment	Leg rest adjustment	Leg rest adjustment	Leg rest adjustment	Leg rest adjustment
	Waist adjustment (4-	Waist adjustment (4-	Waist adjustment (4-	Waist adjustment (4-	Waist adjustment (4-
First row seat functions	way) 1,400 yuan OHeating 3500 yuan	way) 1,400 yuan OHeating 3500 yuan	way) 1,400 yuan OHeating 3500 yuan	way) 1,400 yuan OHeating 3500 yuan	way) 1,400 yuan OHeating 3500 yuan
Boss button	-	-	-	-	-
Electrically adjustable	-	-	-	-	-
second row seats Second row seat					
adjustment method	-	-	-	-	-
Second row seat					
	-	-	-	-	-
center armrest	• First row	• First row	• First row	• First row	• First row
center armrest	 Second row 	 Second row 	 Second row 	 Second row 	 Second row
center armrest Seat layout Rear seat folding method					
center armrest Seat layout Rear seat folding method Electrically reclining rear	 Second row 	 Second row 	 Second row 	 Second row 	 Second row
center armrest Seat layout Rear seat folding method Electrically reclining rear seats	• Second row • 2+3 -	• Second row • 2+3 -	• Second row • 2+3 -	• Second row • 2+3 -	• Second row • 2+3 -
center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup	 Second row 	 Second row 	 Second row 	 Second row 	 Second row
center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder	• Second row • 2+3 -	• Second row • 2+3 -	• Second row • 2+3 • Second row -	• Second row • 2+3 -	• Second row • 2+3 -
center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup	• Second row • 2+3 -	• Second row • 2+3 • Second row -	• Second row • 2+3 • Second row -	• Second row • 2+3 -	• Second row • 2+3 -
Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table	• Second row • 2+3 -	• Second row • 2+3 • Second row -	• Second row • 2+3 • Second row -	• Second row • 2+3 -	• Second row • 2+3 -
center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Central control color screen	• Second row • 2+3 -	• Second row • 2+3 • Second row -	• Second row • 2+3 • Second row -	• Second row • 2+3 -	• Second row • 2+3 -
Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Central control color screen Central control screen	• Second row • 2+3 • Second row	• Second row • 2+3 • Second row Car/In	• Second row • 2+3 • Second row ternet	• Second row • 2+3 • Second row	• Second row • 2+3 • Second row
Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Central control color screen Central control screen size [inch]	• Second row • 2+3 • Second row • Touch LCD screen	• Second row • 2+3 • Second row Car/In • Touch LCD screen	Second row 2+3 Second row - ternet Touch LCD screen	• Second row • 2+3 • Second row • Touch LCD screen	• Second row • 2+3 • Second row • Touch LCD screen
Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Central control color screen Central control screen size [inch] Passenger screen Vehicle system	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive	• Second row • 2+3 • Second row Car/In • Touch LCD screen • 14.9 - iDrive	• Second row • 2+3 • Second row ternet • Touch LCD screen • 14.9 - iDrive	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive
Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Central control color screen Central control screen size [inch] Passenger screen Vehicle system Vehicle-to-machine	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G	• Second row • 2+3 • Second row Car/In • Touch LCD screen • 14.9 - iDrive • 4G	• Second row • 2+3 • Second row ternet • Touch LCD screen • 14.9 - iDrive • 4G	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G
Center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Central control color screen Central control screen size [inch] Passenger screen Vehicle system Vehicle-to-machine network	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G • 5G 3,000 yuan	• Second row • 2+3 • Second row Car/In • Touch LCD screen • 14.9 - iDrive • 4G • 5G 3,000 yuan	• Second row • 2+3 • Second row ternet • Touch LCD screen • 14.9 - iDrive • 4G • 5G 3,000 yuan	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G • 5G 3,000 yuan	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G • 5G 3,000 yuan
Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Central control color screen Central control screen size [inch] Passenger screen Vehicle system Vehicle-to-machine	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G	• Second row • 2+3 • Second row Car/In • Touch LCD screen • 14.9 - iDrive • 4G	• Second row • 2+3 • Second row ternet • Touch LCD screen • 14.9 - iDrive • 4G	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G • 5G 3,000 yuan
Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Central control color screen Central control screen size [inch] Passenger screen Vehicle system Vehicle-to-machine network OTA upgrade	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G • 5G 3,000 yuan • Car and machine OTA	• Second row • 2+3 • Second row Car/In • Touch LCD screen • 14.9 - iDrive • 4G • 5G 3,000 yuan • Car and machine OTA	• Second row • 2+3 • Second row ternet • Touch LCD screen • 14.9 - iDrive • 4G • 5G 3,000 yuan • Car and machine OTA	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G • 5G 3,000 yuan • Car and machine OTA	• Second row • 2+3 • Second row • Touch LCD screen • 14.9 - iDrive • 4G • 5G 3,000 yuan • Car and machine OTA

Bluetooth/car phone	•	•	•	•	
Mobile phone	Support CarPlay	Support CarPlay	Support CarPlay	Support CarPlay	Support CarPlay
interconnection/mapping		Support CarPlay Support CarLife	Support Carriay Support CarLife	Support Carriay Support CarLife	Support Carriay Support CarLife
Voice assistant wake	Hello, BMW	Hello, BMW	Hello, BMW	Hello, BMW	Hello, BMW
Voice zone wake-up	First row	First row	First row	• First row	First row
Voice vake-up-free	FIISTIOW	FIISLIOW	FIISTIOW	FIISTIOM	FIISTIOW
Speech continuous	•		•	•	•
•	•	•	•	•	•
recognition	Multimedia system	Multimedia system	Multimedia system	Multimedia system	Multimedia system
Voice recognition control		Navigation	Navigation	Navigation	Navigation
function					
lunction	TelephoneAir conditioning	Telephone Air conditioning	TelephoneAir conditioning	TelephoneAir conditioning	Telephone Air conditioning
gosturo control	• All conditioning	Air conditioning	• All conditioning	• All conditioning	Air conditioning
gesture control	-	-	-	-	-
face recognition	Door control	Door control	Door control	Door control	Door control
	Vehicle starts	Vehicle starts	Vehicle starts	Vehicle starts	Vehicle starts
	Air conditioning	Air conditioning	Air conditioning	Air conditioning	Air conditioning
	control	control	control	control	control
Pomoto control function	Charging management				
Remote control function	Vehicle condition	Vehicle condition	Vehicle condition	Vehicle condition	Charging managementVehicle condition
		inquiry/diagnosis			
	inquiry/diagnosis		inquiry/diagnosis Vehicle positioning/car	inquiry/diagnosis	inquiry/diagnosis
	Vehicle positioning/car	,	,	 Vehicle positioning/car 	
	search	search	search	search	search
		Media ente	ertainment		
Car APP application					
	-	-	-	-	-
market Car CD/DVD					
Multimedia/charging	• USB	• USB	• USB	• USB	• USB
interface	• USB	• USB • Type-C	• Type-C	• USB • Type-C	
Number of USB/Type-C	• 2 in the front row/2 in	• 2 in the front row/2 in	• 1ype-C • 2 in the front row/2 in	• 2 in the front row/2 in	Type-C2 in the front row/2 in
	_	-	-		-
interfaces	the back row	the back row	the back row	the back row	the back row
simulated sound	o Optional 1900 yuan	 Optional 1900 yuan 	o Optional 1900 yuan	 Optional 1900 yuan 	o Optional 1900 yuan
Rear seat control	-	-	-	-	-
multimedia					
Cockpit 220V/230V	-	-	-	-	-
power supply					
Luggage compartment	-	-	-	-	-
power interface					
avidia laman d	 Harman/Kardon 	 Harman/Kardon 		 Harman/Kardon 	Llamas and Manda at Lamas an
audio brand	Harman Kardon	Harman Kardon	Harman/KardonHarman	Harman Kardon	Harman/KardonHarman
			Kardon		Kardon
Number of speakers	• 6	• 6	• 17	• 6	• 17
Number of speakers	o 17	o 17	• 17	o 17	• 17
	0 17			0 17	
		Light fo	unction		
Low beam light source	• LED	• LED	• LED	• LED	• LED
high beam light source	• LED	• LED	• LED	• LED	• LED
Lighting features	o Matrix	∘ Matrix	Matrix	Matrix	Matrix
LED daytime running					
lights	•	•	•	•	•
g.r.cs	Height adjustment	Height adjustment	Height adjustment	Height adjustment	Height adjustment
	Automatic opening	Automatic opening	Automatic opening	Automatic opening	Automatic opening
	and closing	and closing	and closing	and closing	and closing
Headlight function		9	Adaptive high and low		Adaptive high and low
3g	 Delayed shutdown 	 Delayed shutdown 	beam	 Delayed shutdown 	beam
	Adaptive high and low	 Adaptive high and low 		 Adaptive high and low 	
	beam	beam	 Delayed shutdown 	beam	 Delayed shutdown
Turn assist light	o	O	•	O	•
Front fog lights	-	-	-	-	-
Headlight cleaning device		-	-	-	-
Car interior ambient light		• 9 colors	• 9 colors	• 9 colors	• 9 colors
	,			- 201010	
		glass/rear v	view mirror		
First row electric windows	•	•	•	•	•
Second row electric					
windows	<u> </u>				<u> </u>
One-click lifting and	The whole car	The whole car	The whole car	The whole car	The whole car
lowering of windows	The whole car	• The whole car	• The whole car	The whole car	• The whole car
Window anti-pinch	• Thombala are	A The whele are	The whole car	• The whele see	• Thombala are
function	The whole car	The whole car	• The whole car	 The whole car 	The whole car
Multilayer soundproof					
glass	_	-	-	-	_
3	Electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment
	Heated rearview	Heated rearview	Heated rearview	Heated rearview	Heated rearview
	mirrors	mirrors	mirrors	mirrors	mirrors
	Electric folding	Electric folding	Electric folding	Electric folding	Electric folding
	Rearview mirror	Rearview mirror	Rearview mirror	Rearview mirror	Rearview mirror
Exterior rearview mirror	• IZEGI VIEW IIIIIIII			memory	memory
		memory	memory		
	memory	memory • Automatically roll	memory • Automatically roll		
function	memory • Automatically roll	 Automatically roll 	Automatically roll	 Automatically roll 	Automatically roll
	memory • Automatically roll down when reversing	 Automatically roll down when reversing 	 Automatically roll down when reversing 	 Automatically roll down when reversing 	Automatically roll down when reversing
	memory • Automatically roll down when reversing • Automatic folding	Automatically rolldown when reversingAutomatic folding	Automatically roll down when reversingAutomatic folding	Automatically rolldown when reversingAutomatic folding	Automatically roll down when reversingAutomatic folding
	memory • Automatically roll down when reversing • Automatic folding when locking the car	 Automatically roll down when reversing Automatic folding when locking the car 	 Automatically roll down when reversing Automatic folding when locking the car 	 Automatically roll down when reversing Automatic folding when locking the car 	 Automatically roll down when reversing Automatic folding when locking the car
	memory • Automatically roll down when reversing • Automatic folding	Automatically rolldown when reversingAutomatic folding	Automatically roll down when reversingAutomatic folding	Automatically rolldown when reversingAutomatic folding	Automatically rolldown when reversingAutomatic folding

Interior rearview mirror	Manual anti-dazzle	 Automatic anti-dazzle 	 Automatic anti-dazzle 	 Automatic anti-dazzle 	Automatic anti-dazzle		
function	Automatic anti-dazzle						
Rear side privacy glass	-	-	-	-	-		
Rear side sunshades	-	-	-	-	-		
Rear windshield	-	-	-	-	-		
Car vanity mirror			Main driving + lighting				
<u> </u>	Co-pilot + lighting	Co-pilot + lighting	Co-pilot + lighting	Co-pilot + lighting	Co-pilot + lighting		
Sensing wiper function	Rain sensor type	 Rain sensor type 	 Rain sensor type 	 Rain sensor type 	Rain sensor type		
rear wiper	-	-	-	-	-		
Heated water nozzle	-	-	-	-	-		
		Air conditionin					
	Dual temperature zone	 Dual temperature zone 	 Dual temperature zone 	 Dual temperature zone 	 Dual temperature zon 		
First row air conditioner	automatic air	automatic air	automatic air	automatic air	automatic air		
	conditioning	conditioning	conditioning	conditioning	conditioning		
Second row air	 Single temperature 	 Single temperature 	 Single temperature 	 Single temperature 	 Single temperature 		
	zone automatic air	zone automatic air	zone automatic air	zone automatic air	zone automatic air		
conditioner	conditioning	conditioning	conditioning	conditioning	conditioning		
Third row air conditioner	-	-	-	-	-		
heat pump air conditioner	•	•	•	•	•		
air quality monitoring	_		_		_		
In-car PM2.5 filter device	•	•	•	•	•		
Car air purifier	_			_			
negative ion generator	_						
Fragrance system	_		_		-		
car refrigerator	_	_	-	-	<u>-</u>		
car reingerator	_				_		
		Optional	package				
antartainment nackage	-	-	-	-	o Optional 1900		
entertainment package		Mo	bbile phone wireless chargi	ng			
LED adaptive headlights				0.41.5.51.0100			
	-	-	-	Optional 9100	-		
(including high beam							
automatic control)							
		LED adaptive headl	ights (including high beam	automatic control)			
D							
Personalized black	-	-	-	-	-		
headlight trim strips		Davisari	alian di la la ala la andii alat tui a	at vice a			
			nalized black headlight trim	<u> </u>	0 1: 12500		
winter suit	-	-	-	 Optional 3500 	 Optional 3500 		
			Front seat heating function				
lana aratian is selections	-	-	-	 Optional 10000 	-		
Innovation package	Intelligent interconnected cockpit (including full-color head-up display system)						
	_	-	-	o Optional 8000	_		
entertainment package				<u> </u>	<u> </u>		
entertainment package		Harman/Kardon high-e	nd audio system, mobile p	hone wireless charging			
dark suit	-	-	-	-	-		
	Includes personalized customized black high-gloss trim strips and exterior components						
	inci	udes personalized customi.	zed black nigh-gloss trim s	trips and exterior compone	ents		
Comfort set	-	-	-	 Optional 4600 	 Optional 4600 		
Comfort set			. 1 11 1 141				
Comfort set		Rear	trunk lid with automatic co	ntroi			
		Rear -	trunk lid with automatic co	ntroi -			
Comfort set Comfort set	-	-	trunk lid with automatic co - with automatic control and	-	-		