

# Yuanhe Unique New Energy

Email: wenbin\_zheng@hotmail.com WhatsApp: +86 139 0639 1027

	23 models of DM-i Champion Edition 1.5T 121km two-wheel drive elite model	23 models of DM-i Champion Edition 1.5T 121km two-wheel drive premium model	23 DM-i Champion Edition 1.5T 121km two-wheel drive premium model	23 models of DM-i Champion Edition 1.5T 121km two-wheel drive exclusive model	23 models of DM-i Champion Edition 1.5T 200km two-wheel drive exclusive model	23 models of DM-i Champion Edition 1.5T 200km two-wheel drive flagship model
<b>Basic Information</b>						
Level	Medium and large cars	Medium and large cars	Medium and large cars	Medium and large cars	Medium and large cars	Medium and large cars
Energy type	plug-in hybrid	plug-in hybrid	plug-in hybrid	plug-in hybrid	plug-in hybrid	plug-in hybrid
Environmental protection standards	National VI	National VI	National VI	National VI	National VI	National VI
time to market	2023/5/18	2023/5/18	2023/5/18	2023/5/18	2023/5/18	2023/5/18
CLTC pure electric range [km]	-	-	-	-	-	-
WLTC pure electric range [km]	101	101	101	101	170	170
NEDC pure electric range [km]	121	121	121	121	200	200
Fast charging time[h]	0.46	0.46	0.46	0.46	0.47	0.47
Fast charging capacity [%]	-	-	-	-	-	-
Slow charging time[h]	2.61	2.61	2.61	2.61	4.4	4.4
engine	1.5T 139 horsepower L4	1.5T 139 horsepower L4	1.5T 139 horsepower L4	1.5T 139 horsepower L4	1.5T 139 horsepower L4	1.5T 139 horsepower L4
Maximum power/maximum torque	102kW/231N·m	102kW/231N·m	102kW/231N·m	102kW/231N·m	102kW/231N·m	102kW/231N·m
Motor[Ps]	197	197	197	197	218	218
gearbox	Electronic continuously variable transmission (E-CVT)	Electronic continuously variable transmission (E-CVT)	Electronic continuously variable transmission (E-CVT)	Electronic continuously variable transmission (E-CVT)	Electronic continuously variable transmission (E-CVT)	Electronic continuously variable transmission (E-CVT)
Length*width*height[mm]	4975*1910*1495	4975*1910*1495	4975*1910*1495	4975*1910*1495	4975*1910*1495	4975*1910*1495
Body structure	4-door, 5-seat sedan	4-door, 5-seat sedan	4-door, 5-seat sedan	4-door, 5-seat sedan	4-door, 5-seat sedan	4-door, 5-seat sedan
Maximum speed [km/h]	185	185	185	185	185	185
Official 0-100km/h acceleration [s]	7.9	7.9	7.9	7.9	7.9	7.9
WLTC comprehensive fuel consumption [L/100km]	1.71	1.71	1.71	1.71	0.74	0.74
Fuel consumption in low power state [L/100km]	5.1	5.1	5.1	5.1	5.3	5.3
Vehicle warranty	6 years or 150,000 kilometers	6 years or 150,000 kilometers	6 years or 150,000 kilometers	6 years or 150,000 kilometers	6 years or 150,000 kilometers	6 years or 150,000 kilometers
Exterior color						
interior color						
<b>Body</b>						
Length[mm]	4975	4975	4975	4975	4975	4975
Width[mm]	1910	1910	1910	1910	1910	1910
Height[mm]	1495	1495	1495	1495	1495	1495
Wheelbase [mm]	2920	2920	2920	2920	2920	2920

Front wheelbase [mm]	1640	1640	1640	1640	1640	1640
Rear wheelbase [mm]	1640	1640	1640	1640	1640	1640
Car door opening method	swing door	swing door	swing door	swing door	swing door	swing door
Number of doors	4	4	4	4	4	4
number of seats	5	5	5	5	5	5
Approach angle [°]	14	14	14	14	13	13
Departure angle [°]	13	13	13	13	14	14
Minimum turning radius [m]	6.15	6.15	6.15	6.15	6.15	6.15
Drag coefficient [Cd]	-	-	-	-	-	-
Fuel tank volume [L]	50	50	50	50	50	50
Official trunk volume [L]	470	470	470	470	470	470
Curb weight [kg]	1870	1870	1870	1870	2010	2010
Full load mass [kg]	2245	2245	2245	2245	2385	2385
<b>engine</b>						
engine model	BYD476ZQC	BYD476ZQC	BYD476ZQC	BYD476ZQC	BYD476ZQC	BYD476ZQC
Displacement [mL]	1497	1497	1497	1497	1497	1497
Displacement[L]	1.5	1.5	1.5	1.5	1.5	1.5
Intake form	turbocharging	turbocharging	turbocharging	turbocharging	turbocharging	turbocharging
Engine layout	horizontal	horizontal	horizontal	horizontal	horizontal	horizontal
Cylinder arrangement	L	L	L	L	L	L
Number of cylinders [number]	4	4	4	4	4	4
Number of valves per cylinder [number]	4	4	4	4	4	4
Air Supply	DOHC	DOHC	DOHC	DOHC	DOHC	DOHC
Maximum power [kW]	102	102	102	102	102	102
Maximum horsepower[Ps]	139	139	139	139	139	139
Maximum torque [N·m]	231	231	231	231	231	231
Maximum net power [kW]	96	96	96	96	96	96
fuel mark	No. 92	No. 92	No. 92	No. 92	No. 92	No. 92
Fuel supply method	direct injection	direct injection	direct injection	direct injection	direct injection	direct injection
Cylinder head material	Aluminum alloy	Aluminum alloy	Aluminum alloy	Aluminum alloy	Aluminum alloy	Aluminum alloy
Cylinder material	Aluminum alloy	Aluminum alloy	Aluminum alloy	Aluminum alloy	Aluminum alloy	Aluminum alloy
Environmental protection standards	National VI	National VI	National VI	National VI	National VI	National VI
<b>electric motor</b>						
Number of drive motors	single motor	single motor	single motor	single motor	single motor	single motor
Motor layout	prefix	prefix	prefix	prefix	prefix	prefix
Motor type	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization
Total motor power [kW]	145	145	145	145	160	160
Total motor horsepower [Ps]	197	197	197	197	218	218
Motor total torque [N·m]	316	316	316	316	325	325
Maximum power of front electric motor [kW]	145	145	145	145	160	160
Maximum torque of front electric motor [N·m]	316	316	316	316	325	325
Maximum power of rear electric motor [kW]	-	-	-	-	-	-



Gearbox type	Electronic continuously variable transmission (E-CVT)	Electronic continuously variable transmission (E-CVT)	Electronic continuously variable transmission (E-CVT)	Electronic continuously variable transmission (E-CVT)	Electronic continuously variable transmission (E-CVT)	Electronic continuously variable transmission (E-CVT)
Number of gears	-	-	-	-	-	-
<b>chassis steering</b>						
Drive form	Front wheel drive	Front wheel drive	Front wheel drive	Front wheel drive	Front wheel drive	Front wheel drive
four-wheel drive	-	-	-	-	-	-
Center differential structure	-	-	-	-	-	-
Front suspension type	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension
rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist	electric assist	electric assist
Adjustable suspension features	• Soft and hard adjustment	• Soft and hard adjustment	• Soft and hard adjustment	• Soft and hard adjustment	• Soft and hard adjustment	• Soft and hard adjustment
Adjustable suspension types	-	-	-	-	-	-
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing
limited slip differential	-	-	-	-	-	-
differential lock	-	-	-	-	-	-
<b>wheel brake</b>						
Front brake type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type
rear brake type	• Solid disc type	• Solid disc type	• Solid disc type	• Solid disc type	• Solid disc type	• Solid disc type
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	• 245/50 R18	• 245/50 R18	• 245/45 R19	• 245/45 R19	• 245/45 R19	• 245/45 R19
Rear tire specifications	• 245/50 R18	• 245/50 R18	• 245/45 R19	• 245/45 R19	• 245/45 R19	• 245/45 R19
Spare tire	• No spare tire	• No spare tire	• No spare tire	• No spare tire	• No spare tire	• No spare tire
Spare tire placement	-	-	-	-	-	-
<b>active safety</b>						
ABS anti-lock	•	•	•	•	•	•
Braking force distribution (EBD/CBC, etc.)	•	•	•	•	•	•
Brake assist (BA/EBA/BAS, etc.)	•	•	•	•	•	•
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•	•	•
Body stability control (ESP/DSC/VSC, etc.)	•	•	•	•	•	•
Seat belt not fastened reminder	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Tire pressure monitoring	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display
In-car biometric monitoring	-	-	-	-	-	-
<b>passive safety</b>						
Main driver airbag	•	•	•	•	•	•
Passenger airbag	•	•	•	•	•	•
First row side airbag	•	•	•	•	•	•
Second row side airbags	•	•	•	•	•	•

side curtain airbags	•	•	•	•	•	•
knee air bag	• Main driver	• Main driver	• Main driver	• Main driver	• Main driver	• Main driver
Passenger seat cushion airbag	-	-	-	-	-	-
Rear seat belt airbag	-	-	-	-	-	-
Rear seat anti-skid airbags	-	-	-	-	-	-
center airbag	-	-	-	-	-	-
Second row forward airbags	-	-	-	-	-	-
child seat interface	•	•	•	•	•	•
passive pedestrian protection	•	•	•	•	•	•
Run-flat tires	-	-	-	-	-	-
<b>Auxiliary/control configuration</b>						
front parking radar	•	•	•	•	•	•
Rear parking radar	•	•	•	•	•	•
Reverse side warning system	-	-	•	•	•	•
Door opening collision warning	-	-	•	•	•	•
Driving assistance images	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image
Chassis perspective	•	•	•	•	•	•
cruise system	• Full-speed adaptive cruise	• Full-speed adaptive cruise	• Full-speed adaptive cruise	• Full-speed adaptive cruise	• Full-speed adaptive cruise	• Full-speed adaptive cruise
Driving mode selection	• Sports	• Sports	• Sports	• Sports	• Sports	• Sports
	• Economy	• Economy	• Economy	• Economy	• Economy	• Economy
	• Standard/Comfortable	• Standard/Comfortable	• Standard/Comfortable	• Standard/Comfortable	• Standard/Comfortable	• Standard/Comfortable
	• Snow	• Snow	• Snow	• Snow	• Snow	• Snow
Fatigue reminder	-	-	-	-	-	-
automatic parking	-	-	-	○	○	○
remote control parking	•	•	•	•	•	•
remote summoning	-	-	-	-	-	-
Engine start and stop	-	-	-	-	-	-
automatic parking	•	•	•	•	•	•
Hill assist	•	•	•	•	•	•
steep descent	-	-	-	-	-	-
night vision system	-	-	-	-	-	-
variable steering ratio	-	-	-	-	-	-
Integral active steering system	-	-	-	-	-	-
Wading sensing system	-	-	-	-	-	-
<b>Assisted driving functions</b>						
Parallel assistance (BSM/BSD)	-	-	•	•	•	•
Lane Departure Warning (LDWS)	•	•	•	•	•	•
Lane Keeping (LKAS)	•	•	•	•	•	•
Lane centering	•	•	•	•	•	•

Road traffic sign recognition	•	•	•	•	•	•
forward collision warning	•	•	•	•	•	•
rear collision warning	-	-	•	•	•	•
Active braking	•	•	•	•	•	•
Automatic lane change assist	-	-	-	-	-	-
Automatic ramp exit/entry	-	-	-	-	-	-
Reverse tracking	-	-	-	-	-	-
<b>Assisted driving hardware</b>						
Driving assistance level	• L2	• L2	• L2	• L2	• L2	• L2
Assisted driving system	• DiPilot	• DiPilot	• DiPilot	• DiPilot	• DiPilot	• DiPilot
millimeter wave radar	• 1	• 1	• 3	• 3	• 3	• 3
ultrasonic radar	• Front 4/Last 4	• Front 4/Last 4	• Front 4/Last 4	• Front 4/Last 4	• Front 4/Last 4	• Front 4/Last 4
Front sensing camera type	• monocular	• monocular	• monocular	• monocular	• monocular	• monocular
Environment aware camera	• 1	• 1	• 1	• 1	• 1	• 1
surround camera	• 4	• 4	• 4	• 4	• 4	• 4
car camera	• 1	• 1	• 1	• 1	• 1	• 1
<b>External configuration</b>						
Skylight type	-	• The panoramic sunroof can be opened	• The panoramic sunroof can be opened	• The panoramic sunroof can be opened	• The panoramic sunroof can be opened	• The panoramic sunroof can be opened
Light-sensing awning	-	-	-	-	-	-
Sport appearance package	-	-	-	-	-	-
Electric spoiler	-	-	-	-	-	-
Rim material	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy
Electric suction door	-	-	-	-	-	-
Automatic opening and closing of car doors	-	-	-	-	-	-
Frameless door sliding door	-	-	-	-	-	-
roof rack	-	-	-	-	-	-
Key type	• Remote key	• Remote key	• Remote key	• Remote key	• Remote key	• Remote key
	• Bluetooth key	• Bluetooth key	• Bluetooth key	• Bluetooth key	• Bluetooth key	• Bluetooth key
	• NFC/RFID key	• NFC/RFID key	• NFC/RFID key	• NFC/RFID key	• NFC/RFID key	• NFC/RFID key
Keyless start	•	•	•	•	•	
keyless entry	• First row	• First row	• First row	• First row	• First row	• First row
Hidden electric door handle	•	•	•	•	•	•
Active closing air intake grille	-	-	-	-	-	-
Electric tailgate	•	•	•	•	•	•
Tailgate position memory	-	-	-	-	-	-
Induction tailgate	-	-	-	-	-	-
Tailgate glass opens independently	-	-	-	-	-	-
car side pedals	-	-	-	-	-	-

Low speed driving warning sound	•	•	•	•	•	•
Sentinel (clairvoyance) mode	-	-	-	-	-	-
<b>Internal configuration</b>						
Steering wheel material	• Leather	• Leather	• Leather	• Genuine leather	• Leather	• Genuine leather
steering wheel adjustment	• Manual up and down + front and rear adjustment	• Manual up and down + front and rear adjustment	• Manual up and down + front and rear adjustment	• Manual up and down + front and rear adjustment	• Manual up and down + front and rear adjustment	• Manual up and down + front and rear adjustment
Shift pattern	Electronic gear shift	Electronic gear shift	Electronic gear shift	Electronic gear shift	Electronic gear shift	Electronic gear shift
Multifunction steering wheel	•	•	•	•	•	•
steering wheel gear shift	-	-	-	-	-	-
Steering wheel heating	-	-	-	○	-	•
Trip computer display	• Color	• Color	• Color	• Color	• Color	• Color
Full LCD instrument panel	•	•	•	•	•	•
Instrument screen size [inches]	• 12.3	• 12.3	• 12.3	• 12.3	• 12.3	• 12.3
Instrument screen material	• LCD	• LCD	• LCD	• LCD	• LCD	• LCD
HUD heads up display	-	-	-	-	-	•
Built-in driving recorder	•	•	•	•	•	•
Mobile phone wireless charging	• First row	• First row	• First row	• First row	• First row	• First row
ETC device	-	-	-	-	-	-
Active noise reduction	-	-	-	-	-	-
Electrically adjustable pedals	-	-	-	-	-	-
Single pedal mode	-	-	-	-	-	-
<b>Seat configuration</b>						
seat material	• Leather	• Leather	• Leather	• Genuine leather	• Leather	• Genuine leather
Sports style seats	-	-	-	-	-	-
Electric driver's seat adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory
Passenger seat electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment
Driver's seat adjustment method	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment
	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
	• Height adjustment (2-way)	• Height adjustment (2-way)	• Height adjustment (2-way)	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)
Passenger seat adjustment method	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment
	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
				• Height adjustment (2-way)	• Height adjustment (2-way)	• Height adjustment (2-way)
				• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)
		• Heating (main driver)	• Heating (main driver)	• Heating	• Heating	• Heating

First row seat functions	-	• Ventilation (main driver)	• Ventilation (main driver)	• Ventilation	• Ventilation	• Ventilation
Boss button	-	•	•	•	•	•
Electrically adjustable second row seats	-	-	-	-	-	-
Second row seat adjustment method	-	-	-	-	-	-
Second row seat functions	-	-	-	-	-	-
center armrest	• First row	• First row	• First row	• First row	• First row	• First row
	• Second row	• Second row	• Second row	• Second row	• Second row	• Second row
Seat layout	• 2+3	• 2+3	• 2+3	• 2+3	• 2+3	• 2+3
Rear seat folding method	-	-	-	-	-	-
Electrically reclining rear seats	-	-	-	-	-	-
Rear cup holder	• Second row	• Second row	• Second row	• Second row	• Second row	• Second row
Heated/cooled cup holder	-	-	-	-	-	-
Rear folding table	-	-	-	-	-	-
<b>Car/Internet</b>						
Central control color screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen
Central control screen size [inch]	• 12.8	• 15.6	• 15.6	• 15.6	• 15.6	• 15.6
Central control screen material	• LCD	• LCD	• LCD	• LCD	• LCD	• LCD
Central control screen resolution [px]	-	• 1920 x 1080	• 1920 x 1080	• 1920 x 1080	• 1920 x 1080	• 1920 x 1080
Central control screen refresh rate [Hz]	-	• 90	• 90	• 90	• 90	• 90
Passenger screen	-	-	-	-	-	-
Vehicle system	DiLink	DiLink	DiLink	DiLink	DiLink	DiLink
Vehicle system memory [GB]	-	• 8	• 8	• 8	• 8	• 8
Vehicle system storage [GB]	-	• 128	• 128	• 128	• 128	• 128
Vehicle-to-machine network	• 5G	• 5G	• 5G	• 5G	• 5G	• 5G
OTA upgrade	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA
Car WiFi function	• WiFi connection	• WiFi connection	• WiFi connection	• WiFi connection	• WiFi connection	• WiFi connection
	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot
Car navigation map	• Gaode	• Gaode	• Gaode	• Gaode	• Gaode	• Gaode
V2X communication	-	-	-	-	-	-
roadside assistance call	•	•	•	•	•	•
Bluetooth/car phone	•	•	•	•	•	•
Mobile phone interconnection/mapping	• Support HiCar	• Support HiCar	• Support HiCar	• Support HiCar	• Support HiCar	• Support HiCar
Voice assistant wake word	• Hello, Xiaodi	• Hello, Xiaodi	• Hello, Xiaodi	• Hello, Xiaodi	• Hello, Xiaodi	• Hello, Xiaodi
Voice zone wake-up	• First row	• First row	• First row	• First row	• First row	• First row
	• Second row	• Second row	• Second row	• Second row	• Second row	• Second row
Voice wake-up-free	•	•	•	•	•	•
Speech continuous recognition	•	•	•	•	•	•



Voice recognition control function	• Multimedia system	• Multimedia system	• Multimedia system	• Multimedia system	• Multimedia system	• Multimedia system
	• Navigation	• Navigation	• Navigation	• Navigation	• Navigation	• Navigation
	• Telephone	• Telephone	• Telephone	• Telephone	• Telephone	• Telephone
	• Air conditioning	• Air conditioning	• Air conditioning	• Air conditioning	• Air conditioning	• Air conditioning
gesture control	-	-	-	-	-	-
face recognition	-	-	-	-	-	-
Remote control function	• Door control	• Door control	• Door control	• Door control	• Door control	• Door control
	• Vehicle starts	• Vehicle starts	• Vehicle starts	• Vehicle starts	• Vehicle starts	• Vehicle starts
	• Air conditioning control	• Air conditioning control	• Air conditioning control	• Air conditioning control	• Air conditioning control	• Air conditioning control
	• Charging management	• Charging management	• Charging management	• Charging management	• Charging management	• Charging management
	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis
• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	
<b>Media entertainment</b>						
Split screen function	•	•	•	•	•	•
Car APP application market	•	•	•	•	•	•
Car CD/DVD	-	-	-	-	-	-
Multimedia/charging interface	• USB	• USB	• USB	• USB	• USB	• USB
	• SD	• SD	• SD	• SD	• SD	• SD
Number of USB/Type-C interfaces	• 4 people in the front row/2 people in the back row	• 4 people in the front row/2 people in the back row	• 4 people in the front row/2 people in the back row	• 4 people in the front row/2 people in the back row	• 4 people in the front row/2 people in the back row	• 4 people in the front row/2 people in the back row
In-car entertainment functions	-	-	-	-	-	-
simulated sound	-	-	-	-	-	-
Rear seat control multimedia	-	-	-	-	-	-
Cockpit 220V/230V power supply	-	-	-	-	• 220V	• 220V
Luggage compartment power interface	-	-	-	-	-	-
audio brand	-	-	• Dynaudio	• Dynaudio	• Dynaudio	• Dynaudio
Number of speakers	• 8	• 8	• 12	• 12	• 12	• 12
<b>Light function</b>						
Low beam light source	• LED	• LED	• LED	• LED	• LED	• LED
high beam light source	• LED	• LED	• LED	• LED	• LED	• LED
Lighting features	• Matrix	• Matrix	• Matrix	• Matrix	• Matrix	• Matrix
LED daytime running lights	•	•	•	•	•	•
Headlight function	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment
	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing
	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam
	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown
Turn assist light	•	•	•	•	•	•

Front fog lights	-	-	-	-	-	-
Headlight cleaning device	-	-	-	-	-	-
Car interior ambient light	-	• Multicolor	• Multicolor	• Multicolor	• Multicolor	• Multicolor
<b>glass/rear view mirror</b>						
First row electric windows	•	•	•	•	•	•
Second row electric windows	•	•	•	•	•	•
One-click lifting and lowering of windows	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Window anti-pinch function	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Multilayer soundproof glass	• First row	• First row	• First row	• First row	• First row	• First row
Exterior rearview mirror function	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment
	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors
	• Electric folding	• Electric folding	• Electric folding	• Electric folding	• Electric folding	• Electric folding
	• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car	• Rearview mirror memory	• Rearview mirror memory	• Rearview mirror memory
				• Automatically roll down when reversing	• Automatically roll down when reversing	• Automatically roll down when reversing
			• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car	
Interior rearview mirror function	• Manual anti-dazzle	• Manual anti-dazzle	• Manual anti-dazzle	• Manual anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle
Rear side privacy glass	•	•	•	•	•	•
Rear side sunshades	-	-	-	-	-	-
Rear windshield sunshade	-	-	-	-	-	-
Car vanity mirror	-	• Main driving + lighting • Co-pilot + lighting	• Main driving + lighting • Co-pilot + lighting	• Main driving + lighting • Co-pilot + lighting	• Main driving + lighting • Co-pilot + lighting	• Main driving + lighting • Co-pilot + lighting
Sensing wiper function rear wiper	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type
Heated water nozzle	-	-	-	-	-	-
<b>Air conditioning/refrigeration</b>						
First row air conditioner	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning
Second row air conditioner	• Air outlet	• Air outlet	• Air outlet	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning
Third row air conditioner	-	-	-	-	-	-
heat pump air conditioner	-	-	-	-	•	•
air quality monitoring	-	-	-	-	-	-
In-car PM2.5 filter device	•	•	•	•	•	•
Car air purifier	-	-	•	•	•	•
negative ion generator	-	-	•	•	•	•
Fragrance system	-	-	-	-	-	-
car refrigerator	-	-	-	-	-	-
<b>Featured configuration</b>						

High-performance Chinese red four-piston fixed vise (front)	-	-	-	-	-	-
Brembo racing grade matte gray four-piston fixed caliper (front)	-	-	-	-	-	-
High-performance stone green four-piston fixed vise (front)	-	-	-	-	-	-
Mobile power station	-	-	-	-	-	-
<b>Optional package</b>						
DiSus-C intelligent electronically controlled active suspension	-	-	-	-	-	-
DiSus-C intelligent electronically controlled active suspension						
Warranty Policy	-	-	-	-	-	-
The lifetime warranty policy of the three-electric system must meet the needs of non-commercial vehicles (first owners), and the total mileage of the vehicle every 12 months from the date of purchase invoice does not exceed 30,000 kilometers.						
Smart upgrade package	-	-	-	-	-	-
DiLink3.0 upgraded version, electric tailgate						