Yuanhe Uniqu	ie New Energy
	m WhatsApp: +86 139 0639 1027
	23 DM-p 1.5T 200km four-wheel drive
	Ares version
Basic Information	
Level	Medium and large cars
Energy type	plug-in hybrid
Environmental protection standards	National VI
time to market	2023/5/18
CLTC pure electric range [km]	-
WLTC pure electric range [km]	170
NEDC pure electric range [km]	200
Fast charging time[h]	0.47
Fast charging capacity [%]	-
Slow charging time[h]	5.14
engine	1.5T 139 horsepower L4
Maximum power/maximum torque	102kW/231N·m
Motor[Ps]	490
	Electronic continuously variable
gearbox	transmission (E-CVT)
Length*width*height[mm]	4975*1910*1495
Body structure	4-door, 5-seat sedan
Maximum speed [km/h]	185
Official 0-100km/h acceleration [s]	3.7
WLTC comprehensive fuel	
consumption [L/100km]	0.62
Fuel consumption in low power state	
[L/100km]	6.2
Vehicle warranty	6 years or 150,000 kilometers
Exterior color	,
interior color	
	dy
Length[mm]	4975
Width[mm]	1910
Height[mm]	1495
Wheelbase [mm]	2920
Front wheelbase [mm]	1640
Rear wheelbase [mm]	1640
Car door opening method	swing door
Number of doors	4
number of seats	5
Approach angle [°]	13
Departure angle [°]	14
Minimum turning radius [m]	6.15
Drag coefficient [Cd]	<u> </u>
Fuel tank volume [L]	50
Official trunk volume [L]	470
Curb weight [kg]	2200
Full load mass [kg]	2575

engine	
engine model	BYD476ZQC
Displacement [mL]	1497
Displacement[L]	1.5
Intake form	turbocharging
Engine layout	horizontal
Cylinder arrangement	L
Number of cylinders [number]	4
Number of valves per cylinder	4
[number]	•
Air Supply	DOHC
Maximum power [kW]	102
Maximum horsepower[Ps]	139
Maximum torque [N·m]	231
Maximum net power [kW]	96
fuel mark	No. 92
Fuel supply method	direct injection
Cylinder head material	Aluminum alloy
Cylinder material	Aluminum alloy
Environmental protection standards	National VI
electric motor	
Number of drive motors	Dual motor
Motor layout	Front + rear
Motor type	Permanent magnet synchronization
Total motor power [kW]	360
Total motor horsepower [Ps]	490
Motor total torque [N·m]	675
Maximum power of front electric	
motor [kW]	160
Maximum torque of front electric	225
motor [N·m]	325
Maximum power of rear electric	200
motor [kW]	200
Maximum torque of rear electric	350
motor [N·m]	350
Battery/	recharge
Battery Type	Lithium iron phosphate battery
Battery brand	Ferdy
Battery brand Battery temperature management	Low temperature heating
	Liquid cooling
CLTC pure electric range [km]	-
WLTC pure electric range [km]	170
NEDC pure electric range [km]	200
Battery power [kWh]	36.01
Battery energy density [Wh/kg]	-
Electricity consumption per 100	twenty two
kilometers [kWh/100km]	,
vehicle charging port	Slow charging port
	 Quick charging port

Clour charging north setion	• Dight room side of som
Slow charging port location	Right rear side of car Right rear side of car
Fast charging port location Fast charging power [kW]	Right rear side of car 75
	75 28
Fast charging time[min]	-
Fast charging time[h]	0.47
Fast charging capacity [%]	- 5.14
Slow charging time[h]	5.14
Vehicle battery swap	-
Home charging pile Car charging gun	-
External discharge function	-
External discharge function External discharge power	• 6kW
Battery pack warranty	8 years or 150,000 kilometers
Battery pack warranty	Unlimited years/unlimited mileage
First owner battery pack warranty	(the liability exemption clause shall be
	subject to the official)
gearbox	
	E-CVT continuously variable
Gearbox description	transmission
	Electronic continuously variable
Gearbox type	transmission (E-CVT)
Number of gears	transmission (E-CVT)
cnassis	steering
Drive form	Front four-wheel drive
four-wheel drive	Electric four-wheel drive
Center differential structure	-
Front suspension type	MacPherson independent suspension
rear suspension type	Multi-link independent suspension
Assist type	electric assist
Adjustable suspension features	 Soft and hard adjustment
Adjustable suspension types	-
Body structure	Load-bearing
limited slip differential	-
differential lock	-
wheel	brake
Front brake type	 Ventilated disc type
rear brake type	Solid disc type
Parking brake type	Electronic parking
Front tire specifications	• 245/45 R19
Rear tire specifications	• 245/45 R19
Spare tire	 No spare tire
Spare tire placement	-
active safety	
ABS anti-lock	•
Braking force distribution (EBD/CBC,	_
etc.)	•
Brake assist (BA/EBA/BAS, etc.)	•
Traction control (ASR/TCS/TRC, etc.)	•
= (= , ==, ==, ==,	

Body stability control (ESP/DSC/VSC,	
etc.)	•
Seat belt not fastened reminder	The whole car
Tire pressure monitoring	Tire pressure display
In-car biometric monitoring	-
	safety
Main driver airbag	•
Passenger airbag	•
First row side airbag	•
Second row side airbags	•
side curtain airbags	•
knee air bag	Main driver
Passenger seat cushion airbag	-
Rear seat belt airbag	-
Rear seat anti-skid airbags	-
center airbag	ı
Second row forward airbags	-
child seat interface	•
passive pedestrian protection	•
Run-flat tires	-
Auxiliary/control configuration	
front parking radar	•
Rear parking radar	•
Reverse side warning system	•
Door opening collision warning	•
Driving assistance images	 360-degree panoramic image
Chassis perspective	•
cruise system	 Full-speed adaptive cruise
	• Sports
Driving mode selection	• Economy
	Standard/Comfortable
	• Snow
Fatigue reminder	•
automatic parking	-
remote control parking	•
remote summoning	-
Engine start and stop	<u>-</u>
automatic parking	•
Hill assist	•
steep descent	-
night vision system	-
variable steering ratio Integral active steering system	- -
Wading sensing system	<u>-</u>
Assisted driv	ing functions
Parallel assistance (BSM/BSD)	•
Lane Departure Warning (LDWS)	•
Lane Keeping (LKAS)	•
Lane centering	•

Road traffic sign recognition	•
forward collision warning	•
rear collision warning	•
Active braking	•
Automatic lane change assist	•
Automatic ramp exit/entry	-
Reverse tracking	-
Assisted driving hardware	
Driving assistance level	• L2
Assisted driving system	DiPilot
millimeter wave radar	• 5
ultrasonic radar	Front 4/Last 4
Front sensing camera type	monocular
Environment aware camera	• 1
surround camera	• 4
car camera	• 1
	nfiguration
External configuration	
Skylight type	 The panoramic sunroof can be
, , , , ,	opened
Light-sensing awning	-
Sport appearance package	•
Electric spoiler	-
Rim material	Aluminum alloy
Electric suction door	-
Automatic opening and closing of car	
doors	-
Frameless door	-
sliding door	-
roof rack	-
	Remote key
Key type	Bluetooth key
	NFC/RFID key
Keyless start	•
keyless entry	First row
Hidden electric door handle	•
Active closing air intake grille	-
Electric tailgate	•
Tailgate position memory	-
Induction tailgate	-
Tailgate glass opens independently	-
car side pedals	-
Low speed driving warning sound	•
Sentinel (clairvoyance) mode	-
	nfiguration
Steering wheel material	Genuine leather
Steering wheel material	Manual up and down + front and
steering wheel adjustment	
Chift pattorn	rear adjustment
Shift pattern	Electronic gear shift
Multifunction steering wheel	•

steering wheel gear shift	-
Steering wheel heating	•
Trip computer display	• Color
Full LCD instrument panel	•
Instrument screen size [inches]	• 12.3
Instrument screen material	• LCD
HUD heads up display	•
Built-in driving recorder	•
Mobile phone wireless charging	First row
ETC device	-
Active noise reduction	-
Electrically adjustable pedals	-
Single pedal mode	-
Seat confi	iguration
goat material	 Leather/fleece material mix and
seat material	match
Sports style seats	•
Electric driver's seat adjustment	Electric adjustment with memory
Passenger seat electric adjustment	Electric adjustment
	Front and back adjustment
	Backrest adjustment
Driver's seat adjustment method	Height adjustment (4-way)
<u> </u>	Waist adjustment (4-way)
	Front and back adjustment
	Backrest adjustment
Passenger seat adjustment method	Height adjustment (2-way)
 	Waist adjustment (4-way)
	Heating
First row seat functions	Ventilation
Boss button	•
Electrically adjustable second row	
seats	-
Second row seat adjustment method	-
Second row seat functions	
	• First row
center armrest	Second row
Seat layout	• 2+3
Rear seat folding method	-
Electrically reclining rear seats	
Rear cup holder	Second row
Heated/cooled cup holder	• Second Tow
Rear folding table	-
	<u>-</u>
Car/Int	
Central control color screen	Touch LCD screen
Central control screen size [inch]	• 15.6
Central control screen material	• LCD
Certiful Cortifor Sercen material	

Control control care on refreed rate	Г
Central control screen refresh rate	• 90
[Hz]	
Passenger screen	-
Vehicle system	DiLink
Vehicle system memory [GB]	• 8
Vehicle system storage [GB]	• 128
Vehicle-to-machine network	• 5G
OTA upgrade	 Vehicle OTA
Car WiFi function	WiFi connection
Car WiFi function	WiFi hotspot
Car navigation map	Gaode
V2X communication	-
roadside assistance call	•
Bluetooth/car phone	•
Mobile phone	•
•	Support HiCar
interconnection/mapping	Lielle Ward
Voice assistant wake word	Hello, Xiaodi
Voice zone wake-up	First row
·	Second row
Voice wake-up-free	•
Speech continuous recognition	•
	 Multimedia system
	Navigation
Voice recognition control function	Telephone
	Air conditioning
	Skylight
gesture control	
face recognition	_
idee recognition	Door control
	Vehicle starts
	Air conditioning control
Romoto control function	
Remote control function	Charging management
	Vehicle condition inquiry/diagnosis
	 Vehicle positioning/car search
Madia ant	
	ortainmont
iviedia ent	ertainment
Split screen function	ertainment •
	T
Split screen function	T
Split screen function Car APP application market	•
Split screen function Car APP application market	• • USB
Split screen function Car APP application market Car CD/DVD	• • USB • SD
Split screen function Car APP application market Car CD/DVD Multimedia/charging interface	• • USB
Split screen function Car APP application market Car CD/DVD	• USB • SD • 4 people in the front row/2 people
Split screen function Car APP application market Car CD/DVD Multimedia/charging interface Number of USB/Type-C interfaces	USB SD 4 people in the front row/2 people in the back row
Split screen function Car APP application market Car CD/DVD Multimedia/charging interface Number of USB/Type-C interfaces In-car entertainment functions	• USB • SD • 4 people in the front row/2 people
Split screen function Car APP application market Car CD/DVD Multimedia/charging interface Number of USB/Type-C interfaces In-car entertainment functions simulated sound	USB SD 4 people in the front row/2 people in the back row
Split screen function Car APP application market Car CD/DVD Multimedia/charging interface Number of USB/Type-C interfaces In-car entertainment functions simulated sound Rear seat control multimedia	USB USB SD 4 people in the front row/2 people in the back row Karaoke
Split screen function Car APP application market Car CD/DVD Multimedia/charging interface Number of USB/Type-C interfaces In-car entertainment functions simulated sound Rear seat control multimedia Cockpit 220V/230V power supply	USB SD 4 people in the front row/2 people in the back row
Split screen function Car APP application market Car CD/DVD Multimedia/charging interface Number of USB/Type-C interfaces In-car entertainment functions simulated sound Rear seat control multimedia Cockpit 220V/230V power supply Luggage compartment power	USB USB SD 4 people in the front row/2 people in the back row Karaoke
Split screen function Car APP application market Car CD/DVD Multimedia/charging interface Number of USB/Type-C interfaces In-car entertainment functions simulated sound Rear seat control multimedia Cockpit 220V/230V power supply	USB USB SD 4 people in the front row/2 people in the back row Karaoke

Number of speakers	• 12
Light function	
Low beam light source	• LED
high beam light source	• LED
Lighting features	Matrix
LED daytime running lights	•
, <u>, , , , , , , , , , , , , , , , , , </u>	Height adjustment
l locallia let five etice	Automatic opening and closing
Headlight function	Adaptive high and low beam
	 Delayed shutdown
Turn assist light	•
Front fog lights	-
Headlight cleaning device	-
Car interior ambient light	Multicolor
glass/rear view mirror	
First row electric windows	•
Second row electric windows	•
One-click lifting and lowering of	The whole car
windows	
Window anti-pinch function	The whole car
Multilayer soundproof glass	First row
	Electric adjustment
	 Heated rearview mirrors
	Electric folding
Exterior rearview mirror function	Rearview mirror memory
	Automatically roll down when
	reversing
	Automatic folding when locking
	the car
Interior rearview mirror function	Automatic anti-dazzle
Rear side privacy glass	•
Rear side sunshades	-
Rear windshield sunshade	- Main duiving , lighting
Car vanity mirror	Main driving + lighting
Concing winer function	Co-pilot + lighting Pain consor type
Sensing wiper function	Rain sensor type
rear wiper Heated water nozzle	-
	- 1 - 6 - 2
Air conditionin	g/refrigeration
First row air conditioner	 Dual temperature zone automatic air conditioning
	Single temperature zone automatic
Second row air conditioner	air conditioning
Third row air conditioner	-
heat pump air conditioner	•
air quality monitoring	-
In-car PM2.5 filter device	•
Car air purifier	•
negative ion generator	•

Fragrance system	-
car refrigerator	-
Featured configuration	
High-performance Chinese red four- piston fixed vise (front)	-
Brembo racing grade matte gray four- piston fixed caliper (front)	-
High-performance stone green four- piston fixed vise (front)	-
Mobile power station	-
Optional package	
DiSus-C intelligent electronically controlled active suspension	- DiSus-C intelligent electronically controlled active suspension
Warranty Policy	The lifetime warranty policy of the three-electric system must meet the needs of non-commercial vehicles (first owners), and the total mileage of the vehicle every 12 months from the date of purchase invoice does not
Smart upgrade package	- DiLink3.0 upgraded version, electric tailgate