Yuanhe Unique New Energy		
Email: wenbin_zheng@hotmail.com WhatsApp: +86 139 0639 1027		
	22 models 560km 75kWh	22 models 710km 100kWh
	Basic Information	
Level	mid-size car	mid-size car
Energy type	pure electricity	pure electricity
time to market	2021/12/18	2021/12/18
CLTC pure electric range	-	
[km]	560	710
Fast charging time[h]	0.6	0.6
Motor[Ps]	490	490
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	4790*1960*1499	4790*1960*1499
Body structure	5-door, 5-seater hatchback	5-door, 5-seater hatchback
Maximum speed [km/h]	200	200
Official 0-100km/h	4	4
acceleration [s]	4	4
	3 years or 120,000	3 years or 120,000
Vehicle warranty	kilometers	kilometers
	6 years or 150,000	6 years or 150,000
First owner warranty policy	kilometers (the liability	kilometers (the liability
I warranty policy	exemption clause shall be	exemption clause shall be
	subiect to the official)	subiect to the official)
Exterior color		
interior color		
	Body	
Length[mm]	4790	4790
Width[mm]	1960	1960
Height[mm]	1499	1499
Wheelbase [mm]	2888	2888
Front wheelbase [mm]	1685	1685
Rear wheelbase [mm]	1685	1685
Car door opening method	swing door	swing door
Number of doors	5	5
number of seats	5	5
Approach angle [°]	13	13
Departure angle [°]	14	14
Drag coefficient [Cd]	0.24	0.24
Curb weight [kg]	2165	2185
Full load mass [kg]	2690	2690
Traction mass [kg]	1400	1400
electric motor		
Number of drive motors	Dual motor	Dual motor
Motor layout	Front + rear	Front + rear

	Front induction	Front induction
<b>.</b>	asynchronous/rear	asynchronous/rear
Motor type	permanent magnet	permanent magnet
	svnchronous	svnchronous
Total motor power [kW]	360	360
Total motor horsepower [Ps]	490	490
Motor total torque [N·m]	700	700
Maximum power of front	150	150
electric motor [kW]	130	130
Maximum torque of front	280	280
electric motor [N·m]		
Maximum power of rear	210	210
electric motor [kW]  Maximum torque of rear		
electric motor [N·m]	420	420
electric motor [N m]	Pattam/vachavea	
	Battery/recharge	
Battery Type	Ternary lithium + lithium	Ternary lithium battery
	iron phosphate	•
Battery brand	Jiangsu Times	Jiangsu Times
Battery temperature	Low temperature	Low temperature
management	heating	heating
CLTC	<ul> <li>Liquid cooling</li> </ul>	<ul> <li>Liquid cooling</li> </ul>
CLTC pure electric range [km]	560	710
Battery power [kWh]	75	100
Battery energy density [Wh/kg]	142.1	185.44
Electricity consumption per		
100 kilometers	15.3	15.1
[kWh/100km]		
vehicle charging port	<ul> <li>Quick charging port</li> </ul>	<ul> <li>Quick charging port</li> </ul>
Slow charging port location	-	-
Fast charging port location	Car left rear side	Car left rear side
Fast charging time[min]	36	36
Fast charging time[h]	0.6	0.6
Vehicle battery swap	•	•
Home charging pile	<ul> <li>Optional 4,800 yuan</li> </ul>	<ul> <li>Optional 4,800 yuan</li> </ul>
Car charging gun	-	-
External discharge function	•	•
External discharge power	• 3.3kW	• 3.3kW
Battery pack warranty	8 years or 120,000	8 years or 120,000
I Dattery Data Wallalliv	kilometers	kilometers

	10 years with no mileage	10 years with no mileage
	limit (the liability	limit (the liability
First owner battery pack	exemption clause shall be	exemption clause shall be
warranty	- ·	· · · · · · · · · · · · · · · · · · ·
<b>_</b>	subject to the official	subject to the official
	policy)	policy)
	gearbox	
Coarboy description	Electric vehicle single	Electric vehicle single
Gearbox description	speed gearbox	speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio
Number of gears	1	1
	chassis steering	
	Dual motor four-wheel	Dual motor four-wheel
Drive form	drive	drive
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Center differential		
structure	-	-
	Five-link independent	Five-link independent
Front suspension type	suspension	suspension
roar suspension type	Five-link independent	Five-link independent
rear suspension type	suspension	suspension
Assist type	electric assist	electric assist
Adjustable suspension	_	_
features		
Adjustable suspension	_	_
types		
Body structure	Load-bearing	Load-bearing
limited slip differential	-	-
differential lock	-	-
	wheel brake	
Front brake type	<ul> <li>Ventilated disc type</li> </ul>	<ul> <li>Ventilated disc type</li> </ul>
rear brake type	<ul> <li>Ventilated disc type</li> </ul>	<ul> <li>Ventilated disc type</li> </ul>
Parking brake type	Electronic parking	Electronic parking
Front tire specifications	• 245/45 R19	• 245/45 R19
Rear tire specifications	• 245/45 R19	• 245/45 R19
Spare tire	<ul> <li>Tire repair tools only</li> </ul>	<ul> <li>Tire repair tools only</li> </ul>
Spare tire placement	-	<del>-</del>
	active safety	
ABS anti-lock	•	•
Braking force distribution	_	_
(EBD/CBC, etc.)	•	•
Brake assist (BA/EBA/BAS,	_	
etc.)	<u> </u>	
Traction control		
(ASR/TCS/TRC, etc.)		
Body stability control		
(ESP/DSC/VSC, etc.)	Ţ.	
Seat belt not fastened	The whole car	The whole car
reminder	- The Whole cal	- The Whole cal

Tire pressure monitoring	Tire pressure display	Tire pressure display
In-car biometric	The pressure display	The pressure display
monitoring	-	-
memicerniq	passive safety	
Main driver airbag		
Passenger airbag	•	•
First row side airbag	•	•
Second row side airbags	_	
side curtain airbags	•	•
knee air bag	-	-
Passenger seat cushion		
airbag	-	-
Rear seat belt airbag	-	-
Rear seat anti-skid airbags	-	-
center airbag	First row	• First row
Second row forward		
airbags	-	-
child seat interface	•	•
passive pedestrian		
protection	<del>-</del>	<del>-</del>
Run-flat tires	0	0
Auxi	liary/control configura	ation
front parking radar	•	•
Rear parking radar	•	•
Reverse side warning	•	•
system		
Door opening collision	•	•
warning	360 1	360 1
Driving assistance images	<ul> <li>360-degree panoramic image</li> </ul>	<ul> <li>360-degree panoramic image</li> </ul>
Chassis perspective	•	•
cruise system	<ul> <li>Full-speed adaptive</li> </ul>	<ul> <li>Full-speed adaptive</li> </ul>
Cruise system	cruise	cruise
	<ul><li>Sports</li></ul>	<ul><li>Sports</li></ul>
	• Economy	• Economy
	Standard/Comfortable	Standard/Comfortable
Driving mode selection	Off-road	Off-road
	• Snow	• Snow
	Contamination (	Contamination (
	Customization/personaliza	•
Fations name and	tion	tion
Fatigue reminder	•	•
automatic parking	•	•
remote control parking	•	•
remote summoning Engine start and stop	-	<u> </u>
automatic parking	_	_
Hill assist	•	•
steep descent	-	-
1 SICCE GESCETT	_	_

night vision system	-	-		
variable steering ratio	-	-		
Integral active steering	_	_		
system				
Wading sensing system	-	-		
As	Assisted driving functions			
Parallel assistance				
(BSM/BSD)	•	•		
Lane Departure Warning				
(LDWS)	•	•		
Lane Keeping (LKAS)	•	•		
Lane centering	•	•		
Road traffic sign				
recognition	•	•		
forward collision warning	•	•		
rear collision warning	-	-		
Active braking	•	•		
Automatic lane change				
assist	•	•		
Automatic ramp exit/entry	•	•		
High-speed assisted	0	0		
driving	O	O		
Urban assisted driving	0	0		
Reverse tracking	-	1		
As	sisted driving hardwa	re		
Driving assistance level	• L2	• L2		
	<ul> <li>NIO Autonomous</li> </ul>	<ul> <li>NIO Autonomous</li> </ul>		
Assisted driving system	Driving NIO Autonomous	Driving NIO Autonomous		
	Driving	Driving		
Assisted driving chip	<ul> <li>4 NVIDIA Drive Orin-X</li> </ul>	<ul> <li>4 NVIDIA Drive Orin-X</li> </ul>		
Chip computing power	• 1016 TOPS	• 1016 TOPS		
Lidar brand	<ul> <li>Innovusion Tudatong</li> </ul>	<ul> <li>Innovusion Tudatong</li> </ul>		
	<u> </u>	• Illilovusion rudatong		
Lidar model	• Falcon	• Falcon		
Lidar model LiDAR quantity				
	• Falcon			
LiDAR quantity	● Falcon ● 1 ● 150 lines	● Falcon ● 1 ● 150 lines		
LiDAR quantity Lidar line number	● Falcon ● 1	● Falcon ● 1		
LiDAR quantity Lidar line number Lidar maximum detection	• Falcon • 1 • 150 lines • 500	• Falcon • 1 • 150 lines • 500		
LiDAR quantity Lidar line number Lidar maximum detection distance [m]	● Falcon ● 1 ● 150 lines	● Falcon ● 1 ● 150 lines		
LiDAR quantity Lidar line number Lidar maximum detection distance [m] Lidar 10% reflectivity	• Falcon • 1 • 150 lines • 500 • 250	• Falcon • 1 • 150 lines • 500 • 250		
LiDAR quantity Lidar line number Lidar maximum detection distance [m] Lidar 10% reflectivity detection distance [m] Number of lidar point	• Falcon • 1 • 150 lines • 500	• Falcon • 1 • 150 lines • 500		
LiDAR quantity Lidar line number Lidar maximum detection distance [m] Lidar 10% reflectivity detection distance [m]	• Falcon • 1 • 150 lines • 500 • 250	• Falcon • 1 • 150 lines • 500 • 250		
LiDAR quantity Lidar line number Lidar maximum detection distance [m] Lidar 10% reflectivity detection distance [m] Number of lidar point clouds [10,000/second]	<ul> <li>Falcon</li> <li>1</li> <li>150 lines</li> <li>500</li> <li>250</li> <li>80-100</li> </ul>	<ul> <li>Falcon</li> <li>1</li> <li>150 lines</li> <li>500</li> <li>250</li> <li>80-100</li> </ul>		
LiDAR quantity Lidar line number Lidar maximum detection distance [m] Lidar 10% reflectivity detection distance [m] Number of lidar point clouds [10,000/second] millimeter wave radar	• Falcon • 1 • 150 lines • 500 • 250 • 80-100 • 5	• Falcon • 1 • 150 lines • 500 • 250 • 80-100 • 5		
LiDAR quantity Lidar line number Lidar maximum detection distance [m] Lidar 10% reflectivity detection distance [m] Number of lidar point clouds [10,000/second] millimeter wave radar ultrasonic radar	• Falcon • 1 • 150 lines • 500 • 250 • 80-100 • 5 • First 6/Last 6	• Falcon • 1 • 150 lines • 500 • 250 • 80-100 • 5 • First 6/Last 6		
LiDAR quantity Lidar line number Lidar maximum detection distance [m] Lidar 10% reflectivity detection distance [m] Number of lidar point clouds [10,000/second] millimeter wave radar ultrasonic radar Front sensing camera type	• Falcon • 1 • 150 lines • 500 • 250 • 80-100 • 5 • First 6/Last 6 • Binocular • 7	• Falcon • 1 • 150 lines • 500 • 250 • 80-100 • 5 • First 6/Last 6 • Binocular • 7		
LiDAR quantity Lidar line number Lidar maximum detection distance [m] Lidar 10% reflectivity detection distance [m] Number of lidar point clouds [10,000/second] millimeter wave radar ultrasonic radar Front sensing camera type Environment aware camera	• Falcon • 1 • 150 lines • 500 • 250 • 80-100 • 5 • First 6/Last 6 • Binocular	• Falcon • 1 • 150 lines • 500 • 250 • 80-100 • 5 • First 6/Last 6 • Binocular		

surround camera	• 4	• 4
Surround camera pixels	• 300	• 300
[10,000]	300	
car camera	• 2	• 2
	External configuration	1
Skylight type	• The panoramic sunroof	• The panoramic sunroof
Light-sensing awning	cannot be opened	cannot be opened
Sport appearance package	-	-
Electric spoiler	-	<del>-</del>
Rim material	<ul><li>Aluminum alloy</li></ul>	<ul> <li>Aluminum alloy</li> </ul>
Electric suction door	<ul><li>The whole car</li></ul>	<ul><li>The whole car</li></ul>
Automatic opening and		_
closing of car doors	-	-
Frameless door	•	•
sliding door	-	-
roof rack	-	-
	<ul><li>Remote key</li></ul>	<ul><li>Remote key</li></ul>
Koy type	<ul> <li>Bluetooth key</li> </ul>	<ul> <li>Bluetooth key</li> </ul>
Key type	<ul> <li>NFC/RFID key</li> </ul>	<ul> <li>NFC/RFID key</li> </ul>
	<ul> <li>UWB digital key</li> </ul>	<ul> <li>UWB digital key</li> </ul>
Keyless start	•	•
keyless entry	The whole car	The whole car
Hidden electric door	_	_
handle	•	•
Active closing air intake		
grille	-	<del>-</del>
Electric tailgate	•	•
Tailgate position memory	•	•
Induction tailgate	•	•
Tailgate glass opens		
independently	-	-
car side pedals	-	-
Low speed driving warning		
sound		
Sentinel (clairvoyance)		
mode		
tow hook	<ul> <li>Optional 7,500 yuan</li> </ul>	<ul> <li>Optional 7,500 yuan</li> </ul>
	Internal configuration	
Stooring whool material	<ul> <li>Imitation leather</li> </ul>	<ul> <li>Imitation leather</li> </ul>
Steering wheel material	<ul> <li>Genuine leather</li> </ul>	<ul> <li>Genuine leather</li> </ul>
	• Electric up and down +	• Electric up and down +
stooring whool adjustes and	front and rear adjustment	front and rear adjustment
steering wheel adjustment	Steering wheel memory	Steering wheel memory
Shift pattern	Electronic gear shift	Electronic gear shift
Multifunction steering	Liectionic gear stillt	Liectionic gear stillt
wheel	•	•
steering wheel gear shift	_	
steering whice year shill	<u>-</u>	<u>-</u>

Steering wheel heating	0	0
Trip computer display	• Color	• Color
Full LCD instrument panel	•	•
Instrument screen size	• 10.2	• 10.2
[inches]	● 10.2	● 10.2
Instrument screen material	MINI LED	MINI LED
Instrument screen	• 1920 x 532	• 1920 x 532
resolution [px]	■ 1920 X 332	● 1920 X 332
Instrument screen pixel	• 196	• 196
density [PPI]	<b>5</b> 190	<b>U</b> 190
HUD heads up display	-	-
Built-in driving recorder	•	•
Mobile phone wireless	• First row	<ul><li>First row</li></ul>
charging	That low	That low
ETC device	•	•
Active noise reduction	-	-
Electrically adjustable	_	_
pedals		
Single pedal mode	•	•
	Seat configuration	
seat material	<ul><li>Imitation leather</li></ul>	<ul> <li>Imitation leather</li> </ul>
	<ul> <li>Genuine leather</li> </ul>	<ul> <li>Genuine leather</li> </ul>
Sports style seats	•	•
Electric driver's seat	Electric adjustment with	• Electric adjustment with
adjustment	memory	memory
Passenger seat electric	Electric adjustment with	Electric adjustment with
adjustment	memory	memory
	<ul> <li>Front and back</li> </ul>	<ul> <li>Front and back</li> </ul>
	adjustment	adjustment
	Backrest adjustment	<ul> <li>Backrest adjustment</li> </ul>
Driver's seat adjustment	Height adjustment (4-	<ul> <li>Height adjustment (4-</li> </ul>
method	way)	way)
	Waist adjustment (4-	Waist adjustment (4-
	way)	way)
	<ul> <li>Leg rest adjustment</li> </ul>	<ul> <li>Leg rest adjustment</li> </ul>
	<ul><li>Front and back</li></ul>	<ul><li>Front and back</li></ul>
	adjustment	adjustment
	<ul> <li>Backrest adjustment</li> </ul>	<ul> <li>Backrest adjustment</li> </ul>
Passenger seat adjustment	<ul> <li>Height adjustment (4-</li> </ul>	<ul> <li>Height adjustment (4-</li> </ul>
method	way)	way)
	<ul> <li>Waist adjustment (4-</li> </ul>	<ul> <li>Waist adjustment (4-</li> </ul>
	way)	way)
	<ul> <li>Leg rest adjustment</li> </ul>	<ul> <li>Leg rest adjustment</li> </ul>
	<ul><li>Heating</li></ul>	<ul><li>Heating</li></ul>
First row seat functions	<ul> <li>Ventilation</li> </ul>	<ul> <li>Ventilation</li> </ul>
	<ul> <li>Massage</li> </ul>	<ul> <li>Massage</li> </ul>
Boss button	-	-
Electrically adjustable	_	_
second row seats		

Second row seat		
adjustment method	-	-
Second row seat functions	<ul><li>Heating</li></ul>	<ul><li>Heating</li></ul>
	• First row	• First row
center armrest	Second row	Second row
Seat layout	• 2+3	• 2+3
Rear seat folding method	Inverted proportions	<ul> <li>Inverted proportions</li> </ul>
Electrically reclining rear	• Inverted proportions	• Inverted proportions
	-	-
seats	Second row	Second row
Rear cup holder	• Second row	• Second row
Heated/cooled cup holder	-	-
Rear folding table	-	-
	Car/Internet	
Central control color screen	Touch LCD screen	Touch LCD screen
Central control screen size [inch]	• 12.8	• 12.8
Central control screen material	• AMOLED	• AMOLED
Central control screen resolution [px]	• 1728 × 1888	• 1728 × 1888
Central control screen pixel density [PPI]	• 200	• 200
Passenger screen	-	-
Vehicle system	Banyan tree	Banyan tree
Car chip	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155
Vehicle system memory [GB]	• 16	• 16
Vehicle system storage [GB]	• 256	• 256
Vehicle-to-machine network	• 5G	• 5G
OTA upgrade	Vehicle OTA	<ul> <li>Vehicle OTA</li> </ul>
	WiFi connection	<ul> <li>WiFi connection</li> </ul>
Car WiFi function	WiFi hotspot	WiFi hotspot
Car navigation map	Gaode	Gaode
HD map	•	•
V2X communication	•	•
roadside assistance call	•	•
Bluetooth/car phone	•	•
Mobile phone		
interconnection/mapping	-	-
Voice assistant wake word	Hi NOMI	Hi NOMI
Voice zone wake-up	First row     Second row	First row     Second row
Voice wake-up-free	Second fow	Second fow
Speech continuous		•
recognition	•	•
	<ul> <li>Multimedia system</li> </ul>	<ul> <li>Multimedia system</li> </ul>

Voice recognition control	<ul> <li>Navigation</li> </ul>	<ul> <li>Navigation</li> </ul>
function	Telephone	Telephone
lunction	Air conditioning	Air conditioning
gesture control	- All conditioning	- All conditioning
face recognition	•	•
idee recognition	Door control	Door control
	Window control	Window control
	Vehicle starts	Vehicle starts
	Air conditioning control	Air conditioning control
	Seat heating	<ul> <li>Seat heating</li> </ul>
	<ul> <li>Charging management</li> </ul>	<ul> <li>Charging management</li> </ul>
Remote control function	<ul> <li>Vehicle condition</li> </ul>	<ul> <li>Vehicle condition</li> </ul>
Remote control function	inquiry/diagnosis	inquiry/diagnosis
	<ul> <li>Vehicle positioning/car</li> </ul>	<ul> <li>Vehicle positioning/car</li> </ul>
	search	search
	<ul> <li>Maintenance/repair</li> </ul>	<ul><li>Maintenance/repair</li></ul>
	<ul><li>appointment</li><li>Car owner services (find</li></ul>	<ul><li>appointment</li><li>Car owner services (find</li></ul>
	charging piles, gas	charging piles, gas
	stations, parking lots, etc.)	stations, parking lots, etc.)
	Media entertainment	
Car APP application market	•	•
Car CD/DVD	-	-
Multimedia/charging	• USB	• USB
interface Number of USB/Type-C	<ul><li>Type-C</li><li>2 in the front row/1 in</li></ul>	• Type-C • 2 in the front row/1 in
interfaces	the back row	the back row
In-car entertainment functions	<ul><li>Karaoke</li></ul>	<ul><li>Karaoke</li></ul>
	<ul><li>Games</li></ul>	<ul><li>Games</li></ul>
simulated sound	•	•
Rear seat control multimedia	-	-
Number of multimedia screens in the rear row	• 1	• 1
Rear multimedia screen size [inch]	• 6.6	• 6.6
Rear multimedia screen material	MINI LED	MINI LED
Rear multimedia screen	• 1268 x 360	• 1268 x 360
resolution [px]	● 1200 X 300	1200 % 500
Rear multimedia screen pixel density [PPI]	• 1200 x 300 • 199	• 199
Rear multimedia screen		
Rear multimedia screen pixel density [PPI] Cockpit 220V/230V power supply Luggage compartment		
Rear multimedia screen pixel density [PPI] Cockpit 220V/230V power supply		

Number of speakers	• 23	• 23
	Light function	
Low boom light course		. LED
Low beam light source high beam light source	• LED • LED	◆ LED ◆ LED
Lighting features	• LED	• LED
LED daytime running lights	•	•
Headlight function	<ul> <li>Height adjustment</li> <li>Automatic opening and closing</li> <li>Adaptive high and low beam</li> <li>Delayed shutdown</li> </ul>	<ul> <li>Height adjustment</li> <li>Automatic opening and closing</li> <li>Adaptive high and low beam</li> <li>Delayed shutdown</li> </ul>
Turn assist light	•	•
Front fog lights	• LED	• LED
Headlight cleaning device	<del>-</del>	<del>-</del>
Car interior ambient light	• 256 colors	• 256 colors
	glass/rear view mirror	•
First row electric windows	•	•
Second row electric	•	•
windows One click lifting and	•	-
One-click lifting and lowering of windows	<ul> <li>The whole car</li> </ul>	<ul><li>The whole car</li></ul>
Window anti-pinch function	The whole car	The whole car
Multilayer soundproof		
glass	-	-
,	<ul> <li>Electric adjustment</li> </ul>	Electric adjustment
	Heated rearview mirrors	Heated rearview mirrors
	<ul> <li>Electric folding</li> </ul>	<ul> <li>Electric folding</li> </ul>
Exterior rearview mirror	Rearview mirror memory	Rearview mirror memory
function	<ul> <li>Automatically roll down         when reversing</li> <li>Automatic folding when         locking the car</li> <li>Automatic anti-dazzle</li> </ul>	<ul> <li>Automatically roll down         when reversing</li> <li>Automatic folding when         locking the car</li> <li>Automatic anti-dazzle</li> </ul>
Interior rearview mirror	Automatic anti-dazzle	Automatic anti-dazzle
function  Poor side privacy glass		
Rear side privacy glass Rear side sunshades	•	•
Rear windshield sunshade	<u>-</u>	<u>-</u>
Car vanity mirror	Main driving + lighting     Co pilot + lighting	Main driving + lighting     Co pilot + lighting
	Co-pilot + lighting     Pain sensor type	Co-pilot + lighting     Rain sensor type
Sensing wiper function	Rain sensor type -	Rain sensor type -
rear wiper Heated water nozzle	<del>-</del>	<del>-</del>
	-	-
Air conditioning/refrigeration		

First row air conditioner	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning
Second row air conditioner	Air outlet	Air outlet
Third row air conditioner	-	-
heat pump air conditioner	•	•
air quality monitoring	•	•
In-car PM2.5 filter device	•	•
Car air purifier	•	•
negative ion generator	0	0
Fragrance system	0	0
car refrigerator	-	1
	Featured configuration	1
It can be said that it is		
visible	•	
Digital light curtain		•
ambient light	•	
AR/VR panoramic		
immersive experience		•
Optional package		
	○ Free optional	○ Free optional
19-inch five-spoke Yunfan wheels	19-inch five-spoke Yunfan wheels (equipped with 245/45 R19 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 550km; equipped with a long battery pack (100kWh), the CLTC battery life is 700km	
	o Optional 3500	o Optional 3500

19-inch multi-spoke silver wheels	19-inch multi-spoke silver wheels (with 245/45 R19 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 550km; equipped with a long battery pack (100kWh), the CLTC battery life is 700km	
	o Optional 9500	o Optional 9500
20-inch five-spoke flower racing wheels	R20 tires) Note: Equipped w (75kWh), the CLTC battery wheels is 560km, and the performance wheels is 500k battery Package (100kWl rolling resistance wheels is	racing wheels (with 245/40 with a standard battery pack life of low-rolling resistance CLTC battery life of high-km; equipped with long-life h), the CLTC range of low 710km, and the CLTC range ce wheels is 640km.
	o Optional 9500	o Optional 9500
20-inch five-spoke sharp wheels	· · · · · · · · · · · · · · · · · · ·	

·		
Microfiber super fiber velvet ceiling + synthetic leather interior	○ Optional 6500	○ Optional 6500
	Microfiber super fiber velvet ceiling + synthetic leather interior	
Microfiber ceiling + leather interior	o Optional 22500	o Optional 22500
	Microfiber super fiber velvet ceiling + leather interior Note: If you choose this interior material for the travel version, you need to match the comfort package	
	○ No price for options yet	○ No price for options yet
NAD Full Feature Service Subscription	680 yuan/month, NAD autonomous driving (covering the autonomous driving experience on some urban roads and closed highways), NAD low-speed and parking autonomous driving (supporting pilot parking remote control parking, smart summoning and other functional experiences), NAD assisted driving (Including NOP pilot assist, ALC turn signal control lanchange, steering assist and other functional experiences)	
NOMI vehicle-mounted artificial intelligence system	o Optional 4900	○ Optional 4900
	NOMI Mate 2.0	
Front wiper defrost	o Optional 1000	o Optional 1000

lunction	Front wiper defrost function	
Appearance Kit-Moon Theme	o Optional 4500	o Optional 4500
	Matt metallic gray exterior kit (including front and rear logos, four wheel logos, side window trims, rearview mirror trims, and model tail badges)	
Trailer package	o Optional 7500	o Optional 7500
	Hidden electric tow hook, tow mode	
Airglow Orange Calipers	o Optional 3500	o Optional 3500
	Airglow Orange Calipers	
NIO battery (100kWh) rental service	-	o Optional -128000
	The car price is reduced by 128,000 yuan, and the monthly rent is 1,680 yuan	
NIO battery (75kWh) rental service	o Optional -70000	-
	The car price is reduced by 70,000 yuan, and the monthly rent is 980 yuan	
	o Optional 9500	o Optional 9500
Enjoyable package	Steering wheel heating, 14-way electric adjustment of the front seats (including 4-way lumbar adjustment and seat cushion extension), front seat ventilation, front seat massage, second-row seat heating, intelligent fragrance system, negative ion generator	