Yuanhe Unique New Energy	
Email: wenbin_zheng@hotmail.co	m WhatsApp: +86 139 0639 1027
	23 DM-p 1.5T 200km four-wheel drive
	Ares version
Manufacturer	BYD·New Energy
level	Medium and large cars
Energy type	plug-in hybrid
Environmental protection standards	National VI
time to market	2023/5/18
CLTC pure electric range [km]	<del>-</del>
WLTC pure electric range [km]	170
NEDC pure electric range [km]	200
Fast charging time[h]	0.47
Fast charging capacity [%]	-
Slow charging time[h]	5.14
engine	1.5T 139 horsepower L4
Maximum power/maximum torque	102kW/231N·m
Motor[Ps]	490
and and any	Electronic continuously variable
gearbox	transmission (E-CVT)
Length*width*height[mm]	4975*1910*1495
Body structure	4-door, 5-seat sedan
Maximum speed [km/h]	185
Official 0-100km/h acceleration [s]	3.7
WLTC comprehensive fuel	0.62
consumption [L/100km]	0.02
Fuel consumption in low power state	6.2
[L/100km]	
Vehicle warranty	6 years or 150,000 kilometers
Exterior color	
interior color	
	dy
Length[mm]	4975
Width[mm]	1910
Height[mm]	1495
Wheelbase [mm]	2920
Front wheelbase [mm]	1640
Rear wheelbase [mm]	1640
Car door opening method	swing door
Number of doors	<u>4</u> 5
number of seats	
Approach angle [°]	13
Departure angle [°]	14
Minimum turning radius [m]	6.15
Drag coefficient [Cd]	-
Fuel tank volume [L]	50
Official trunk volume [L]	470
Curb weight [kg]	2200
Full load mass [kg]	2575

engine	
engine model	BYD476ZQC
Displacement [mL]	1497
Displacement[L]	1.5
Intake form	turbocharging
Engine layout	horizontal
Cylinder arrangement	L
Number of cylinders [number]	4
Number of valves per cylinder	,
[number]	4
Air Supply	DOHC
Maximum power [kW]	102
Maximum horsepower[Ps]	139
Maximum torque [N·m]	231
Maximum net power [kW]	96
fuel mark	No. 92
Fuel supply method	direct injection
Cylinder head material	Aluminum alloy
Cylinder material	Aluminum alloy
Environmental protection standards	National VI
electric motor	
Number of drive motors	Dual motor
Motor layout	Front + rear
Motor type	Permanent magnet synchronization
Total motor power [kW]	360
Total motor horsepower [Ps]	490
Motor total torque [N·m]	675
Maximum power of front electric	160
motor [kW]	100
Maximum torque of front electric	325
motor [N·m]	323
Maximum power of rear electric	200
motor [kW]	200
Maximum torque of rear electric	350
motor [N·m]	555
Battery/	recharge
Battery Type	Lithium iron phosphate battery
Battery brand	Ferdy
Battery temperature management	Low temperature heating
	<ul> <li>Liquid cooling</li> </ul>
CLTC pure electric range [km]	<del>-</del>
WLTC pure electric range [km]	170
NEDC pure electric range [km]	200
Battery power [kWh]	36.01
Battery energy density [Wh/kg]	-
Electricity consumption per 100	twenty two
kilometers [kWh/100km]	·
vohicle charging port	<ul> <li>Slow charging port</li> </ul>

vernicle charging port	Quick charging port
Slow charging port location	Right rear side of car
Fast charging port location	Right rear side of car
Fast charging power [kW]	75
Fast charging time[min]	28
Fast charging time[h]	0.47
Fast charging capacity [%]	-
Slow charging time[h]	5.14
Vehicle battery swap	
Home charging pile	_
Car charging gun	_
External discharge function	
External discharge power	• 6kW
	8 years or 150,000 kilometers
Battery pack warranty	Unlimited years/unlimited mileage
First owner bettem, need, werenty	,
First owner battery pack warranty	(the liability exemption clause shall be
	subject to the official)
gea	rbox
	E-CVT continuously variable
Gearbox description	transmission
	Electronic continuously variable
Gearbox type	transmission (E-CVT)
Number of gears	-
<u> </u>	steering
Drive form	Front four-wheel drive
four-wheel drive	Electric four-wheel drive
Center differential structure	-
Front suspension type	MacPherson independent suspension
rear suspension type	Multi-link independent suspension
Assist type	electric assist
Adjustable suspension features	<ul> <li>Soft and hard adjustment</li> </ul>
Adjustable suspension types	-
Body structure	Load-bearing
limited slip differential	-
differential lock	-
wheel brake	
Front brake type	<ul> <li>Ventilated disc type</li> </ul>
rear brake type	Solid disc type
Parking brake type	Electronic parking
Front tire specifications	• 245/45 R19
Rear tire specifications	• 245/45 R19
Spare tire	No spare tire
Spare tire placement	-
	safety
ABS anti-lock	•
Braking force distribution (EBD/CBC,	
etc.)	•
Brake assist (BA/EBA/BAS, etc.)	•

Traction control (ASR/TCS/TRC, etc.)	•
Body stability control (ESP/DSC/VSC,	<u> </u>
etc.)	•
Seat belt not fastened reminder	The whole car
Tire pressure monitoring	Tire pressure display
In-car biometric monitoring	-
passive	safetv
Main driver airbag	
Passenger airbag	•
First row side airbag	
Second row side airbags side curtain airbags	
	Main driver
knee air bag	• iviain unver
Passenger seat cushion airbag	<del>-</del>
Rear seat belt airbag	
Rear seat anti-skid airbags	
center airbag	<del>-</del>
Second row forward airbags	<del>-</del>
child seat interface	•
passive pedestrian protection	•
Run-flat tires	<del>-</del>
Auxiliary/contro	ol configuration
front parking radar	•
Rear parking radar	•
Reverse side warning system	•
Door opening collision warning	•
Driving assistance images	360-degree panoramic image
Chassis perspective	•
cruise system	<ul> <li>Full-speed adaptive cruise</li> </ul>
_	• Sports
Driving mode selection	<ul><li>Economy</li></ul>
Driving mode selection	<ul> <li>Standard/Comfortable</li> </ul>
	<ul><li>Snow</li></ul>
Fatigue reminder	•
automatic parking	-
remote control parking	•
remote summoning	-
Engine start and stop	-
automatic parking	•
Hill assist	•
steep descent	<u> </u>
night vision system	
night vision system	<u>-</u>
variable steering ratio	<del>-</del>
	- - -
variable steering ratio	- - - -
variable steering ratio Integral active steering system	ing functions
variable steering ratio Integral active steering system Wading sensing system Assisted drivi	
variable steering ratio Integral active steering system Wading sensing system  Assisted drivi Parallel assistance (BSM/BSD)	ing functions
variable steering ratio Integral active steering system Wading sensing system Assisted drivi	

Lane centering	•
Road traffic sign recognition	•
forward collision warning	•
rear collision warning	•
Active braking	•
Automatic lane change assist	•
Automatic ramp exit/entry	-
Reverse tracking	-
Assisted drivi	ing hardware
Driving assistance level	• L2
Assisted driving system	• DiPilot
millimeter wave radar	• 5
ultrasonic radar	• Front 4/Last 4
	• monocular
Front sensing camera type	
Environment aware camera	• 1
surround camera	• 4
car camera	• 1
External configuration	
Skylight type	<ul> <li>The panoramic sunroof can be</li> </ul>
Skylight type	opened
Light-sensing awning	<del>-</del>
Sport appearance package	•
Electric spoiler	-
Rim material	<ul> <li>Aluminum alloy</li> </ul>
Electric suction door	-
Automatic opening and closing of car	
doors	-
Frameless door	<u>-</u>
sliding door	_
roof rack	
TOOTTACK	Remote key
Key type	Bluetooth key
Key type	NFC/RFID key
Voylogs stort	● NFC/KFID Key
Keyless start	- First warm
keyless entry	First row
Hidden electric door handle	•
Active closing air intake grille	<del>-</del>
Electric tailgate	•
Tailgate position memory	-
Induction tailgate	-
Tailgate glass opens independently	-
car side pedals	<u>-</u>
Low speed driving warning sound	•
Sentinel (clairvoyance) mode	<del>-</del>
Internal configuration	
Steering wheel material	Genuine leather
steering wheel adjustment	Manual up and down + front and
Shift pattern	rear adjustment Electronic gear shift
som panem	riecijonic deat Stilli

5.6 1416 At 1 1 1 1	
Multifunction steering wheel	•
steering wheel gear shift	-
Steering wheel heating	•
Trip computer display	<ul><li>Color</li></ul>
Full LCD instrument panel	•
Instrument screen size [inches]	• 12.3
Instrument screen material	• LCD
HUD heads up display	•
Built-in driving recorder	•
Mobile phone wireless charging	First row
ETC device	-
Active noise reduction	_
Electrically adjustable pedals	_
Single pedal mode	_
	<u>-</u>
Seat conf	
seat material	<ul> <li>Leather/fleece material mix and</li> </ul>
Seat material	match
Sports style seats	•
Electric driver's seat adjustment	<ul> <li>Electric adjustment with memory</li> </ul>
Passenger seat electric adjustment	Electric adjustment
	Front and back adjustment
Dui saula aaat adi satuu aut uu atla ad	Backrest adjustment
Driver's seat adjustment method	Height adjustment (4-way)
	Waist adjustment (4-way)
	Front and back adjustment
	Backrest adjustment
Passenger seat adjustment method	Height adjustment (2-way)
	Waist adjustment (4-way)
	Waist adjustment (4 way)     Heating
First row seat functions	Ventilation
Boss button	• Ventuation
Electrically adjustable second row	·
seats	-
Seats	
Second row seat adjustment method	-
Second row seat functions	-
	First row
center armrest	Second row
Seat layout	• 2+3
Rear seat folding method	-
Electrically reclining rear seats	-
Rear cup holder	Second row
Heated/cooled cup holder	- 5000110 1000
Rear folding table	_
Car/In	ternet
Central control color screen	Touch LCD screen
Central control screen size [inch]	• 15.6
Central control screen material	• LCD
Central control screen resolution [px]	• 1920 x 1080

Central control screen refresh rate	1
	• 90
[Hz]	
Passenger screen	-
Vehicle system	DiLink
Vehicle system memory [GB]	• 8
Vehicle system storage [GB]	• 128
Vehicle-to-machine network	• 5G
OTA upgrade	Vehicle OTA
	WiFi connection
Car WiFi function	WiFi hotspot
Car navigation map	• Gaode
V2X communication	-
roadside assistance call	•
Bluetooth/car phone	•
Mobile phone	<ul><li>Support HiCar</li></ul>
interconnection/mapping	
Voice assistant wake word	Hello, Xiaodi
Voice zone wake-up	First row
•	Second row
Voice wake-up-free	•
Speech continuous recognition	•
	<ul> <li>Multimedia system</li> </ul>
	Navigation
Voice recognition control function	Telephone
	Air conditioning
	Skylight
gesture control	- Skylight
	-
face recognition	- Door control
	Door control
	Vehicle starts
	Air conditioning control
Remote control function	<ul> <li>Charging management</li> </ul>
	Vehicle condition inquiry/diagnosis
	Vehicle positioning/car search
Media ent	ertainment
Split screen function	•
Car APP application market	•
Car CD/DVD	
Cui CD/DVD	
Multimedia/charging interface	• USB
Wattimedia/charging interface	• SD
	• 4 people in the front row/2 people
Number of USB/Type-C interfaces	
	in the back row
In-car entertainment functions	● Karaoke
simulated sound	-
Rear seat control multimedia	I - I
Cockpit 220V/230V power supply	• 220V
Cockpit 220V/230V power supply  Luggage compartment power	• 220V
Luggage compartment power	• 220V -
	• 220V - • Dynaudio

Number of speakers	• 12
Light function	
Low beam light source	• LED
high beam light source	• LED
Lighting features	Matrix
LED daytime running lights	•
, <u>, , , , , , , , , , , , , , , , , , </u>	Height adjustment
l locallia let five etice	Automatic opening and closing
Headlight function	Adaptive high and low beam
	<ul> <li>Delayed shutdown</li> </ul>
Turn assist light	•
Front fog lights	-
Headlight cleaning device	-
Car interior ambient light	<ul><li>Multicolor</li></ul>
glass/rear view mirror	
First row electric windows	•
Second row electric windows	•
One-click lifting and lowering of	The whole car
windows	
Window anti-pinch function	The whole car
Multilayer soundproof glass	First row
	Electric adjustment
	<ul> <li>Heated rearview mirrors</li> </ul>
	Electric folding
Exterior rearview mirror function	Rearview mirror memory
	Automatically roll down when
	reversing
	Automatic folding when locking
	the car
Interior rearview mirror function	Automatic anti-dazzle
Rear side privacy glass	•
Rear side sunshades	-
Rear windshield sunshade	- Main duiving , lighting
Car vanity mirror	Main driving + lighting
Concing winer function	Co-pilot + lighting     Pain consor type
Sensing wiper function	Rain sensor type
rear wiper Heated water nozzle	-
	- 1 - 6 - 2
Air conditionin	g/refrigeration
First row air conditioner	<ul> <li>Dual temperature zone automatic air conditioning</li> </ul>
	Single temperature zone automatic
Second row air conditioner	air conditioning
Third row air conditioner	-
heat pump air conditioner	•
air quality monitoring	-
In-car PM2.5 filter device	•
Car air purifier	•
negative ion generator	•

Fragrance system	-
car refrigerator	-
Featured configuration	
High-performance Chinese red four-	
piston fixed vise (front)	-
Brembo racing grade matte gray four-	
piston fixed caliper (front)	-
High-performance stone green four-	
piston fixed vise (front)	-
Mobile power station	-
Optional package	
DiSus-C intelligent electronically	-
controlled active suspension	DiSus-C intelligent electronically
controlled detive suspension	controlled active suspension
Warranty Policy	three-electric system must meet the needs of non-commercial vehicles (first owners), and the total mileage of the vehicle every 12 months from the date of purchase invoice does not
Smart upgrade package	DiLink3.0 upgraded version, electric tailgate