	Yuanhe Unique New Energy							
Email: wenbin_zheng@hotmail.com WhatsApp: +86 139 0639 1027								
	24 rear-wheel drive versions	24 four-wheel drive versions	23 models of 675km rear- drive Elite	wheel drive Snake Performance Lite	wheel drive Snake Performance			
		Basic Info	ormation					
Level	Medium and large cars							
Energy type	pure electricity							
time to market	-	-	2022/12/5	2022/11/1	2022/11/1			
CLTC pure electric range [km]	-	-	675	615	615			
Motor[Ps]	314	578	340	605	605			
gearbox	1st gear fixed gear ratio							
Length*width*height[mm]	5108*1960*1485	5108*1960*1485	5098*1960*1485	5098*1960*1485	5098*1960*1485			
Body structure	4-door, 5-seat sedan							
Maximum speed [km/h]	200	200	200	-	-			
Official 0-100km/h acceleration [s]	-	-	5.9	-	3.7			
Vehicle warranty	8 years or 240,000 kilometers	8 years or 240,000 kilometers	5 years or 150,000 kilometers	5 years or 150,000 kilometers	5 years or 150,000 kilometers			
First owner warranty policy	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)			
Exterior color								
interior color								
		Ro	l ody	I				
Length[mm]	5108	5108	5098	5098	5098			
Width[mm]	1960	1960	1960	1960	1960			
Height[mm]	1485	1485	1485	1485	1485			
Wheelbase [mm]	3100	3100	3100	3100	3100			
Front wheelbase [mm]	1671	1671	1664	1664	1664			
Rear wheelbase [mm]	1671	1671	1660	1660	1660			
Car door opening method	swing door							
Number of doors	4	4	4	4	4			
number of seats	5	5	5	5	5			
Approach angle [°]	15	15	15	15	15			

Departure angle [°]	18	18	17	17	17
Minimum turning radius [m]	-	-	5.4	5.4	5.4
Drag coefficient [Cd]	-	-	0.21	0.21	0.21
Curb weight [kg]	2090	2290	2290	-	-
Full load mass [kg]	2535	2735	2735	-	-
		electric	motor		
Number of drive motors	single motor	Dual motor	single motor	Dual motor	Dual motor
Motor layout	rear	Front + rear	rear	Front + rear	Front + rear
Motor type	Permanent magnet synchronization				
Total motor power [kW]	231	425	250	445	445
Total motor horsepower [Ps]	314	578	340	605	605
Motor total torque [N·m]	-	-	475	730	730
Maximum power of front electric motor [kW]	-	175	-	-	-
Maximum torque of front electric motor [N·m]	-	-	-	-	-
Maximum power of rear electric motor [kW]	231	250	250	-	-
Maximum torque of rear electric motor [N·m]	-	-	475	-	-
		Battery/	recharge	1	1
Battery Type	Ternary lithium battery				
Battery brand	SAIC Times	SAIC Times	SAIC Times	-	-
Battery temperature	• Low temperature heating	Low temperature heating	Low temperature heating	Low temperature heating	Low temperature heating
management	Liquid cooling				
CLTC pure electric range [km]	-	-	675	615	615
Battery power [kWh]	-	-	90	90	90

	I				
Battery energy density [Wh/kg]	-	-	195	-	-
Electricity consumption per 100 kilometers [kWh/100km]	-	-	15.4	-	-
	Slow charging port				
vehicle charging port	Quick charging port	Quick charging port	Quick charging port	Quick charging port	Quick charging port
Slow charging port location	Car left rear side	• Car left rear side	• Car left rear side	Car left rear side	• Car left rear side
Fast charging port location	Car left rear side	Car left rear side	• Car left rear side	Car left rear side	Car left rear side
Vehicle battery swap	-	-	-	-	-
Home charging pile	-	-	•	•	•
Car charging gun	-	-	•	•	•
External discharge function	-	-	•	•	•
External discharge power	-	-	• 3.5kW	• 3.5kW	• 3.5kW
Battery pack warranty	8 years or 240,000 kilometers				
First owner battery pack warranty	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)
		geai	rbox		
Gearbox description	Electric vehicle single speed gearbox				
Gearbox type	Fixed gear ratio				
Number of gears	1	1	1	1	1
		chassis	steering		
Drive form	rear wheel drive	Dual motor four-wheel drive	rear wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive
four-wheel drive	-	Electric four-wheel drive	-	Electric four-wheel drive	Electric four-wheel drive
Center differential structure	-	-	-	-	-

Brake assist (BA/EBA/BAS, etc.) Traction control	-	-	•	•	•
Braking force distribution (EBD/CBC, etc.)	-	-	•	•	•
ABS anti-lock	-	-	•	•	•
		active	safety		
Spare tire placement	-	-	-	-	-
Spare tire	Tire repair tools only				
Rear tire specifications	• 275/40 R19	• 275/35 R20	• 275/40 R19	• 275/35 R20	• 275/35 R20
Front tire specifications	• 245/45 R19	• 245/40 R20	• 245/45 R19	• 245/40 R20	• 245/40 R20
Parking brake type	Electronic parking				
rear brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type
Front brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type
		wheel	brake		
differential lock	-	-	-	-	-
limited slip differential	-	_	-	-	-
types Body structure	- Load-bearing	- Load-bearing	- Load-bearing	- Load-bearing	- Load-bearing
features Adjustable suspension			adjustment	adjustment	adjustment
Assist type Adjustable suspension	electric assist	-	Soft and hard	electric assist • Soft and hard	electric assist Soft and hard
rear suspension type	Multi-link independent suspension				
Front suspension type	Double wishbone independent suspension				

Scrat brith not featband premission in the whole car in the whole care in						
Passenger airlorag Passenger airlorag Passenger airlorag Passenger airlorag Passenger airlorag Passenger salt catalon side airlorags Vinee air bag Passenger salt catalon airlorag Rear seat bet airlorag Rear seat bet airlorag Passenger salt catalon airlorag Rear seat bet airlorag Passenger salt catalon airlorag Rear seat bet airlorag Passenger salt catalon airlorag Ai		-	-	• The whole car	• The whole car	• The whole car
Passenger airbag Passenger airbag Pirist row side airbag Pirist row side airbag Passenger soat cushion airbag Rear soat bett airbag Rear soat bett airbag Rear soat bett airbag Rear soat solid airbags Conter airbag Rear soat solid airbags Conter airbag Co	Tire pressure monitoring	-	-	Tire pressure display	Tire pressure display	Tire pressure display
First row side airbags Second row forward side airbags Second			passive	safety		
Second row side airbags Second row forward Airba	Main driver airbag	-	-	•	•	•
side curtain airbags side curtain airbags knee air bags Rear seat cuchion airbags Rear seat belt airbags Rear seat belt airbags Rear seat belt airbags Rear seat archiskid airbags Rear seat and skid airbags Rear parking radar	Passenger airbag	-	-	•	•	•
Side curtain airbags	First row side airbag	-	-	•	•	•
Rear seat belt airbag Rear seat belt airbag Rear seat belt airbag Rear seat one that airbags Rear seat anti-skid airbags Second now forward airbags Child seat interface Auxiliary/control configuration Front, parking radar Rear parking radar Rear parking radar Reverse side warning system Door opening collision warning Chassis perspective Chassis persp	Second row side airbags	-	-	-	-	-
Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags Child seat interface passive pedestrian protection Rear parking radar Rear parking radar Rear parking radar Reverse side warming system Driving assistance images Chassis perspective Cruise system Driving mode selection Driving assistance images A Second row forward A Second row for	side curtain airbags	-	-	•	•	•
Rear seat belt airbag Rear seat to est tairbag Rear seat to est tairbag Center airbag Second row forward airbags Child seat interface Child seat interface Child seat interface Auxiliary/control configuration Front parking radar Rear parking radar Reverse side worning system Driving assistance images Chassis perspective Chassis perspective Cruise system Driving mode selection Auxiliary / Control parking radar -	knee air bag	-	-	-	-	-
Rear seat anti-skid airbags Center airbag Second row forward airbags Child seat interface Passive pedestrian protection Run-flat tires Auxiliary/control configuration front parking radar Rear parking radar Reverse side warning system Driving assistance images Chassis perspective Chassis perspective Full-speed adaptive cruise Pull-speed adaptive cruise Full-speed adaptive cruise Pull-speed adaptive cruise Pull-speed adaptive cruise Pull-speed adaptive cruise Pull-speed adaptive cruise Standard/Comfortable Standard/Comfortable Standard/Comfortable Standard/Comfortable Standard/Comfortable Standard/Comfortable Standard/Comfortable		-	-	-	-	-
Center airbag	Rear seat belt airbag	-	-	-	-	-
Second row forward airbags child seat interface passive pedestrian protection Run-flat tires Auxiliary/control configuration front parking radar Rear parking radar Reverse side warning system Doro opening collision warning Chassis perspective Cruise system Piving mode selection Full-speed adaptive cruise Full-speed adaptive cruise Full-speed adaptive cruise Piving mode selection Full-speed adaptive cruise Standard/Comfortable	Rear seat anti-skid airbags	-	-	-	-	-
child seat interface child seat interface passive pedestrian protection Run-flat tires Auxiliary/control configuration front parking radar Rear parking radar Rear parking radar Reverse side warning system Door opening collision warning Chassis perspective Cruise system Priving mode selection Priving mode selection Auxiliary/control configuration • • • • • • • • • • • • • • • • • •	center airbag	-	-	-	-	-
passive pedestrian protection Run-flat tires		-	-	-	-	-
Run-flat tires	child seat interface	-	-	•	•	•
Auxiliary/control configuration front parking radar front parking radar Rear parking radar Reverse side warning system Door opening collision warning Chassis perspective Cruise system Driving mode selection Auxiliary/control configuration		-	-	-	-	-
front parking radar Rear parking radar Reverse side warning system Door opening collision warning Chassis perspective Cruise system Driving mode selection Priving mode selection Full-speed adaptive cruise Standard/Comfortable Standard/Comfortable Standard/Comfortable Standard/Comfortable Standard/Comfortable Standard/Comfortable	Run-flat tires	-	-	-	-	-
Reverse side warning system Door opening collision warning Chassis perspective Cruise system Driving mode selection Poiving mode selection Reverse side warning system			Auxiliary/contro	ol configuration		
Reverse side warning system Door opening collision warning Driving assistance images Chassis perspective Cruise system Driving mode selection Driving mode selection Chassis perspective Chassis perspective Cruise System Chassis perspective Cruise System Chassis perspective Cruise System Cruise System Cruise System Chassis perspective Cruise System Cruise System Chassis perspective Cruise System Cruise System Chassis perspective Cruise System Chassis perspective Cruise System Chassis perspective Chassis perspective Cruise System Chassis perspective Cruise System Chassis perspective Chassis per	front parking radar	-	-	•	•	•
Door opening collision warning Driving assistance images Chassis perspective Cruise system Driving mode selection Chassis perspective Cruise system Chassis perspective Cruise system Chassis perspective Cruise system Crui	Rear parking radar	-	-	•	•	•
warning • 360-degree panoramic image • 360-degree panoramic image • 360-degree panoramic image • 360-degree panoramic image Chassis perspective - - • Full-speed adaptive cruise • Full-speed adaptive cruise • Full-speed adaptive cruise • Full-speed adaptive cruise Driving mode selection - • Sports • Sports • Sports • Standard/Comfortable • Standard/Comfortable • Standard/Comfortable • Standard/Comfortable		-	-	•	•	•
Chassis perspective • Full-speed adaptive cruise Cruise system • Sports • Standard/Comfortable • Standard/Comfortable • Standard/Comfortable • Standard/Comfortable		-	-	•	•	•
cruise system	Driving assistance images	-	-			
Cruise cruise cruise cruise - Sports - Sports - Economy - Standard/Comfortable - Standard/Comfortable - Standard/Comfortable - Standard/Comfortable - Standard/Comfortable	Chassis perspective	-	-	•	•	•
Driving mode selection Standard/Comfortable Standard/Comfortable Standard/Comfortable	cruise system	-	-	-	cruise	
Driving mode selection • Standard/Comfortable • Standard/Comfortable • Standard/Comfortable				Sports Economy		Sports Economy
Fatigue reminder	Driving mode selection	-	-			
	Fatigue reminder	-	-	-	-	-

automatic parking	-	-	•	•	•
remote control parking	-	-	•	•	•
remote summoning	-	-	0	0	0
Engine start and stop	-	-	-	-	-
automatic parking	-	-	•	•	•
Hill assist	-	-	•	•	•
steep descent	-	-	-	-	-
night vision system	-	-	-	-	-
variable steering ratio	-	-	-	-	-
Integral active steering system	-	-	○ Optional 16,800 yuan	•	•
Wading sensing system	-	-	-	-	-
		Assisted driv	ing functions		
Parallel assistance (BSM/BSD)	-	-	•	•	•
Lane Departure Warning (LDWS)	-	-	•	•	•
Lane Keeping (LKAS)	-	-	•	•	•
Lane centering	-	-	•	•	•
Road traffic sign recognition	-	-	•	•	•
forward collision warning	-	-	•	•	•
rear collision warning	-	-	-	-	-
Active braking	-	-	•	•	•
Automatic lane change assist	-	-	•	•	•
Automatic ramp exit/entry	-	-	0	-	-
High-speed assisted driving	-	-	0	0	0
Reverse tracking	-	-	-	-	-
	<u> </u>	Assisted driv	ing hardware	<u> </u>	<u> </u>
Driving assistance level	-	-	• L2	• L2	• L2
Assisted driving system	-	-	• IM AD	• IM AD	• IM AD
Assisted driving chip	-	-	1 NVIDIA Xavier	• 1 NVIDIA Xavier	1 NVIDIA Xavier
Chip computing power	-	-	• 30 TOPS	• 30 TOPS	• 30 TOPS

		T	1		
Lidar brand	-	-	-	-	 RoboSense
Lidar model	-	-	-	-	o RS-LiDAR M1
LiDAR quantity	-	-	-	-	o 2
Lidar line number	-	-	-	-	○ Line 96
Lidar maximum detection distance [m]	-	-	-	•	。 200
Lidar 10% reflectivity detection distance [m]	-	-	-	-	o 150
Number of lidar point clouds [10,000/second]	-	-	-	-	∘ 78
millimeter wave radar	-	-	• 5	• 5	• 5
ultrasonic radar	-	-	• First 6/Last 6	• First 6/Last 6	• First 6/Last 6
Front sensing camera type	-	-	• Binocular	• Binocular	• Binocular
Environment aware camera	-	-	• 11	• 11	• 11
surround camera	-	-	• 4	• 4	• 4
car camera	-	-	• 1	• 1	• 1
		External co	nfiguration		
Skylight type	-	-	The panoramic sunroof cannot be opened	The panoramic sunroof cannot be opened	The panoramic sunroof cannot be opened
Sport appearance package	-	-	-	•	•
Electric spoiler	-	-	-	-	-
Rim material	-	-	Aluminum alloy	Aluminum alloy	Aluminum alloy
Electric suction door	-	-	The whole car	• The whole car	The whole car
Automatic opening and closing of car doors	-	-	-	Main driver	Main driver
Frameless door	-	-	•	•	•
sliding door	-	-	-	-	-
roof rack	-	-	-	-	-
			Remote key	Remote key	Remote key
Key type	-	-	Bluetooth key	Bluetooth key	Bluetooth key
Keyless start	-	-	•	•	•
keyless entry	-	-	The whole car	The whole car	The whole car
Hidden electric door handle	-	-	•	•	•

Active closing air intake grille	-	-	•	•	•
Electric tailgate	-	-	•	•	•
Tailgate position memory	-	-	-	-	-
Induction tailgate	-	-	-	-	-
Tailgate glass opens independently	-	-	-	-	-
car side pedals	-	-	-	-	-
Low speed driving warning sound	-	-	•	•	•
Sentinel (clairvoyance) mode	-	-	-	-	-
Vehicle wireless charging	-	-	-	-	-
		Internal co	nfiguration		
Steering wheel material	-	-	Genuine leather	Genuine leather	Genuine leather
steering wheel adjustment	-	-	Electric up and down + front and rear adjustment	Electric up and down + front and rear adjustment	• Electric up and down + front and rear adjustment
			Steering wheel memory	Steering wheel memory	Steering wheel memory
Shift pattern	-	-	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting
Multifunction steering wheel	-	-	•	•	•
steering wheel gear shift	-	-	-	-	-
Steering wheel heating	-	-	•	•	•
Trip computer display	-	-	• Color	• Color	• Color
Full LCD instrument panel	-	-	•	•	•
HUD heads up display	-	-	-	-	-
Built-in driving recorder	-	-	•	•	•
Mobile phone wireless charging	-	-	• First row	• First row	• First row
ETC device	-	-	-	-	-
Active noise reduction	-	-	-	-	-
Electrically adjustable pedals	-	-	-	-	-

Single pedal mode	-	-	•	•	•
		Seat conf	iguration		
			Leather		
seat material	-	-	Genuine leather 16,000 yuan	Genuine leather	Genuine leather
Sports style seats	-	-	-	-	-
Electric driver's seat adjustment	-	-	Electric adjustment with memory	Electric adjustment with memory	Electric adjustment with memory
Passenger seat electric adjustment	-	-	Electric adjustment with memory	Electric adjustment with memory	Electric adjustment with memory
			 Front and back adjustment 	 Front and back adjustment 	 Front and back adjustment
Driver's seat adjustment			Backrest adjustment	Backrest adjustment	Backrest adjustment
method	-	-	Height adjustment (4- way)	 Height adjustment (4- way) 	Height adjustment (4- way)
			Waist adjustment (4- way)	Waist adjustment (4- way)	Waist adjustment (4- way)
			 Front and back adjustment 	 Front and back adjustment 	 Front and back adjustment
Passangar saat a divertier			Backrest adjustment	Backrest adjustment	Backrest adjustment
Passenger seat adjustment method	-	-	Height adjustment (2- way)	Height adjustment (2- way)	Height adjustment (2- way)
			Waist adjustment (4- way)	Waist adjustment (4- way)	Waist adjustment (4- way)
			Heating	Heating	Heating
First row seat functions	-	-	Ventilation	Ventilation	 Ventilation
			o Massage 5,800 yuan	o Massage 5,800 yuan	o Massage 5,800 yuan
Boss button	-	-	-	-	-
Electrically adjustable second row seats	-	-	-	-	-
Second row seat adjustment method		-	-	-	-
Second row seat functions	-	-	Heating	Heating	Heating
center armrest	-	-	First row Second row	First rowSecond row	First row Second row
Seat layout	-	-	• 2+3	• 2+3	• 2+3
Rear seat folding method	-	-	-	-	-
Electrically reclining rear seats	-	-	-	-	-
Rear cup holder	-	-	Second row	Second row	Second row
Heated/cooled cup holder	-	-	-	-	-
Rear folding table	-	-	-	-	-
		Car/In	ternet		

Central control color screen	-	-	Touch OLED screen	Touch OLED screen	Touch OLED screen
Central control screen size [inch]	-	-	• 26.3	• 26.3	• 26.3
Central control screen material	-	-	• OLED	• OLED	• OLED
Central control screen resolution [px]	-	-	• 4320 x 720	• 4320 x 720	• 4320 x 720
Central control screen pixel density [PPI]	-	-	• 167	• 167	• 167
Screen size under center control [inches]	-	-	• 12.8	• 12.8	• 12.8
Screen material under central control	-	-	• AMOLED	• AMOLED	• AMOLED
Screen resolution under central control [px]	-	-	• 1728 x 1888	• 1728 x 1888	• 1728 x 1888
Screen pixel density [PPI] under central control	-	-	• 200	• 200	• 200
Passenger screen	-	-	Touch OLED screen	Touch OLED screen	Touch OLED screen
Passenger screen size [inches]	-	-	• 12.3	• 12.3	• 12.3
Passenger screen material	-	-	• OLED	• OLED	• OLED
Passenger screen resolution [px]	-	-	• 1920 x 720	• 1920 x 720	• 1920 x 720
Passenger screen pixel density [PPI]	-	-	• 167	• 167	• 167
Vehicle system	-	-	IM OS	IM OS	IM OS
Car chip	-	-	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155
Vehicle-to-machine network	-	-	• 5G	• 5G	• 5G
OTA upgrade	-	-	Vehicle OTA	Vehicle OTA	Vehicle OTA
			WiFi connection	WiFi connection	WiFi connection
Car WiFi function	-	-	WiFi hotspot	WiFi hotspot	WiFi hotspot
Car navigation map	-	-	• Gaode	• Gaode	• Gaode
V2X communication	-	-	-	-	-

roadside assistance call	-	-	•	•	•		
Bluetooth/car phone	-	-	•	•	•		
Mobile phone interconnection/mapping	-	-	-	-	-		
Voice assistant wake word	-	-	• Hello, Chiji	• Hello, Chiji	• Hello, Chiji		
Voice zone wake-up	-	-	First row Second row	First rowSecond row	First row Second row		
Voice wake-up-free	-	-	•	•	•		
Speech continuous recognition	-	-	•	•	•		
			Multimedia system	Multimedia system	Multimedia system		
Voice recognition control			 Navigation 	 Navigation 	Navigation		
function	-	-	Telephone	Telephone	Telephone		
			Air conditioning	Air conditioning	Air conditioning		
gesture control	-	-	-	-	-		
face recognition	-	-	-	-	-		
			Door control	Door control	Door control		
			Window control	Window control	Window control		
			Vehicle starts	 Vehicle starts 	Vehicle starts		
			Air conditioning control	Air conditioning control	Air conditioning control		
			Charging management	Charging management	Charging management		
			 Vehicle condition inquiry/diagnosis 	 Vehicle condition inquiry/diagnosis 	 Vehicle condition inquiry/diagnosis 		
Remote control function	-	-	Vehicle positioning/car search	Vehicle positioning/car search	Vehicle positioning/car search		
			Maintenance/repair appointment	 Maintenance/repair appointment 	Maintenance/repair appointment		
			• Car owner services (find charging piles, gas stations, parking lots, etc.)	 Car owner services (find charging piles, gas stations, parking lots, etc.) 	• Car owner services (find charging piles, gas stations, parking lots, etc.)		
Media entertainment							
Car APP application market	-	-	•	•	•		
Car CD/DVD	-	-	-	-	-		
Multimedia/charging interface	-	-	• Type-C	• Type-C	• Type-C		

	<u></u>				
Number of USB/Type-C interfaces	-	-	• 2 in the front row/2 in the back row	• 2 in the front row/2 in the back row	• 2 in the front row/2 in the back row
Rear seat control multimedia	-	-	-	-	-
Cockpit 220V/230V power supply	-	-	-	-	-
Luggage compartment power interface	-	-	-	-	-
audio brand	-	-	-	-	-
Number of speakers	-	-	• 22	• 22	• 22
		Light fo	unction		
Low beam light source	-	-	• LED	• LED	• LED
high beam light source	-	-	• LED	• LED	• LED
				Pixel style	Pixel style
Lighting features	-	-	-	 Programmable smart headlights 	 Programmable smart headlights
LED daytime running lights	-	1	•	•	•
			Height adjustment	Height adjustment	Height adjustment
Headlight function	-	-	Automatic opening and closing	Automatic opening and closing	Automatic opening and closing
			Adaptive high and low beam	Adaptive high and low beam A Delevate shutdown	Adaptive high and low beam A Delevate shutdown
			Delayed shutdown	Delayed shutdown	Delayed shutdown
Turn assist light	-	-	-	-	-
Front fog lights	-	-	-	-	-
Headlight cleaning device	-	-	-	-	-
Car interior ambient light	-	-	• 256 colors	• 256 colors	• 256 colors
		glass/rear v	view mirror		
First row electric windows	-	-	•	•	•
Second row electric windows	-	-	•	•	•
One-click lifting and lowering of windows	-	-	• The whole car	• The whole car	• The whole car

Window anti-pinch function	-	-	The whole car	The whole car	The whole car
Multilayer soundproof glass	-	-	• The whole car	• The whole car	• The whole car
Exterior rearview mirror function	-	-	Electric adjustment	Electric adjustment	Electric adjustment
			Heated rearview mirrors	Heated rearview mirrors	Heated rearview mirrors
			Electric folding	Electric folding	Electric folding
			Rearview mirror memory	Rearview mirror memory	Rearview mirror memory
			Automatic folding when locking the car	Automatic folding when locking the car	Automatic folding when locking the car
Interior rearview mirror function	-	-	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle
Rear side privacy glass	-	-	•	•	•
Rear side sunshades	•	-	-	ı	-
Rear windshield sunshade	-	-	-	-	-
Car vanity mirror	-	-	Main driving + lighting	Main driving + lighting	Main driving + lighting
Car vanity mirror			Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting
Sensing wiper function	-	-	Rain sensor type	• Rain sensor type	Rain sensor type
rear wiper	-	-	-	-	-
Heated water nozzle	-	-	-	-	-
		Air conditionin	g/refrigeration		
First row air conditioner	-	-	Dual temperature zone automatic air conditioning	Dual temperature zone automatic air conditioning	Dual temperature zone automatic air conditioning
Second row air conditioner	-	-	• Air outlet	• Air outlet	Air outlet
Third row air conditioner	-	-	-	-	-
heat pump air conditioner	-	-	•	•	•
air quality monitoring	-	-	•	•	•
In-car PM2.5 filter device	-	-	•	•	•
Car air purifier	-	-	•	•	•
negative ion generator	-	-	•	•	•
Fragrance system	-	-	•	•	•

car refrigerator	-	-	-	-	-		
-	-	Optional	package				
20-inch sharp contrasting color sports rims	-	-	-	-	-		
	Endurance P zero customized high-performance tires for electric vehicles Brembo integrated four-piston exclusive color calipers Note: Wheel A is upgraded to Brembo for free						
	-	-	-	-	-		
Round A user rights	1. Luxurious configurations such as Nappa perforated top-level premium leather seats, Brembo integrated four-color exclusive Brembo calipers, and premium comfortable massage seats for the driver and passenger can be upgraded for free. 2. Free selection of high-definition artistic color car paint Raffia tea for Series A customers. 3. Series A users can upgrade to Bavarian semi-aniline leather seats worth 32,000 yuan at a price of 6,800 yuan. 4. Three years of free use of IM AD can evolve the intelligent driving assistance system. After three years, Series A users can choose to buy it out at a price of 8,800 yuan, or exchange it with data rights "raw stones" of corresponding value. 5. Series A users can use the method of "data rights rough + a small amount of cash" to develop a laser radar integrated smart driving system, as well as future super high-end energy batteries. 6. Zhiji Auto's "M Care worry-free private service", special price to purchase IM Care one-click high-end service package, crystal benefits, 7-day car purchase "hesitation period" and other rights.						
Carlog smart car camera	-	-	-	-	-		
system	Equipped with three 48-me	gapixel cameras (providing	180-degree ultra-wide-angle	recording and supporting 4	K high-definition shooting)		
Nappa leather seats + Microfiber super fiber velvet ceiling	-	-	-	-	-		
	Color: pla	in dye chasing light, rock gri	nding brown, secret chasing	black Note: free upgrade fo	r round A		
Nappa leather seats + instrument panel Como Lake solid wood veneer	-	-	-	-	-		
	Color: plain dye chasing light, rock grinding brown, secret chasing black Note: free upgrade for round A						
Premium comfortable massage seats for the driver and passenger	-	-	-	-	-		
. 5	The driver and passenger can enjoy 8-point, 8-mode, and 3-position massage to effectively relieve travel fatigue and enjoy a comfortable and relaxing driving experience. Note: Free upgrade to wheel A						
Full feature package	-	-	-	-	-		
	High-speed elevated pilot assistance, trust enhancement, and high-precision automatic parking						
Semi-aniline leather seats + Microfiber velvet ceiling	-	-	-	-	-		
	Color: plain dye chasing light, rock grinding brown, secret chasing black Note: A special discount of 6800 yuan						
Semi-aniline leather seats + instrument panel Como Lake solid wood veneer	- Color: plain c	- dye chasing light, rock grindi	- ng brown, secret chasing bla	- ack Note: A special discount	- of 6800 yuan		
	-	-	-	-	-		

Aurora radar embedded quick upgrade version	Pre-embedded special wiring harness plug-ins, radar brackets, roof glass and other parts can complete the replacement and upgrade of lidar. The pre-embedded quick upgrade version is expected to take about 3 working days to complete the lidar upgrade. Models that do not have the option of pre-embedded lidar cannot upgrade the lidar later.						
	-	-	-	-	-		
Vehicle-side intelligent wireless charging module	and easier. At the same ti objects to ensure the he affecting the vehicle deli based on global chip supp a 7kw wired charging pile pile). The 11kw vehicle-side power depends on the pow	ime, the intelligent wireless of alth and safety of the charging very time -Wireless charging ly - Before installing the wire e (when the wireless charging e intelligent wireless charging ver supply provided by the p	tharging system also has the ng processChoose the vehing processChoose the vehing piles will be installed on your less charging piles, Zhiji Autog pile is officially installed for module needs to be used in ower supply company. Wirel	function of detecting living icle-side intelligent wireless ur doorstep starting from the owill provide you with them you, Zhiji Auto will take back n conjunction with the wireless charging piles need to be	charging module without e second half of the year, n for free Temporarily install		