Yuar	nhe Unique New En	ergy
Email: wenbin_zhen	g@hotmail.com WhatsApp:	+86 139 0639 1027
	23 models of L9 Pro	22 models of L9 Max
	version	version
	<b>Basic Information</b>	
level	Large SUV	Large SUV
Energy type	Extended range pure	Extended range pure
	electric	electric
Environmental protection standards	National VI	National VI
time to market	2023/8/3	2022/6/21
CLTC pure electric range [km]	215	215
WLTC pure electric range [km]	180	180
Fast charging time[h]	0.5	0.5
Fast charging capacity [%]	20-80	20-80
Slow charging time[h]	6.5	6.5
Slow charging capacity [%]	0-100	0-100
engine	1.5T 154 horsepower L4	1.5T 154 horsepower L4
Maximum power/maximum torque	113kW/245N·m	113kW/245N·m
Motor[Ps]	449	449
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	5218*1998*1800	5218*1998*1800
Body structure	5-door, 6-seater SUV	5-door, 6-seater SUV
Maximum speed [km/h]	180	180
Official 0-100km/h acceleration [s]	5.3	5.3
WLTC comprehensive fuel consumption [L/100km]	0.86	0.86
Fuel consumption in low power state [L/100km]	7.8	7.8
	5 years or 100,000	5 years or 100,000
Vehicle warranty	kilometers	kilometers
Exterior color		
interior color		
	Body	
Length[mm]	5218	5218
Width[mm]	1998	1998
Height[mm]	1800	1800
Wheelbase [mm]	3105	3105
Front wheelbase [mm]	1725	1725
Rear wheelbase [mm]	1741 avving door	1741
Car door opening method	swing door	swing door
Number of doors	5	5

6	6
	19
	twenty one
	0.306
	65
	332-1191
	2520
	3120
	5120
engine	
Range extender L2E15M	Range extender L2E15M
1496	1496
1.5	1.5
turbocharging	turbocharging
horizontal	horizontal
L	L
<u></u>	4
4	4
4	4
4	4
12.5	12.5
DOHC	DOHC
113	113
154	154
4800	4800
4800	4800
245	245
2500 4000	2500,4000
2500-4000	2500-4000
110	110
No. 95	No. 95
direct injection	direct injection
Aluminum alloy	Aluminum alloy
Aluminum alloy	Aluminum alloy
National VI	National VI
electric motor	
Dual motor	Dual motor
Front + rear	Front + rear
Permanent magnet	Permanent magnet
5	synchronization
330	330
440	440
449	449
620	620
130	130
220	220
220	220
200	200
200	200
	1496 1.5 turbocharging horizontal L 4 4 12.5 DOHC 113 154 4800 245 2500-4000 110 No. 95 direct injection Aluminum alloy Aluminum alloy National VI <b>electric motor</b> Front + rear Permanent magnet synchronization 330 449

Maximum torque of rear	400	400
electric motor [N·m]	400	400
System comprehensive	330	330
power [kW] System comprehensive		
horsepower [Ps]	449	449
System comprehensive	622	620
torque [N·m]	620	620
	Battery/recharge	
Battery Type	Ternary lithium battery	Ternary lithium battery
Battery brand	Ningde era	Ningde era
Detter / terrer eveture	<ul> <li>Low temperature</li> </ul>	<ul> <li>Low temperature</li> </ul>
Battery temperature	heating	heating
management	Liquid cooling	Liquid cooling
CLTC pure electric range		
[km]	215	215
WLTC pure electric range	180	180
[km]	100	100
CLTC comprehensive range	1315	1315
[km] WLTC comprehensive		
range [km]	1100	1100
Battery power [kWh]	44.5	44.5
Electricity consumption per		
100 kilometers	22.2	22.2
[kWh/100km]		
	<ul> <li>Slow charging port</li> </ul>	<ul> <li>Slow charging port</li> </ul>
vehicle charging port	Quick charging port	Quick charging port
Slow charging port location	• Right rear side of car	• Right rear side of car
Fast charging port location	• Right rear side of car	• Right rear side of car
Fast charging power [kW]	75	75
Fast charging time[min]	30	30
Fast charging time[h]	0.5	0.5
Fast charging capacity [%]	20-80	20-80
Slow charging power [kW]	7	7
Slow charging time[h]	6.5	6.5
Slow charging capacity [%]	0-100	0-100
Vehicle battery swap	-	_
Home charging pile	•	•
Car charging gun		-
External discharge function	•	•
External discharge power	• 3.5kW	• 3.5kW
	8 years or 160,000	8 years or 160,000
Battery pack warranty	kilometers	kilometers

	gearbox	
	Electric vehicle single	Electric vehicle single
Gearbox description	speed gearbox	speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio
Number of gears	1	1
	chassis steering	
Drive form	Dual motor four-wheel drive	Dual motor four-wheel drive
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Center differential	_	_
structure	_	_
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Five-link independent suspension	Five-link independent suspension
Assist type	electric assist	electric assist
Adjustable suspension	<ul> <li>Height adjustment</li> </ul>	<ul> <li>Height adjustment</li> </ul>
•	<ul> <li>Soft and hard</li> </ul>	<ul> <li>Soft and hard</li> </ul>
features	adjustment	adjustment
Adjustable suspension types	Air suspension	Air suspension
Body structure	Load-bearing	Load-bearing
limited slip differential	-	-
differential lock	-	-
	wheel brake	
Front brake type	<ul> <li>Ventilated disc type</li> </ul>	<ul> <li>Ventilated disc type</li> </ul>
rear brake type	<ul> <li>Ventilated disc type</li> </ul>	<ul> <li>Ventilated disc type</li> </ul>
Parking brake type	Electronic parking	Electronic parking
Front tire specifications	• 265/45 R21	• 265/45 R21
Rear tire specifications	• 265/45 R21	• 265/45 R21
Spare tire	<ul> <li>No spare tire</li> </ul>	<ul> <li>No spare tire</li> </ul>
Spare tire placement	_	-
	active safety	
ABS anti-lock	•	•
Braking force distribution	•	•
(EBD/CBC, etc.)		
Brake assist (BA/EBA/BAS,	•	•
etc.)		
Traction control	•	•
(ASR/TCS/TRC, etc.)		
Body stability control	•	•
		1
(ESP/DSC/VSC, etc.)		
Seat belt not fastened	• The whole car	• The whole car
Seat belt not fastened reminder		
Seat belt not fastened	• Tire pressure display	<ul><li>The whole car</li><li>Tire pressure display</li></ul>
Seat belt not fastened reminder		

Passenger airbag	•	•
First row side airbag	•	•
Second row side airbags	•	•
side curtain airbags	•	•
knee air bag	_	_
Passenger seat cushion		
airbag	-	-
Rear seat belt airbag	_	_
Rear seat anti-skid airbags	-	-
center airbag	_	_
Second row forward		
airbags	_	-
child seat interface	•	•
passive pedestrian		
protection	-	-
Run-flat tires		
Διιχί	liary/control configuration	ation
front parking radar		
Rear parking radar		
Reverse side warning	•	•
_	•	•
system Door opening collision		
	•	•
warning	• 360-degree panoramic	• 360-degree panoramic
Driving assistance images	image	image
Chassis perspective		
	Full-speed adaptive	Full-speed adaptive
cruise system	cruise	cruise
	Sports	Sports
	Economy	Economy
Driving mode selection	Standard/Comfortable	• Standard/Comfortable
5	<ul> <li>Off-road</li> </ul>	<ul> <li>Off-road</li> </ul>
	Snow	Snow
Fatigue reminder	•	•
automatic parking	•	•
remote control parking	_	_
remote summoning	•	•
Engine start and stop	_	_
automatic parking	•	•
Hill assist	•	•
steep descent	•	•
night vision system	-	-
variable steering ratio		
Integral active steering		
system		-
Wading sensor system		-
low speed four wheel drive	-	-
creep mode		
tank turns		

As	sisted driving functio	ns
Parallel assistance		
(BSM/BSD)	•	•
Lane Departure Warning		
(LDWS)	•	•
Lane Keeping (LKAS)	•	•
Lane centering	•	•
Road traffic sign	_	
recognition	•	•
forward collision warning	•	•
rear collision warning	•	•
Active braking	•	•
Automatic lane change		
assist	•	•
Automatic ramp exit/entry	•	•
High-speed assisted		
driving	• 	•
Urban assisted driving	-	•
Reverse tracking	_	-
As	sisted driving hardwa	ire
Driving assistance level	• L2	• L2
Assisted driving system	<ul> <li>Ideal AD Pro</li> </ul>	<ul> <li>Ideal AD Max</li> </ul>
Assisted driving chip	• 1 Horizon Journey 5	• 2 NVIDIA Drive Orin-X
Chip computing power	<ul> <li>128 TOPS</li> </ul>	• 508 TOPS
Lidar brand	-	HESAI Hesai Technology
Lidar model	_	• AT128
LiDAR quantity	_	• 1
Lidar line number	-	<ul> <li>128 lines</li> </ul>
Lidar 10% reflectivity		• 200
detection distance [m]	_	• 200
Number of lidar point	_	• 153
clouds [10,000/second]		
millimeter wave radar	• 1	• 1
ultrasonic radar	<ul> <li>First 6/Last 6</li> </ul>	First 6/Last 6
Front sensing camera type	• monocular	Binocular
Front sensing camera	• 800	• 800
pixels [10,000]	- 000	
Environment aware camera	• 6	• 7
Environment sensing	• 200	• 800
camera pixels [10,000]	• 200	• 000
surround camera	• 4	• 4
Surround camera pixels	• 200	• 200
[10,000]	- 200	- 200
car camera	-	-
l	External configuratior	1

	<ul> <li>Segmented non-</li> </ul>	<ul> <li>Segmented non-</li> </ul>
Skylight type	_	openable skylight
	openable skylight	
Sport appearance package	-	-
Electric spoiler	-	_
Rim material	<ul> <li>Aluminum alloy</li> </ul>	<ul> <li>Aluminum alloy</li> </ul>
Electric suction door	The whole car	The whole car
Automatic opening and		
closing of car doors	-	-
Frameless door	-	-
sliding door	-	-
roof rack	-	-
Kouturo	Remote key	Remote key
Key type	Bluetooth key	Bluetooth key
Keyless start	•	•
keyless entry	The whole car	The whole car
Hidden electric door		
handle	•	•
Active closing air intake		
grille	•	•
Electric tailgate	•	•
Tailgate position memory	•	•
Induction tailgate	•	•
Tailgate glass opens		
independently	_	-
car side pedals	<ul> <li>Electric 10,000 yuan</li> </ul>	<ul> <li>Electric 10,000 yuan</li> </ul>
Low speed driving warning		
sound	•	•
Sentinel (clairvoyance)		
mode	•	•
tow hook	-	_
Trailer power outlet	-	-
	Internal configuration	
Steering wheel material	Genuine leather	Genuine leather
3	• Electric up and down +	• Electric up and down +
	front and roar adjustment	front and rear adjustment
steering wheel adjustment		
	<ul> <li>Steering wheel memory</li> </ul>	• Steering wheel memory
Shift pattern	Electronic gear shifting	Electronic gear shifting
Multifunction steering		
wheel	•	•
steering wheel gear shift	-	_
Steering wheel heating	•	•
Trip computer display	Color	Color
Full LCD instrument panel	•	•
Instrument screen size	• 4.82	• 4.82
[inches]	● 4.02	▼ 4.02
HUD heads up display	•	•
Built-in driving recorder	•	•
Mobile phone wireless	• First row	• First row
charging		

ETC device	_	_
Active noise reduction	_	_
Electrically adjustable		
pedals	-	-
Single pedal mode	_	-
	Seat configuration	
seat material	Genuine leather	Genuine leather
Sports style seats	_	_
Electric driver's seat	<ul> <li>Electric adjustment with</li> </ul>	<ul> <li>Electric adjustment with</li> </ul>
adjustment	memory	memory
Passenger seat electric	<ul> <li>Electric adjustment</li> </ul>	<ul> <li>Electric adjustment</li> </ul>
adjustment	•	•
	<ul> <li>Front and back</li> </ul>	<ul> <li>Front and back</li> </ul>
	adjustment	adjustment
Driver's seat adjustment	Backrest adjustment	Backrest adjustment
method	<ul> <li>Height adjustment (4-</li> </ul>	<ul> <li>Height adjustment (4-</li> </ul>
	way)	way)
	• Waist adjustment (4-	• Waist adjustment (4-
	way) • Front and back	way) • Front and back
	adjustment	adjustment
Passenger seat adjustment	<ul> <li>Backrest adjustment</li> </ul>	Backrest adjustment
method	<ul> <li>Height adjustment (4-</li> </ul>	<ul> <li>Height adjustment (4-</li> </ul>
	way) • Waist adjustment (4-	way) • Waist adjustment (4-
	_	•
	way) • Heating	way) • Heating
First row seat functions	Ventilation	Ventilation
	Massage	Massage
Boss button	• Mussuge	• Mussuge
Electrically adjustable		
second row seats	<ul> <li>Electric adjustment</li> </ul>	<ul> <li>Electric adjustment</li> </ul>
	<ul> <li>Front and back</li> </ul>	<ul> <li>Front and back</li> </ul>
	adjustment	adjustment
Second row seat	<ul> <li>Backrest adjustment</li> </ul>	<ul> <li>Backrest adjustment</li> </ul>
adjustment method	Waist adjustment (4-	Waist adjustment (4-
	way)	way)
	<ul> <li>Leg rest adjustment</li> </ul>	<ul> <li>Leg rest adjustment</li> </ul>
	Heating	Heating
Second row seat functions	Ventilation	Ventilation
	<ul> <li>Massage</li> </ul>	<ul> <li>Massage</li> </ul>
Third row seat functions	<ul> <li>Heating</li> </ul>	Heating
center armrest	First row	First row
	Second row	Second row
Seat layout	• 2+2+2	• 2+2+2
Rear seat folding method	<ul> <li>Inverted proportions</li> </ul>	<ul> <li>Inverted proportions</li> </ul>
Electrically reclining rear seats	• Third row	• Third row
Rear cup holder	<ul> <li>Second row</li> </ul>	<ul> <li>Second row</li> </ul>
	Third row	Third row

Heated/cooled cup holder	_	_
Rear folding table	<ul> <li>Second row</li> </ul>	Second row
		• Second row
	Car/Internet	
Central control color	• Touch OLED screen	• Touch OLED screen
screen		
Central control screen size	• 15.7	• 15.7
[inch] Central control screen		
	OLED	OLED
material Central control screen		
resolution [px]	<ul> <li>2880 x 1620</li> </ul>	<ul> <li>2880 x 1620</li> </ul>
Central control screen pixel		
density [PPI]	• 210	• 210
Central control screen	<u> </u>	<u> </u>
refresh rate [Hz]	• 60	• 60
Passenger screen	Touch OLED screen	Touch OLED screen
Passenger screen size	• 15.7	• 15.7
[inches]	• 15:7	• 15:7
Passenger screen material	OLED	OLED
Passenger screen	• 2880 x 1620	• 2880 x 1620
resolution [px]		
Passenger screen pixel	• 210	• 210
density [PPI]		
Vehicle system	Android AUTOMOTIVE 2 Qualcomm Snapdragon	Android AUTOMOTIVE 2 Qualcomm Snapdragon
Car chip	8155	8155
Vehicle system memory		
[GB]	• 24	• 24
Vehicle system storage	050	25.6
[GB]	• 256	• 256
Vehicle-to-machine	- 56	• 5G
network	• 5G	• 5G
OTA upgrade	<ul> <li>Vehicle OTA</li> </ul>	<ul> <li>Vehicle OTA</li> </ul>
Car WiFi function	-	-
Car navigation map	<ul> <li>Gaode</li> </ul>	Gaode
HD map	•	•
V2X communication roadside assistance call		-
Bluetooth/car phone	•	•
Mobile phone	•	•
interconnection/mapping	-	-
Voice assistant wake word	Ideal classmates	<ul> <li>Ideal classmates</li> </ul>
	First row	• First row
Voice zone wake-up	<ul> <li>Second row</li> </ul>	<ul> <li>Second row</li> </ul>
	<ul> <li>Third row</li> </ul>	Third row
Voice wake-up-free	•	•
Speech continuous	•	•
recognition	• •	
	Multimedia system	Multimedia system
l	<ul> <li>Navigation</li> </ul>	<ul> <li>Navigation</li> </ul>

N/ · · · · · · · ·	Telephone	<ul> <li>Telephone</li> </ul>
Voice recognition control	Air conditioning	Air conditioning
function	Car windows	Car windows
	Seat function	Seat function
	adjustment	adjustment
gesture control	•	•
face recognition	_	_
9	<ul> <li>Door control</li> </ul>	<ul> <li>Door control</li> </ul>
	Window control	<ul> <li>Window control</li> </ul>
	<ul> <li>Vehicle starts</li> </ul>	<ul> <li>Vehicle starts</li> </ul>
	• Air conditioning control	• Air conditioning contro
	Charging management	Charging managemen
Remote control function	<ul> <li>Vehicle condition</li> </ul>	<ul> <li>Vehicle condition</li> </ul>
	inquiry/diagnosis	inguiry/diagnosis
	Vehicle positioning/car	<ul> <li>Vehicle positioning/ca</li> </ul>
	search	search
	• Car owner services (find	• Car owner services (fin
	charging piles, gas	charging piles, gas
	stations, parking lots, etc.)	stations, parking lots, etc
	Media entertainment	
		_
Car APP application market	•	•
Car CD/DVD	-	-
Multimedia/charging	<ul> <li>Type-C</li> </ul>	<ul> <li>Type-C</li> </ul>
interface		
Number of USB/Type-C	• 2 in the front row/4 in	• 2 in the front row/4 in
interfaces	the back row	the back row
In-car entertainment	Karaoke	<ul> <li>Karaoke</li> </ul>
functions		
Rear seat control	•	
	-	•
multimedia	-	•
Number of multimedia	• 1	• 1
Number of multimedia	• 1	• 1
Number of multimedia screens in the rear row Rear multimedia screen	• 1 • 15.7	• • 1 • 15.7
Number of multimedia screens in the rear row Rear multimedia screen size [inch]	• 1 • 15.7	
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen	• 1 • 15.7 • OLED	
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material		• 15.7
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material Rear multimedia screen		• 15.7
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material Rear multimedia screen resolution [px]	OLED	• 15.7 • OLED
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material Rear multimedia screen resolution [px] Cockpit 220V/230V power	OLED	• 15.7 • OLED
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material Rear multimedia screen resolution [px] Cockpit 220V/230V power supply	<ul><li>OLED</li><li>2880 x 1620</li></ul>	<ul> <li>15.7</li> <li>OLED</li> <li>2880 x 1620</li> </ul>
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material Rear multimedia screen resolution [px] Cockpit 220V/230V power supply Luggage compartment	<ul><li>OLED</li><li>2880 x 1620</li></ul>	<ul> <li>15.7</li> <li>OLED</li> <li>2880 x 1620</li> </ul>
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material Rear multimedia screen resolution [px] Cockpit 220V/230V power supply Luggage compartment power interface	<ul> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> </ul>	<ul> <li>15.7</li> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> </ul>
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material Rear multimedia screen resolution [px] Cockpit 220V/230V power supply Luggage compartment power interface audio brand	<ul> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> <li>12V</li> <li>-</li> </ul>	<ul> <li>15.7</li> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> <li>12V</li> <li>-</li> </ul>
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material Rear multimedia screen resolution [px] Cockpit 220V/230V power supply Luggage compartment power interface	<ul> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> <li>12V</li> <li>-</li> <li>21</li> </ul>	<ul> <li>15.7</li> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> </ul>
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material Rear multimedia screen resolution [px] Cockpit 220V/230V power supply Luggage compartment power interface audio brand Number of speakers	<ul> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> <li>12V</li> <li>-</li> <li>21</li> <li>Light function</li> </ul>	<ul> <li>15.7</li> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> <li>12V</li> <li>-</li> <li>21</li> </ul>
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material Rear multimedia screen resolution [px] Cockpit 220V/230V power supply Luggage compartment power interface audio brand Number of speakers	<ul> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> <li>12V</li> <li>12V</li> <li>21</li> <li>Light function</li> <li>LED</li> </ul>	<ul> <li>15.7</li> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> <li>12V</li> <li>-</li> <li>21</li> <li>LED</li> </ul>
Number of multimedia screens in the rear row Rear multimedia screen size [inch] Rear multimedia screen material Rear multimedia screen resolution [px] Cockpit 220V/230V power supply Luggage compartment power interface audio brand Number of speakers	<ul> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> <li>12V</li> <li>-</li> <li>21</li> <li>Light function</li> </ul>	<ul> <li>15.7</li> <li>OLED</li> <li>2880 x 1620</li> <li>220V</li> <li>12V</li> <li>-</li> <li>21</li> </ul>

LED daytime running lights	•	•
	<ul> <li>Height adjustment</li> </ul>	Height adjustment
	Automatic opening and	• Automatic opening and
	closing	closing
Headlight function	• Adaptive high and low	• Adaptive high and low
	beam	beam
	<ul> <li>Delayed shutdown</li> </ul>	<ul> <li>Delayed shutdown</li> </ul>
Turn assist light	•	•
Front fog lights	-	-
Headlight cleaning device	-	-
Car interior ambient light	<ul> <li>256 colors</li> </ul>	<ul> <li>256 colors</li> </ul>
	glass/rear view mirror	
First row electric windows	•	•
Second row electric	•	•
windows	_	_
One-click lifting and	• The whole car	• The whole car
lowering of windows		
Window anti-pinch	• The whole car	• The whole car
function Multilayer soundproof		
glass	<ul> <li>The whole car</li> </ul>	<ul> <li>The whole car</li> </ul>
	<ul> <li>Electric adjustment</li> </ul>	<ul> <li>Electric adjustment</li> </ul>
	• Heated rearview mirrors	• Heated rearview mirrors
	Electric folding	Electric folding
Exterior rearview mirror function	<ul> <li>Rearview mirror memory</li> </ul>	<ul> <li>Rearview mirror memory</li> </ul>
Tunction	Automatically roll down	Automatically roll down
	<ul><li>when reversing</li><li>Automatic folding when</li></ul>	<ul><li>when reversing</li><li>Automatic folding when</li></ul>
	_	• Automatic folding when
	locking the car	locking the car
· · · · ·	<ul> <li>Automatic anti-dazzle</li> </ul>	Automatic anti-dazzle
Interior rearview mirror function	• Automatic anti-dazzle	• Automatic anti-dazzle
Rear side privacy glass	•	•
Rear side sunshades	-	-
Rear windshield sunshade	-	-
	• Main driving + lighting	• Main driving + lighting
Car vanity mirror	<ul> <li>Co-pilot + lighting</li> </ul>	<ul> <li>Co-pilot + lighting</li> </ul>
Sensing wiper function	<ul> <li>Rain sensor type</li> </ul>	<ul> <li>Rain sensor type</li> </ul>
rear wiper	•	•
Heated water nozzle	-	-
Air	conditioning/refrigera	tion
	Dual temperature zone	• Dual temperature zone
First row air conditioner	automatic air conditioning	automatic air conditioning
	• Single temperature zone	• Single temperature zone
Second row air conditioner	automatic air conditioning	automatic air conditioning

Third row air conditioner	Air outlet	<ul> <li>Air outlet</li> </ul>
heat pump air conditioner	-	-
air quality monitoring	•	•
In-car PM2.5 filter device	•	•
Car air purifier	•	•
negative ion generator	-	-
Fragrance system	•	•
car refrigerator	•	•
F	eatured configuration	l de la constante de
LED intelligent driving auxiliary light	-	•
It can be said that it is visible	•	•