		Yua	nhe Unique New En	ergy		
		Email: wenbin zhen	ng@hotmail.com WhatsApp:	+86 139 0639 1027		
	24 models of EQA 250	24 EQA 250+	24 models of EQA 300 4MATIC	24 models of EQA 350 4MATIC	23 facelifted EQA 260	23 models of EQA 260
· · · · · · · · · · · · · · · · · · ·			<b>Basic Information</b>		•	·
level	Compact SUV	Compact SUV	Compact SUV	Compact SUV	Compact SUV	Compact SUV
Energy type	pure electricity	pure electricity	pure electricity	pure electricity	pure electricity	pure electricity
time to market	-	-	-	-	2023/9/20	2023/3/23
CLTC pure electric range [km]	-	-	-	-	619	619
Fast charging time[h]	-	-	-	-	0.75	0.75
Fast charging capacity [%]	-	-	-	-	10-80	10-80
Motor[Ps]	190	190	228	292	190	190
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	4463*1834*1613	4463*1834*1613	4463*1834*1613	4463*1834*1613	4463*1834*1619	4463*1834*1619
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed [km/h]	-	-	-	-	160	160
Official 0-100km/h acceleration [s]	-	-	-	-	8.6	8.6
Vehicle warranty	To be investigated	To be investigated	To be investigated	To be investigated	3 years with no mileage limit	3 years with no mileage limit
Exterior color						
interior color						
			Body			
Length[mm]	4463	4463	4463	4463	4463	4463
Width[mm]	1834	1834	1834	1834	1834	1834
Height[mm]	1613	1613	1613	1613	1619	1619
Wheelbase [mm]	2729	2729	2729	2729	2729	2729
Front wheelbase [mm]	_	_	-	-	1587	1587
Rear wheelbase [mm]	_	_	-	-	1590	1590
Car door opening method	swing door	swing door	swing door	swing door	swing door	swing door
Number of doors	5	5	5	5	5	5
number of seats	5	5	5	5	5	5
Approach angle [°]	-	-	-	-	19	19
Departure angle [°]	-	-	-	-	twenty four	twenty four
Drag coefficient [Cd]	-	-	-	-	0.28 2011	0.28 2011
Curb weight [kg] Full load mass [kg]	-	-	-	-	2455	2455
Full IOdu IIIdss [Ky]	-	-	oloctric motor	-	2433	2433
		· · ·	electric motor	_ ·		
Number of drive motors	single motor	single motor	Dual motor	Dual motor	single motor	single motor
Motor layout	prefix	prefix	Front + rear	Front + rear	prefix Dermanent magnet	prefix Dermanent magnet
Motor type	To be investigated	To be investigated	To be investigated	To be investigated	Permanent magnet synchronization	Permanent magnet synchronization
Total motor power [kW]	140	140	168	215	140	140
Total motor horsepower [Ps]	190	190	228	292	190	190
Motor total torque [N·m]	385	385	390	520	385	385
Maximum power of front electric motor [kW]	140	140	-	-	140	140
Maximum torque of front electric motor [N·m]	385	385	-	-	385	385

			Battery/recharge			
Battery Type	To be investigated	To be investigated	To be investigated	To be investigated	Ternary lithium battery	Ternary lithium battery
Battery brand	-	-	-	-	Funeng Technology	Funeng Technology
	<ul> <li>Low temperature</li> </ul>	Low temperature	Low temperature			
Battery temperature	heating	heating	heating	heating	heating	heating
management		5		5	5	5
CLTC pure electric range	Liquid cooling	Liquid cooling	Liquid cooling	Liquid cooling	<ul> <li>Liquid cooling</li> </ul>	Liquid cooling
[km]	-	-	-	-	619	619
Battery power [kWh]	-	-	-	-	73.5	73.5
Battery energy density [Wh/kg]	_	-	_	-	188	188
Electricity consumption per 100 kilometers [kWh/100km]	66.5	66.5	66.5	66.5	12.7	12.7
vehicle charging port	<ul> <li>Slow charging port</li> </ul>					
venicle charging port	<ul> <li>Quick charging port</li> </ul>					
Slow charging port location	• Car left rear side					
Fast charging port location	• Right rear side of car					
Fast charging time[min]	-	-	-	-	45	45
Fast charging time[h]	-	-	-	-	0.75	0.75
Fast charging capacity [%]	-	-	-	-	10-80	10-80
Vehicle battery swap	_	_	_	_	_	-
Home charging pile		-	-	-	•	•
Car charging gun	-	-	-	-	<ul> <li>Optional 2900 yuan</li> </ul>	<ul> <li>Optional 2900 yuan</li> </ul>
External discharge function	_	-	_	_	_	-
Battery pack warranty	_	_	_	-	8 years or 160,000	8 years or 160,000
					kilometers	kilometers
			gearbox			
	Electric vehicle single speed					
Gearbox description	gearbox	gearbox	gearbox	gearbox	gearbox	gearbox
Gearbox type	Fixed gear ratio					
Number of gears	1	1	1	1	1	1
			chassis steering			
Drive form	Front wheel drive	Front wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive	Front wheel drive	Front wheel drive
four-wheel drive		_	Electric four-wheel drive	Electric four-wheel drive	_	<u> </u>
Center differential structure	-	-	-		-	-
Front suspension type	MacPherson independent suspension					
• .	Multi-link independent					
rear suspension type	suspension	suspension	suspension	suspension	suspension	suspension
Assist type	electric assist					
Adjustable suspension features	-	-	-	-	-	-
Adjustable suspension						
types	-	-	-	-	-	-
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing
	-		_			-
limited slip differential						I

1			WIICCI DIANC			
Front brake type	<ul> <li>Ventilated disc type</li> </ul>	<ul> <li>Ventilated disc type</li> </ul>	<ul> <li>Ventilated disc type</li> </ul>	Ventilated disc type	Ventilated disc type	<ul> <li>Ventilated disc type</li> </ul>
rear brake type	<ul> <li>Solid disc type</li> </ul>	<ul> <li>Solid disc type</li> </ul>	<ul> <li>Solid disc type</li> </ul>	<ul> <li>Solid disc type</li> </ul>	<ul> <li>Solid disc type</li> </ul>	<ul> <li>Solid disc type</li> </ul>
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	• R18	• R18	• R19	• R20	• 235/55 R18	• 235/55 R18
Rear tire specifications	• R18	• R18	• R19	• R20	• 235/55 R18	• 235/55 R18
Spare tire	<ul> <li>No spare tire</li> </ul>	<ul> <li>No spare tire</li> </ul>	<ul> <li>No spare tire</li> </ul>	<ul> <li>No spare tire</li> </ul>	<ul> <li>No spare tire</li> </ul>	<ul> <li>No spare tire</li> </ul>
Spare tire placement	-	-	-	-	-	-
			active safety	•		
ABS anti-lock	-	-	-	-	•	•
Braking force distribution	-	_	-	-	•	•
(EBD/CBC, etc.) Brake assist (BA/EBA/BAS,						
etc.)	-	-	-	-	•	•
Traction control						
(ASR/TCS/TRC, etc.)	-	-	-	-	•	•
Body stability control (ESP/DSC/VSC, etc.)	-	-	-	-	•	•
Seat belt not fastened	-	_	-	-	• The whole car	The whole car
reminder Tire pressure monitoring	_	-		_	Tire pressure display	• Tire pressure display
The pressure monitoring						
	r		passive safety	r		·
Main driver airbag	-	-	-	-	•	•
Passenger airbag	-	-	-	-	•	•
First row side airbag	-	-	-	-	•	•
Second row side airbags	-	-	-	-	<ul> <li>Optional 3,400 yuan</li> </ul>	<ul> <li>Optional 3,400 yuan</li> </ul>
side curtain airbags	-	-	-	_	•	•
knee air bag	_	_	-	_	<ul> <li>Main driver</li> </ul>	<ul> <li>Main driver</li> </ul>
Passenger seat cushion airbag	-	-	-	-	-	-
Rear seat belt airbag	-	-	-	-	-	-
Rear seat anti-skid airbags	-	-	-	-	-	-
center airbag	-	-		-	-	-
Second row forward						
airbags	-	-	-	-	-	-
child seat interface	_	_	-	_	•	•
passive pedestrian						
protection	-	-	-	-	•	•
Run-flat tires	-	-	-	-	-	-
· · · · ·		Auxi	liary/control configura	ation		
front parking radar	-	-	-	-	•	•
Rear parking radar	-	-	-	-	•	•
Reverse side warning	_	-	_	-	_	-
system						
Door opening collision warning	-	-	-	-	-	-
Driving assistance images	-	-	-	-	Reversing image	Reversing image
Chassis perspective	-	-	-	-	-	-
cruise system	-	-	-	-	Adaptive cruise     Sports	Adaptive cruise     Sports
Driving mode selection					Sports     Economy	Sports     Economy
Driving mode selection	-	-	-	-	Economy	Economy
					Standard/Comfortable	Standard/Comfortable
Fatigue reminder	-	-	-	-	•	•
automatic parking	-	-	-	-	•	•

					1	1
remote control parking	-	-	-	-	-	-
remote summoning	-	-	-	-	-	-
Engine start and stop	-	-	-	-	-	-
automatic parking	-	-	-	-	•	•
Hill assist	_	-	-	-	•	•
steep descent	-	-	-	-	-	-
night vision system	-	_	_	-	-	-
variable steering ratio	-			-		
Integral active steering						
	-	-	-	-	-	-
system						
Wading sensing system	-	-	-	-	-	-
		As	ssisted driving function	ns		
Parallel assistance						
(BSM/BSD)	-	-	-	-	0	0
Lane Departure Warning						
	-	-	-	-	•	•
(LDWS)						
Lane Keeping (LKAS)	-	-	-	-	•	•
Lane centering	-	-	-	-	•	•
Road traffic sign	_	_	_	-	_	-
recognition						
forward collision warning	-	-	-	-	•	•
rear collision warning	-	-	-	-	-	-
Active braking	-	-	-	-	•	•
Automatic lane change						
assist	-	-	-	-	-	-
Automatic ramp exit/entry	-	-	-	-	-	-
Reverse tracking	_			-		-
	-				-	-
		As	ssisted driving hardwa	re		
Driving assistance level	_	-	-	-	• L2	• L2
millimeter wave radar	-	_	-	-	• 1	• 1
ultrasonic radar	-		_	_	• First 6/Last 6	• First 6/Last 6
Front sensing camera type	-	-	-	-	<ul> <li>monocular</li> </ul>	<ul> <li>monocular</li> </ul>
Environment aware camera	-	-	-	-	• 1	• 1
surround camera	-	-	-	-	-	-
car camera	-	-	-	-	-	-
			External configuration	1		
r			<u> </u>		Sogmonted electric	Cognonted electric
Skylight type	-	-	-	-	Segmented electric	Segmented electric
, , , , , , , , , , , , , , , , , , , ,					sunroof	sunroof
Sport appearance package	-	_	_	-	_	-
				ļ		l
Electric spoiler	-	_	-	-	-	-
Rim material	-	_	_	_	<ul> <li>Aluminum alloy</li> </ul>	<ul> <li>Aluminum alloy</li> </ul>
Electric suction door	-	-	-	-	-	-
Automatic opening and						
closing of car doors	-	-	-	-	-	-
Frameless door	_	_	_	_	_	_
	_			-		-
sliding door				-	•	•
sliding door	_	-	-	-		I •
roof rack	-	-			Bomoto kov	<ul> <li>Domoto kovi</li> </ul>
roof rack Key type	-	-	-	-	Remote key	Remote key
roof rack			-	-	•	•
roof rack Key type	-	-			<ul> <li>Remote key</li> <li>The whole car costs</li> <li>3,900 yuan</li> </ul>	<ul> <li>Remote key</li> <li>The whole car costs</li> <li>3,900 yuan</li> </ul>

T			1	<b>F</b>		1
Hidden electric door handle	-	-	-	-	-	-
Active closing air intake grille	-	-	-	-	-	-
Electric tailgate	_	_	-	-	•	•
Tailgate position memory	_	_	-	_	•	•
Induction tailgate	_	_	-	_	•	•
Tailgate glass opens						
independently	-	-	-	-	-	-
car side pedals	-	-	-	-	-	-
Low speed driving warning sound	-	-	-	-	•	•
Sentinel (clairvoyance)	-	-	-	-	-	-
mode			Internal configuration			
Steering wheel material	-	-	-	-	Genuine leather	Genuine leather
					Manual up and down +	Manual up and down +
steering wheel adjustment	-	-	-	-	front and rear adjustment	front and rear adjustment
Shift pattern	_	_	_	-	Electronic gear shifting	Electronic gear shifting
Multifunction steering						
wheel	-	-	-	-	•	•
steering wheel gear shift	_	_	-	_	-	_
Steering wheel heating	_	_	-	-	-	-
Trip computer display	_	_	-	_	Color	Color
Full LCD instrument panel	_	_	-	_	•	•
Instrument screen size [inches]	-	_	-	-	• 10.25	• 10.25
Instrument screen	-	_	-	-	• 1920 x 720	• 1920 x 720
resolution [px] HUD heads up display		_	_		_	
Built-in driving recorder					0	0
Mobile phone wireless	_		_	-		
charging	-	-	-	-	<ul> <li>First row</li> </ul>	<ul> <li>First row</li> </ul>
ETC device	_	_	-		<ul> <li>Optional 3,000 yuan</li> </ul>	<ul> <li>Optional 3,000 yuan</li> </ul>
Active noise reduction	-	_	-			
Electrically adjustable						
pedals	-	-	-	-	-	-
Single pedal mode	_	_	_	-	•	•
Single pead mode			Seat configuration	I	-	
seat material	-	-		_	Imitation leather	Imitation leather
Sports style seats	_	_	-	_	•	•
Electric driver's seat adjustment	-	-	-	-	Electric adjustment	Electric adjustment
Passenger seat electric	-	_	-	-	Electric adjustment	<ul> <li>Electric adjustment 2900</li> </ul>
adjustment					Front and back	yuan <ul> <li>Front and back</li> </ul>
					adjustment	adjustment
					Backrest adjustment	Backrest adjustment
Driver's seat adjustment	-	_	-	-	Height adjustment (4-	• Height adjustment (4-
method					way)	way)
					<ul> <li>Waist adjustment (4- way)</li> </ul>	<ul> <li>Waist adjustment (4- way)</li> </ul>
					<ul> <li>Leg rest adjustment</li> </ul>	<ul> <li>Leg rest adjustment</li> </ul>
					Front and back     adjustment	<ul> <li>Front and back</li> </ul>
					Backrest adjustment	<ul> <li>adjustment</li> <li>Backrest adjustment</li> </ul>
I			I	I		<ul> <li>Dackrest aujustment</li> </ul>

Passenger seat adjustment		I	1		Height adjustment (4-	Height adjustment (4-
method	-	-	-	-		
method					way) • Waist adjustment (4-	way) • Waist adjustment (4-
					-	=
					way)	way)
First your cost functions					Leg rest adjustment	Leg rest adjustment
First row seat functions	-	-		-	• Heating 2,600 yuan	<ul> <li>Heating 2,600 yuan</li> </ul>
Boss button	-	-		-	-	-
Electrically adjustable	-	-	-	-	-	-
second row seats Second row seat						
	-	-	-	-	-	-
adjustment method						
Second row seat functions	-	-	-	-	-	-
center armrest	-	-	-	-	First row	First row
Continuent					Second row	Second row
Seat layout	-	-	-	-	• 2+3	• 2+3
Rear seat folding method	-	-	-	-	<ul> <li>Inverted proportions</li> </ul>	Inverted proportions
Electrically reclining rear	-	-	-	-	-	-
seats						
Rear cup holder	-	-	-	-	<ul> <li>Second row</li> </ul>	<ul> <li>Second row</li> </ul>
Heated/cooled cup holder	-	-	-	-	-	-
Rear folding table	_	_		_		-
			Car/Internet		1	•
					1	
Central control color screen	-	-	-	-	Touch LCD screen	<ul> <li>Touch LCD screen</li> </ul>
Central control screen size	_	_	_	_	• 10.25	• 10.25
[inch]		_	_		• 10.25	• 10.25
Central control screen	_	_	_	_	• 1920 x 720	• 1920 x 720
resolution [px]					• 1520 × 720	• 1520 × 720
Passenger screen	-	-	-	-	-	-
Vehicle system	-	-	-	-	MBUX	MBUX
Vehicle-to-machine	_	_	_	_	• 4G	• 4G
network						
OTA upgrade	-	-	-	-	<ul> <li>Car and machine OTA</li> </ul>	<ul> <li>Car and machine OTA</li> </ul>
Car WiFi function	_	-	-	-	-	-
AR real-life navigation	-	-	-	-	0	0
Car navigation map	-	-	-	-	Gaode	Gaode
V2X communication	-	-	-	-	-	-
roadside assistance call	-	-	-	-	•	•
Bluetooth/car phone	-	-	-	-	•	•
Mobile phone					<ul> <li>Support CarPlay</li> </ul>	<ul> <li>Support CarPlay</li> </ul>
interconnection/mapping	-	-	-	-	<ul> <li>Support CarLife</li> </ul>	Support CarLife
Voice assistant wake word	-	-	-	-	Hello, Mercedes-Benz	Hello, Mercedes-Benz
Voice zone wake-up	-	-	-	-	Main driver	Main driver
· · · · ·					Multimedia system	Multimedia system
Voice recognition control					Navigation	Navigation
function	-	-	-	-	Telephone	Telephone
					Air conditioning	Air conditioning
gesture control	_	-	-	-	-	-
face recognition	_	-	- 1	-	-	-
					Door control	<ul> <li>Door control</li> </ul>
Remote control function	-	-		-	Vehicle starts	Vehicle starts
					Charging management	Charging management
I		1	Media entertainment			
			T			

Car CD/DVD	-	-	-	-	-	-
Multimedia/charging interface	-	-	-	-	• Type-C	• Type-C
Number of USB/Type-C interfaces	-	-	-	-	• 3 in the front row/1 in the back row	<ul> <li>3 in the front row/1 in the back row</li> </ul>
Rear seat control	_	-	_	_	-	-
multimedia Cockpit 220V/230V power	_		_			-
supply Luggage compartment						
power interface audio brand	-	-	-	-	-	-
		-	-		• 6-7	• 6-7
Number of speakers	-	-	-	-	• 8-7	• 0-7
			Light function			
Low beam light source	-	-	-	-	LED	LED
high beam light source	-	-	-	-	• LED	• LED
Lighting features	-	-	-	-	-	_
LED daytime running lights	-	-	-	-	•	•
					<ul> <li>Height adjustment</li> </ul>	<ul> <li>Height adjustment</li> </ul>
Headlight function	_	_		- closing		<ul> <li>Automatic opening and</li> </ul>
rieddiight function					closing	
					<ul> <li>Delayed shutdown</li> </ul>	<ul> <li>Delayed shutdown</li> </ul>
Turn assist light	-	-	-	-	-	-
Front fog lights	-	-	-	-	-	-
Headlight cleaning device	-	-	-	-	-	-
Car interior ambient light	-	-		-	64 colors	64 colors
			glass/rear view mirror			
First row electric windows	-	-	-	-	•	•
Second row electric windows	-	-	-	-	•	•
One-click lifting and lowering of windows	-	-	-	-	The whole car	• The whole car
Window anti-pinch					The whole car	• The whole car
function	-	-	-	-	• The whole car	• The whole cal
Multilayer soundproof glass	-	-	-	-	-	-
					<ul> <li>Electric adjustment</li> </ul>	<ul> <li>Electric adjustment</li> </ul>
					Heated rearview mirrors	Heated rearview mirrors
Exterior rearview mirror	-	_		_	Electric folding	<ul> <li>Electric folding</li> </ul>
function	-	-	-	-	<ul> <li>Automatically roll down</li> </ul>	<ul> <li>Automatically roll down</li> </ul>
					when reversing	when reversing
					Automatic folding when	
					locking the car	locking the car
Interior rearview mirror function	-	-	-	-	Manual anti-dazzle	Manual anti-dazzle
Rear side privacy glass	-	-	-	-	-	-
Rear side sunshades	-	-	-	-		-
Rear windshield sunshade	-	-	-	-	-	-
Car vanity mirror	-	-	-	-	<ul> <li>Main driving + lighting</li> <li>Co-pilot + lighting</li> </ul>	<ul> <li>Main driving + lighting</li> <li>Co-pilot + lighting</li> </ul>
Sensing wiper function	-	-	-	-	Rain sensor type	<ul> <li>Rain sensor type</li> </ul>
rear wiper Heated water nozzle	-	-	-	-	•	•

			เงแนเนงแแร <i>/</i> เ <del>ะ</del> แระเล	uon				
First row air conditioner	-	-	-	-	• Single temperature zone automatic air conditioning			
Second row air conditioner	-	-	-	-	Air outlet	Air outlet		
Third row air conditioner	-	-	_	-	-	-		
air quality monitoring	-	-	-	-	-	-		
In-car PM2.5 filter device	-	-	-	-	<ul> <li>Optional 1,800 yuan</li> </ul>	<ul> <li>Optional 1,800 yuan</li> </ul>		
Car air purifier	-	-	-	-	0	0		
negative ion generator	-	-	-	-	-	-		
Fragrance system	-	-	-	-	-	-		
car refrigerator	-	-	-	-	-	-		
			Optional package					
	-	-	-	-	-	<ul> <li>Optional 4100</li> </ul>		
Smart music set 1	Driving recorder, MBUX intelligent human-computer interaction system, real-life through navigation							
Intelligent Connectivity	-	-	-	-	<ul> <li>Optional 4100</li> </ul>	-		
Suite		MBUX intelligent huma	n-computer interaction syste	em real-life traversal navigat	ion and driving recorder			
Driving assistance package basic version	-	-	_	-	-	<ul> <li>○ Optional 19400</li> </ul>		
	Intelligent pilot distance lin		steering function, active brak exit safety warning function, a		e keeping assist system, avoid m	ance steering assist system,		