Yuanhe Unique New Energy		
Email: wenbin_zheng@hotmail.com WhatsApp: +86 139 0639 1027		
	23 models 495km 75kWh	23 models 630km 100kWh
	Basic Information	
level	Medium SUV	Medium SUV
Energy type	pure electricity	pure electricity
time to market	2023/9/15	2023/9/15
CLTC pure electric range [km]	495	630
Motor[Ps]	490	490
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	4849*1995*1697	4849*1995*1697
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed [km/h]	200	200
Official 0-100km/h acceleration [s]	4.4	4.4
	3 years or 120,000	3 years or 120,000
Vehicle warranty	kilometers	kilometers
	6 years or 150,000	6 years or 150,000
	kilometers (the liability	kilometers (the liability
First owner warranty policy	exemption clause shall be	exemption clause shall be
	subject to the official)	subject to the official)
Exterior color	Sabicer to the official	Sabiect to the official?
interior color		
	Body	
Length[mm]	4849	4849
Width[mm]	1995	1995
Height[mm]	1697	1697
Wheelbase [mm]	2915	2915
Front wheelbase [mm]	1711	1711
Rear wheelbase [mm]	1711	1711
Car door opening method	swing door	swing door
Number of doors	5	5
number of seats	5	5
Approach angle [°]	17	17
Departure angle [°]	19	19
Drag coefficient [Cd]	0.24	0.24
Official trunk volume [L]	505-1402	505-1402
Curb weight [kg]	2292	2340
Full load mass [kg]	2826	2826
Traction mass [kg]	1260	1260
electric motor		
Number of drive motors	Dual motor	Dual motor
Motor layout	Front + rear	Front + rear

Motor type		Front AC	Front AC
Total motor power [kW] Total motor power [kW] Total motor horsepower [Ps] Motor total torque [N·m] Maximum power of front electric motor [kW] Maximum torque of front electric motor [k·m] Maximum power of rear electric motor [k·m] Maximum bower of rear electric motor [kw] Maximum torque of front selectric motor [kw] Maximum torque of front electric motor [kw] Maximum power of rear electric motor [kw] Maximum bower of rear electric motor [kw] Maximum bower of rear electric motor [kw] Maximum torque of rear electric motor [kw]  Battery/recharge  Ternary lithium + lithium iron phosphate  Battery brand  Jiangsu Times  Jiangsu Times/CATL/Chin New Aviation  Low temperature heating Liquid cooling  ELiquid cooling  Liquid cooling  CLTC pure electric range [km] Battery power [kWh] Battery power [kWh] Battery power [kWh] Battery energy density [Wh/kq] vehicle charging port Jocation  Fast charging port location  Vehicle battery swap Home charging pile Car charging gile Car charging gile Car charging gile Syears or 120,000 kilometers  To years with no mileage limit (the liability exemption clause shall be			
Total motor power [kW] 360 360  Total motor horsepower [Ps] 490 490  Motor total torque [N·m] 700 700  Maximum power of front electric motor [kW] Maximum torque of front electric motor [kW] 280 280  Maximum power of rear electric motor [N·m] 280 280  Maximum torque of rear electric motor [N·m] 420  Battery/recharge  Battery Type Ternary lithium + lithium iron phosphate  Battery brand Jiangsu Times Jiangsu Times/CATL/Chin New Aviation  Battery temperature management Liquid cooling L	Motor type	-	_
Total motor power [kW] Total motor horsepower  [Ps]  Motor total torque [N·m] Maximum power of front electric motor [kW] Maximum torque of front electric motor [kW] Maximum power of rear electric motor [kW] Maximum torque of rear electric motor [kW]  Battery Type  Battery Jrecharge  Ternary lithium + lithium iron phosphate  Ternary lithium battery liangsu Times/CATL/Chin New Aviation N			
Total motor horsepower [Ps]	Total motor power [kW]	synchronous 360	synchronous 360
Motor total torque [N·m]   700   700   700   Maximum power of front electric motor [kW]   150   150   280			
Motor total torque [N-m]   700   700     Maximum power of front electric motor [kW]     Maximum torque of front electric motor [N-m]   280   280     Maximum power of rear electric motor [N-m]   210   210     Maximum torque of rear electric motor [N-m]   420   420     Battery Type   Ternary lithium + lithium iron phosphate     Battery brand   Jiangsu Times   Jiangsu Times/CATL/Chin New Aviation     Battery temperature management   • Low temperature heating   • Liquid cooling   • Liquid cooling     CLTC pure electric range [km]   75   630     Battery energy density [Wh/kg]   495   630     Battery energy density [Wh/kg]   142.1   185.4     vehicle charging port   • Quick charging port   Slow charging port   10cation   • Car left rear side   • Car left rear side     Vehicle battery swap   •   August Charging port   10cation   • Car left rear side   • Car left rear side     Car charging gun   -   Car charging gun   -   Car charging gun   -   Car charging elie   0 Optional 4,800 yuan   0 Optional 4,800 yuan	· ·	490	490
Maximum power of front electric motor [kW]   280   2		700	700
electric motor [kW]   130		150	150
Maximum torque of front electric motor [N-m]   280   280   280		150	150
electric motor [N-m]   Maximum power of rear electric motor [kW]   Maximum torque of rear electric motor [N-m]   420   420		280	280
Battery Type   Ternary lithium + lithium iron phosphate     Battery temperature management   Liquid cooling     CLTC pure electric range [km]   Eattery power [kWh]     Battery penergy density [Wh/kg]   Vehicle charging port location     Fast charging port Car charging gun     Car charging gun     External discharge power     Battery pack     Battery pack     Syears or 120,000 kilometers     First owner battery pack     Battery pack     Maximum torque of rear electric range     420	electric motor [N·m]	200	200
Battery Type		210	210
Battery Type  Battery Type  Battery Type  Battery brand  Battery temperature management  CLTC pure electric range [km]  Battery power [kWh]  Battery energy density [Wh/kq]  vehicle charging port location  Fast charging port location  Vehicle battery swap  Home charging gile  Car charging gun  External discharge power  Battery pack  Battery pack  Battery pack  Battery pack  Battery pack  Battery brand  Jiangsu Times  Low temperature heating  L			210
Battery Type  Battery Type  Battery Fecharge  Ternary lithium + lithium iron phosphate  Battery brand  Battery temperature management  CLTC pure electric range [km]  Battery power [kWh]  Battery energy density [Wh/kq]  vehicle charging port location  Fast charging port location  Vehicle battery swap  Home charging pile  Car charging gun  External discharge function  External discharge power  Battery pack  Battery pack  Battery pack  Battery Type  Ternary lithium battery  Low temperature heating  Pacing Quick cooling  Liquid cooling  Page 100  Page 10	- I	420	420
Battery Type    Ternary lithium + lithium iron phosphate	electric motor [N·m]	·	
Battery brand  Battery brand  Battery temperature management  CLTC pure electric range [km]  Battery energy density [Wh/kq]  vehicle charging port location  Fast charging port location  Vehicle battery swap Home charging gun  Car charging gun  External discharge function  External discharge power  Battery pack  First owner battery pack  Battery temperature heating  Low temperature  Low temperature  Low temperature  Low temperature  Low temperature  Low temperature  L		Battery/recharge	
Battery brand  Battery temperature management  CLTC pure electric range [km]  Battery power [kWh]  Battery energy density [Wh/kq]  vehicle charging port Slow charging port location  Fast charging port location  Vehicle battery swap  Home charging pile  Car charging gun  External discharge function  External discharge power  Battery pack  Battery brand  • Low temperature heating  • Car left rear side  • Sala butters side  • Car left rear side	Potton / Type	Ternary lithium + lithium	Tornom, lithium hottom,
Battery temperature management  CLTC pure electric range [km]  Battery power [kWh]  Battery energy density [Wh/kq]  vehicle charging port location  Fast charging port location  Vehicle battery swap  Home charging pile  Car charging gun  External discharge function  External discharge power  Battery pack warranty  Battery brand  • Low temperature heating  • Liquid cooling  • Carl eft rear side  • Car left rear side	ваттегу туре	iron phosphate	Ternary lithium battery
Battery temperature management  CLTC pure electric range [km]  Battery power [kWh]  Battery energy density [Wh/kq]  vehicle charging port location  Fast charging port location  Vehicle battery swap  Home charging pile  Car charging gun  External discharge function  External discharge power  Battery pack warranty  Battery brand  • Low temperature heating  • Liquid cooling  • Carl eft rear side  • Car left rear side			liangsu Times/CATL/China
Battery temperature management  - Low temperature heating - Liquid cooling  - Battery power [kWh] - Battery power [kWh] - Battery energy density [Wh/kq] - vehicle charging port - Slow charging port - Slow charging port location - Car left rear side  - Vehicle battery swap - Home charging pile - Car charging gun - Car charging gun - Car charging gun - External discharge function  - External discharge power - Battery pack warranty - Low temperature heating - Liquid cooling - 630  - 495 - 100 - 185.4 - Quick charging port - Quick charging port - Car left rear side - Car left rear side - Car left rear side - Optional 4,800 yuan - Optional 4,800 yuan	Battery brand	Jiangsu Times	•
heating heating  CLTC pure electric range [km]  Battery power [kWh]  Battery energy density [Wh/kq]  vehicle charging port location  Fast charging port location  Vehicle battery swap  Home charging pile  Car charging gun  External discharge function  External discharge power  Battery pack warranty  heating  heating  heating  heating  A95  630  100  185.4  185.4  Velicle charging port  Ouick charging port  Car left rear side  Car left rear side  Car left rear side  Car left rear side  Optional 4,800 yuan  Optional 4,800 yuan  Optional 4,800 yuan  S years or 120,000  kilometers  10 years with no mileage limit (the liability exemption clause shall be exemption clause shall be			New Aviation
management    heating	Ratten/ temperature	<ul><li>Low temperature</li></ul>	<ul><li>Low temperature</li></ul>
CLTC pure electric range [km]  Battery power [kWh]  Battery energy density [Wh/kq]  vehicle charging port  Slow charging port location  Fast charging port location  Vehicle battery swap  Home charging pile  Car charging gun  External discharge function  External discharge power  Battery pack warranty  First owner battery pack  • Liquid cooling  495  630  185.4  185.4  • Quick charging port  • Quick charging port  • Car left rear side  • Car left rear side  • Car left rear side  • Optional 4,800 yuan  • Optional 4,800 yuan  Symbol symbo		heating	heating
CLTC pure electric range [km]  Battery power [kWh]  Battery energy density [Wh/kq]  vehicle charging port  Slow charging port   • Quick charging port  location  Fast charging port   • Car left rear side   • Car left rear side  Vehicle battery swap   • • Optional 4,800 yuan  Car charging gun   • Optional 4,800 yuan  External discharge function  External discharge power   • 3.3kW   • 3.3kW  Battery pack warranty   8 years or 120,000   kilometers  To years with no mileage limit (the liability exemption clause shall be exemption clause shall be exemption clause shall be	management	Liquid cooling	Liquid cooling
Battery power [kWh] 75 100  Battery energy density [Wh/kq] 142.1 185.4  vehicle charging port Ocation Iocation	CLTC pure electric range		
Battery energy density [Wh/kq]  vehicle charging port Slow charging port location  Fast charging port location  Vehicle battery swap Home charging pile Car charging gun  External discharge function  External discharge power  Battery pack warranty  First owner battery pack  Battery energy density [Wh/kq]  Outick charging port  Car left rear side  Car left rear side  Car left rear side  Optional 4,800 yuan Optional 4,800 yuan  Optional 4,800 yuan  Optional 4,800 yuan  Syears or 120,000 kilometers  10 years with no mileage limit (the liability exemption clause shall be exemption clause shall be			
[Wh/kq]   Vehicle charging port   Quick charging port   Quick charging port   Slow charging port   Ocation   Car left rear side   Car left rear side   Vehicle battery swap   Optional 4,800 yuan   Optional 4,800 yuan   Car charging gun   Car charging gun   Car charging gun   Optional 4,800 yuan   Optional		75	100
Wh/kg   vehicle charging port   • Quick charging port   • Quick charging port   Slow charging port   location   -		142.1	185.4
Slow charging port location  Fast charging port location  Vehicle battery swap  Home charging pile  Car charging gun  External discharge function  External discharge power  Battery pack warranty  First owner battery pack  Slow charging port location  Car left rear side  Optional 4,800 yuan  Optional 4,800 yuan  Optional 4,800 yuan  Slow optional 4,800 yuan  Optional 4,800 yuan  Slow optional 4,800 yuan  Optional 4,800 yuan  Slow optional 4,800 yuan  In the liability sexemption clause shall be exemption clau	[Wh/kg]		
Fast charging port location  Vehicle battery swap Home charging pile Car charging gun  External discharge function  External discharge power  Battery pack warranty  First owner battery pack  First owner battery pack  Fast charging port location  Car left rear side  Optional 4,800 yuan  -  -  Systemation clause shall be exemption clause shall be exemption clause shall be		Quick charging port	Quick charging port
Fast charging port location  Vehicle battery swap Home charging pile Car charging gun  External discharge function  External discharge power Battery pack warranty  First owner battery pack  • Car left rear side • Car left rear side • Optional 4,800 yuan • Optional 4,800 yuan • Optional 4,800 yuan • All Summer side • Car left rear side • Car left rear side • Car left rear side • Optional 4,800 yuan • All Summer side • Car left rear side		-	-
Vehicle battery swap       ●       ●         Home charging pile       ○ Optional 4,800 yuan       ○ Optional 4,800 yuan         Car charging gun       -       -         External discharge function       ●       ●         External discharge power       ● 3.3kW       ● 3.3kW         Battery pack warranty       8 years or 120,000       8 years or 120,000         kilometers       10 years with no mileage         limit (the liability       limit (the liability         exemption clause shall be       exemption clause shall be	location		
Home charging pile  Car charging gun  External discharge function  External discharge power  Battery pack warranty  First owner battery pack  Optional 4,800 yuan  Optional 4,800	Fast charging port location	<ul> <li>Car left rear side</li> </ul>	<ul> <li>Car left rear side</li> </ul>
Home charging pile  Car charging gun  External discharge function  External discharge power  Battery pack warranty  First owner battery pack  Optional 4,800 yuan  Optional 4,800	Vehicle battery swap	•	•
External discharge function  External discharge power  Battery pack warranty  Battery pack warranty  First owner battery pack  External discharge function  • 3.3kW  • 3.3kW  • 8 years or 120,000  kilometers  10 years with no mileage limit (the liability exemption clause shall be exemption clause shall be	Home charging pile	<ul> <li>Optional 4,800 yuan</li> </ul>	<ul> <li>Optional 4,800 yuan</li> </ul>
External discharge power  Battery pack warranty  Battery pack  B	Car charging gun	<del>-</del>	-
Battery pack warranty  8 years or 120,000  kilometers  10 years with no mileage limit (the liability exemption clause shall be exemption clause shall be	External discharge function	•	•
kilometers kilometers kilometers  10 years with no mileage limit (the liability limit (the liability exemption clause shall be exemption clause shall be	External discharge power	• 3.3kW	• 3.3kW
First owner battery pack    Comparison of the liability o	Rattery pack warranty		8 years or 120,000
First owner battery pack  limit (the liability  exemption clause shall be exemption clause shall be	Battery pack warranty	kilometers	kilometers
exemption clause shall be Lexemption clause shall be			
I exemption clause snall be I exemption clause snall be	First owner battery pack		1
Warranty I .	warranty	•	I
subject to the official subject to the official		•	1
policy) policy)			
gearbox			

	Electric vehicle single	Electric vehicle single
Gearbox description	speed gearbox	speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio
Number of gears	1	1
	chassis steering	
Drive form	Dual motor four-wheel	Dual motor four-wheel
	drive	drive
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Center differential	_	_
structure	Fire link in decondant	Fire link in decomplant
Front suspension type	Five-link independent suspension	Five-link independent suspension
	Five-link independent	Five-link independent
rear suspension type	suspension	suspension
Assist type	electric assist	electric assist
Adjustable suspension	<ul> <li>Soft and hard</li> </ul>	<ul> <li>Soft and hard</li> </ul>
features	adjustment	adjustment
Adjustable suspension	•	
types	-	-
Body structure	Load-bearing	Load-bearing
limited slip differential	-	-
differential lock	Ţ	-
	wheel brake	
Front brake type	<ul> <li>Ventilated disc type</li> </ul>	<ul> <li>Ventilated disc type</li> </ul>
rear brake type	<ul> <li>Ventilated disc type</li> </ul>	<ul> <li>Ventilated disc type</li> </ul>
Parking brake type	Electronic parking	Electronic parking
Front tire specifications	• 255/50 R20	• 255/50 R20
Tront the specifications	。 265/45 R21	。 265/45 R21
Rear tire specifications	• 255/50 R20	• 255/50 R20
·	o 265/45 R21	o 265/45 R21
Spare tire	<ul> <li>Tire repair tools only</li> </ul>	Tire repair tools only
Spare tire placement	-	-
	active safety	
ABS anti-lock	•	•
Braking force distribution	•	•
(EBD/CBC, etc.) Brake assist (BA/EBA/BAS,		
	•	•
etc.) Traction control		
(ASR/TCS/TRC, etc.)	•	•
Body stability control		
(ESP/DSC/VSC, etc.)	•	•
Seat belt not fastened		-, , ,
reminder	<ul><li>The whole car</li></ul>	The whole car
Tire pressure monitoring	Tire pressure display	Tire pressure display
In-car biometric		
monitoring	<u> </u>	
passive safety		
	Passive saiety	

Main driver airbag	•	•
Passenger airbag	•	•
First row side airbag	•	•
Second row side airbags	-	-
side curtain airbags	•	•
knee air bag	-	-
Passenger seat cushion		
airbag	-	-
Rear seat belt airbag	-	-
Rear seat anti-skid airbags	-	-
center airbag	First row	First row
Second row forward		
airbags	-	-
child seat interface	•	•
passive pedestrian		
protection	-	<del>-</del>
Run-flat tires	0	0
	-	
Auxi	liary/control configura	ation
front parking radar	•	•
Rear parking radar	•	•
Reverse side warning		
system	•	•
Door opening collision		
warning	•	•
Driving assistance images	• 360-degree panoramic	• 360-degree panoramic
Driving assistance images	image	image
Chassis perspective	•	•
	<ul> <li>Full-speed adaptive</li> </ul>	<ul> <li>Full-speed adaptive</li> </ul>
cruise system	cruise	cruise
	• Sports	• Sports
	Economy	Economy
	Standard/Comfortable	Standard/Comfortable
l	Off-road	Off-road
Driving mode selection	• Snow	• Snow
	•	•
	Customization/personaliza	Customization/personaliza
	tion	tion
Fatigue reminder	•	•
automatic parking	•	•
remote control parking	•	•
remote summoning	•	•
Engine start and stop	-	-
automatic parking	•	•
Hill assist	•	•
steep descent	•	•
night vision system	- -	<u> </u>
variable steering ratio	_	_
Integral active steering		
system	-	-
Wading sensing system	_	_
vvauling sensing system	_	-

low speed four wheel drive	-	-
creep mode	-	-
tank turns	-	-
As	sisted driving functio	ns
Parallel assistance		_
(BSM/BSD)	•	•
Lane Departure Warning		
(LDWS)	•	•
Lane Keeping (LKAS)	•	•
Lane centering	•	•
Road traffic sign	•	•
recognition		
forward collision warning	•	•
rear collision warning	<u>-</u>	<u>-</u>
Active braking Automatic lane change	•	•
assist	•	•
assist		
Automatic ramp exit/entry	0	0
High-speed assisted	0	0
driving	0	Ŭ
Urban assisted driving	0	0
Reverse tracking	-	-
As	ssisted driving hardwa	re
Driving assistance level	• L2	• L2
	<ul> <li>NIO Autonomous</li> </ul>	<ul> <li>NIO Autonomous</li> </ul>
Assisted driving system	Driving NIO Autonomous	Driving NIO Autonomous
	Driving	Driving
Assisted driving chip	• 4 NVIDIA Drive Orin-X	4 NVIDIA Drive Orin-X
Chip computing power	• 1016 TOPS	• 1016 TOPS
Lidar brand	Innovusion Tudatong	Innovusion Tudatong
Lidar model	• Falcon	• Falcon
LiDAR quantity	• 1	• 1
Lidar line number Lidar maximum detection	• 150 lines	• 150 lines
	• 500	• 500
distance [m] Lidar 10% reflectivity		
detection distance [m]	• 250	• 250
Number of lidar point		
clouds [10,000/second]	• 80-100	• 80-100
millimeter wave radar	• 5	• 5
ultrasonic radar	• First 6/Last 6	• First 6/Last 6
Front sensing camera type	Binocular	Binocular
Front sensing camera pixels [10,000]	• 800	• 800
Environment aware camera	• 7	• 7

Environment sensing		
camera pixels [10,000]	• 800	• 800
surround camera	• 4	• 4
Surround camera pixels		
[10,000]	• 300	• 300
car camera	• 2	• 2
	External configuration	
Skylight type	<ul> <li>The panoramic sunroof</li> </ul>	The panoramic sunroof
, , , , , ,	cannot be opened	cannot be opened
Light-sensing awning	<ul> <li>Optional 9,500 yuan</li> </ul>	<ul> <li>Optional 9,500 yuan</li> </ul>
Sport appearance package	-	-
Electric spoiler	•	•
Rim material	<ul><li>Aluminum alloy</li></ul>	<ul> <li>Aluminum alloy</li> </ul>
Electric suction door	<ul><li>The whole car</li></ul>	<ul> <li>The whole car</li> </ul>
Automatic opening and	<del>-</del>	_
closing of car doors		
Frameless door	-	-
sliding door	-	-
roof rack	-	
	Remote key	Remote key
Key type	Bluetooth key	Bluetooth key
	NFC/RFID key	NFC/RFID key
Kardana ataut	<ul> <li>UWB digital key</li> </ul>	UWB digital key
Keyless start	The color and	The subside seri
keyless entry Hidden electric door	The whole car	The whole car
handle	•	•
Active closing air intake		
grille	•	•
Electric tailgate	•	•
Tailgate position memory	•	•
Induction tailgate	•	•
Tailgate glass opens		
independently	-	-
car side pedals	-	-
Low speed driving warning	_	
sound	•	•
Sentinel (clairvoyance)		
mode	•	•
tow hook	<ul> <li>Optional 7,500 yuan</li> </ul>	o Optional 7,500 yuan
Trailer power outlet	0	0
Internal configuration		
Steering wheel material	<ul><li>Imitation leather</li></ul>	<ul> <li>Imitation leather</li> </ul>
Steering wheel material	<ul> <li>Genuine leather</li> </ul>	<ul> <li>Genuine leather</li> </ul>
	<ul> <li>Electric up and down +</li> </ul>	• Electric up and down +
steering wheel adjustment	front and rear adjustment	front and rear adjustment
seeing wheel adjustinent	• Steering wheel memory	Steering wheel memory
Shift pattern	Electronic gear shift	Electronic gear shift

Multifunction steering	_	
wheel	•	•
steering wheel gear shift	-	-
Steering wheel heating	•	•
Trip computer display	Color	Color
Full LCD instrument panel	•	•
Instrument screen size	- 10.2	- 10.2
[inches]	• 10.2	• 10.2
Instrument screen material	MINI LED	MINI LED
Instrument screen	- 1020 v E22	1020 v E22
resolution [px]	• 1920 x 532	• 1920 x 532
Instrument screen pixel	- 100	- 106
density [PPI]	• 196	• 196
HUD heads up display	•	•
Built-in driving recorder	•	•
Mobile phone wireless	- First row	- First row
charging	• First row	<ul><li>First row</li></ul>
Maximum wireless		
charging power of mobile	• 40	• 40
phones [W]		
ETC device	•	•
Active noise reduction	-	-
Electrically adjustable		
pedals	-	-
Single pedal mode	•	•
Seat configuration		
seat material	<ul><li>Imitation leather</li></ul>	<ul><li>Imitation leather</li></ul>
Seat Illaterial	<ul> <li>Genuine leather</li> </ul>	<ul> <li>Genuine leather</li> </ul>
Sports style seats	•	•
Electric driver's seat	Electric adjustment with	Electric adjustment with
adjustment	memory	memory
Passenger seat electric	Electric adjustment with	• Electric adjustment with
adjustment	memory	memory
	<ul> <li>Front and back</li> </ul>	<ul><li>Front and back</li></ul>
	adjustment	adjustment
	<ul> <li>Backrest adjustment</li> </ul>	<ul> <li>Backrest adjustment</li> </ul>
Driver's seat adjustment	<ul> <li>Height adjustment (4-</li> </ul>	<ul> <li>Height adjustment (4-</li> </ul>
method	way)	way)
	Waist adjustment (4-	Waist adjustment (4-
	<ul> <li>Waist adjustment (4- way)</li> </ul>	<ul> <li>Waist adjustment (4- way)</li> </ul>
	<ul> <li>Waist adjustment (4- way)</li> <li>Leg rest adjustment</li> </ul>	<ul> <li>Waist adjustment (4- way)</li> <li>Leg rest adjustment</li> </ul>
	<ul> <li>Waist adjustment (4- way)</li> </ul>	<ul> <li>Waist adjustment (4- way)</li> </ul>
	<ul> <li>Waist adjustment (4- way)</li> <li>Leg rest adjustment</li> <li>Front and back adjustment</li> </ul>	<ul> <li>Waist adjustment (4- way)</li> <li>Leg rest adjustment</li> <li>Front and back adjustment</li> </ul>
	<ul> <li>Waist adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Front and back         adjustment</li> <li>Backrest adjustment</li> </ul>	<ul> <li>Waist adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Front and back         adjustment</li> <li>Backrest adjustment</li> </ul>
Passenger seat adjustment	<ul> <li>Waist adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Front and back         adjustment</li> <li>Backrest adjustment</li> </ul>	<ul> <li>Waist adjustment (4- way)</li> <li>Leg rest adjustment</li> <li>Front and back adjustment</li> </ul>
Passenger seat adjustment method	<ul> <li>Waist adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Front and back         adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment (4-way)</li> </ul>	<ul> <li>Waist adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Front and back         adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment (4-way)</li> </ul>
	Waist adjustment (4- way)     Leg rest adjustment     Front and back adjustment     Backrest adjustment     Height adjustment (4-	<ul> <li>Waist adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Front and back         adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment (4-</li> </ul>
	<ul> <li>Waist adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Front and back         adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment (4-way)</li> </ul>	<ul> <li>Waist adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Front and back         adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment (4-way)</li> </ul>
	<ul> <li>Waist adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Front and back         adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment (4-way)</li> <li>Waist adjustment (4-</li> </ul>	<ul> <li>Waist adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Front and back         adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment (4-way)</li> <li>Waist adjustment (4-</li> </ul>

First row seat functions	<ul><li>Ventilation</li></ul>	<ul><li>Ventilation</li></ul>
	Massage	Massage
Boss button	-	-
Electrically adjustable	Electric cell returned	Electric editoria est
second row seats	<ul> <li>Electric adjustment</li> </ul>	Electric adjustment
Second row seat	- Packrost adjustment	- Paskrast adjustment
adjustment method	<ul> <li>Backrest adjustment</li> </ul>	Backrest adjustment
	<ul><li>Heating</li></ul>	<ul><li>Heating</li></ul>
Second row seat functions	<ul> <li>Ventilation</li> </ul>	<ul> <li>Ventilation</li> </ul>
	<ul> <li>Massage</li> </ul>	<ul> <li>Massage</li> </ul>
Electrically adjustable third	_	_
row seats		
Third row seat adjustment	<del>-</del>	<del>-</del>
method		
Third row seat functions	-	-
Zero Gravity Seat Function	<ul><li>Co-pilot</li></ul>	<ul><li>Co-pilot</li></ul>
center armrest	<ul><li>First row</li></ul>	<ul><li>First row</li></ul>
center anniest	<ul><li>Second row</li></ul>	<ul><li>Second row</li></ul>
Seat layout	• 2+3	<ul><li>2+3</li></ul>
Rear seat folding method	<ul> <li>Inverted proportions</li> </ul>	<ul> <li>Inverted proportions</li> </ul>
Electrically reclining rear	_	_
seats		
Rear cup holder	<ul> <li>Second row</li> </ul>	Second row
Heated/cooled cup holder	-	-
D ( ) !! ( ) !		
Rear folding table	-	-
Rear folding table	Car/Internet	<del>-</del>
Central control color		Touch ICD screen
Central control color screen	Car/Internet  • Touch LCD screen	Touch LCD screen
Central control color screen Central control screen size		• Touch LCD screen • 12.8
Central control color screen Central control screen size [inch] Central control screen	Touch LCD screen	
Central control color screen Central control screen size [inch] Central control screen material	<ul><li>Touch LCD screen</li><li>12.8</li><li>AMOLED</li></ul>	• 12.8 • AMOLED
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px]	• Touch LCD screen • 12.8	• 12.8
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel	<ul><li>Touch LCD screen</li><li>12.8</li><li>AMOLED</li></ul>	• 12.8 • AMOLED
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI]	<ul> <li>Touch LCD screen</li> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> </ul>	<ul><li>12.8</li><li>AMOLED</li><li>1728 x 1888</li></ul>
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel	<ul> <li>Touch LCD screen</li> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> </ul>	<ul><li>12.8</li><li>AMOLED</li><li>1728 x 1888</li></ul>
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen	<ul> <li>Touch LCD screen</li> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon</li> </ul>	<ul> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon</li> </ul>
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system Car chip	<ul> <li>Touch LCD screen</li> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> </ul>	<ul> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> </ul>
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system	<ul> <li>Touch LCD screen</li> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon</li> </ul>	<ul> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon</li> </ul>
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system  Car chip  Vehicle system memory [GB] Vehicle system storage	<ul> <li>Touch LCD screen</li> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon</li> <li>8155</li> </ul>	<ul> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon</li> <li>8155</li> </ul>
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system  Car chip  Vehicle system memory [GB] Vehicle system storage [GB]	<ul> <li>Touch LCD screen</li> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon 8155</li> <li>16</li> <li>256</li> </ul>	<ul> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon</li> <li>8155</li> <li>16</li> <li>256</li> </ul>
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system  Car chip  Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine	<ul> <li>Touch LCD screen</li> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon</li> <li>8155</li> <li>16</li> </ul>	• 12.8  • AMOLED  • 1728 x 1888  • 200
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system  Car chip  Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network	<ul> <li>Touch LCD screen</li> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon 8155</li> <li>16</li> <li>256</li> <li>5G</li> </ul>	• 12.8  • AMOLED  • 1728 x 1888  • 200
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system  Car chip  Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network OTA upgrade	<ul> <li>Touch LCD screen</li> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon 8155</li> <li>16</li> <li>256</li> <li>5G</li> <li>Vehicle OTA</li> </ul>	<ul> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon 8155</li> <li>16</li> <li>256</li> <li>5G</li> <li>Vehicle OTA</li> </ul>
Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Passenger screen Vehicle system  Car chip  Vehicle system memory [GB] Vehicle system storage [GB] Vehicle-to-machine network	<ul> <li>Touch LCD screen</li> <li>12.8</li> <li>AMOLED</li> <li>1728 x 1888</li> <li>200</li> <li>Banyan tree</li> <li>Qualcomm Snapdragon 8155</li> <li>16</li> <li>256</li> <li>5G</li> </ul>	• 12.8  • AMOLED  • 1728 x 1888  • 200

AD well life manipution		
AR real-life navigation	-	-
Car navigation map	<ul><li>Gaode</li></ul>	• Gaode
HD map	•	•
V2X communication	•	•
roadside assistance call	•	•
Bluetooth/car phone	•	•
Mobile phone	_	<u>_</u>
interconnection/mapping		
Voice assistant wake word	<ul><li>Hi NOMI</li></ul>	<ul><li>Hi NOMI</li></ul>
Voice zone wake-up	<ul><li>First row</li></ul>	<ul><li>First row</li></ul>
•	<ul><li>Second row</li></ul>	<ul><li>Second row</li></ul>
Voice wake-up-free	•	•
Speech continuous		
recognition	•	•
	<ul> <li>Multimedia system</li> </ul>	<ul> <li>Multimedia system</li> </ul>
Voice recognition control	<ul><li>Navigation</li></ul>	<ul><li>Navigation</li></ul>
function	<ul><li>Telephone</li></ul>	<ul><li>Telephone</li></ul>
	<ul><li>Air conditioning</li></ul>	<ul><li>Air conditioning</li></ul>
gesture control	-	-
face recognition	•	•
-	Door control	Door control
	Window control	Window control
	<ul> <li>Vehicle starts</li> </ul>	<ul><li>Vehicle starts</li></ul>
	Ain and ditioning a sectoral	Air and distinction of the l
	Air conditioning control	Air conditioning control
	<ul> <li>Heated steering wheel</li> </ul>	<ul> <li>Heated steering wheel</li> </ul>
	<ul><li>Seat heating</li></ul>	<ul><li>Seat heating</li></ul>
	<ul><li>Seat ventilation</li></ul>	<ul><li>Seat ventilation</li></ul>
Remote control function	<ul> <li>Charging management</li> </ul>	<ul> <li>Charging management</li> </ul>
	<ul> <li>Vehicle condition</li> </ul>	<ul> <li>Vehicle condition</li> </ul>
	inquiry/diagnosis	inquiry/diagnosis
	<ul> <li>Vehicle positioning/car</li> </ul>	Vehicle positioning/car
	search	search
	<ul> <li>Maintenance/repair</li> </ul>	<ul> <li>Maintenance/repair</li> </ul>
	appointment	appointment
	Car owner services (find)	<ul> <li>Car owner services (find</li> </ul>
	charging piles, gas	charging piles, gas
	stations, parking lots, etc.)	stations, parking lots, etc.)
Media entertainment		
Car APP application market	•	•
Car CD/DVD		_
Multimedia/charging	• USB	• USB
interface	• Type-C	• Type-C
Number of USB/Type-C	• 3 in the front row/1 in	• 3 in the front row/1 in
interfaces	the back row	the back row
interraces	the back fow	THE DACK TOW
In-car entertainment	<ul><li>Karaoke</li></ul>	<ul><li>Karaoke</li></ul>
functions		
	Games	<ul><li>Games</li></ul>
simulated sound	•	•

Rear seat control		
multimedia	•	•
Number of multimedia	- 1	- 1
screens in the rear row	• 1	• 1
Rear multimedia screen	• 6.6	• 6.6
size [inch]	● 0.0	• 0.0
Rear multimedia screen	MINI LED	MINI LED
material	• WIII VI ELD	• WIII TEE
Rear multimedia screen	• 1268 x 360	• 1268 x 360
resolution [px]		
Rear multimedia screen	• 199	• 199
pixel density [PPI]		
Cockpit 220V/230V power	-	-
supply		
Luggage compartment	• 12V	• 12V
power interface audio brand		
Number of speakers	• 23	• 23
Number of speakers		₩ 23
	Light function	
Low beam light source	• LED	• LED
high beam light source	• LED	• LED
Lighting features	Geometric multi-beam	Geometric multi-beam
LED daytime running lights	•	•
	<ul> <li>Height adjustment</li> </ul>	Height adjustment
	Automatic opening and	<ul> <li>Automatic opening and</li> </ul>
Headlight function	closing	closing
Treading it function	<ul> <li>Adaptive high and low</li> </ul>	<ul> <li>Adaptive high and low</li> </ul>
	beam	beam
	<ul> <li>Delayed shutdown</li> </ul>	<ul> <li>Delayed shutdown</li> </ul>
Turn assist light	•	•
Front fog lights	● LED	• LED
Headlight cleaning device	-	-
Car interior ambient light	• 256 colors	• 256 colors
	glass/rear view mirror	
First row electric windows	•	•
Second row electric	•	•
windows One click lifting and		
One-click lifting and	<ul><li>The whole car</li></ul>	<ul><li>The whole car</li></ul>
lowering of windows Window anti-pinch		
function	<ul><li>The whole car</li></ul>	<ul><li>The whole car</li></ul>
Multilayer soundproof		
glass	<ul><li>The whole car</li></ul>	<ul><li>The whole car</li></ul>
giass.	Electric adjustment	Electric adjustment
	•	-
	Heated rearview mirrors	Heated rearview mirrors
	Electric folding	Electric folding
Exterior rearview mirror	-	
function	Real view HillTor Hemory	Rearview mirror memory

านาเดินเป		
	Automatically roll down	Automatically roll down
	when reversing	when reversing
	Automatic folding when	Automatic folding when
	locking the car	locking the car
lateria a necesia con estado	Automatic anti-dazzle	Automatic anti-dazzle
Interior rearview mirror function	Automatic anti-dazzle	Automatic anti-dazzle
Rear side privacy glass	•	•
Rear side sunshades	-	-
Rear windshield sunshade	-	-
Car vanity mirror	<ul><li>Main driving + lighting</li></ul>	<ul><li>Main driving + lighting</li></ul>
	<ul><li>Co-pilot + lighting</li></ul>	<ul><li>Co-pilot + lighting</li></ul>
Sensing wiper function	<ul> <li>Rain sensor type</li> </ul>	<ul> <li>Rain sensor type</li> </ul>
rear wiper	-	-
Heated water nozzle	-	-
Air	conditioning/refrigera	tion
	Dual temperature zone	Dual temperature zone
First row air conditioner	automatic air conditioning	automatic air conditioning
	datomatic an conditioning	- datomatic un contantioning
	• Single temperature zone	• Single temperature zone
Second row air conditioner	automatic air conditioning	automatic air conditioning
Third years in a suiting		
Third row air conditioner	-	<u>-</u>
heat pump air conditioner	•	•
air quality monitoring	•	•
In-car PM2.5 filter device	•	•
Car air purifier	•	•
negative ion generator	•	•
Fragrance system	•	•
car refrigerator	-	1
	Featured configuration	1
It can be said that it is	_	_
visible	•	
Queen's Passenger	•	•
	<b>Optional package</b>	
	o Optional 3500	o Optional 3500

20-inch multi-spoke snow woven wheels	decreases and the grip dec to replace winter tires on v temperature is below 7°C; e below -15°C may cause per tires. The mileage shown is Vehicle Driving Condition	nt, the tire performance creases. It is recommended vehicles when the ambient extremely low temperatures manent damage to summer s based on the China Light ns (CLTC). Measured and ual cruising range will vary d conditions, terrain driving
	o Optional 9500	o Optional 9500

21-inch multi-spoke Huayue wheels	series low rolling resistance a high-performance summe environment, the tire performance grip decreases. It is recommentatives on vehicles when the below 7°C: extremely low may cause permanent darm cruising range shown is a announced based on the Conditions (CLTC). The action due to weather, road conditions umber of passengers, load	5/45 R21 Pilot Sport 4 SUV e and silent tires. This tire is er tire. In a low-temperature ormance decreases and the amended to replace winter e ambient temperature is temperatures below -15°C mage to summer tires. The test value measured and China Light Vehicle Driving ual cruising range will vary tions, terrain, driving habits, d and other factors. 75kWh ge: 475km; 100kWh battery e 610km
	o Optional 17000	○ Optional 17000

21-inch carbon fiber sharp silver wheels b	tires with self-repairing fur performance summer time nvironment, the tire performance summer time grip decreases. It is recome tires on vehicles when the pelow 7°C. Extremely low the may cause permanent dan mileage shown is based of priving Conditions (CLTC). Test values, the actual cruis factors such as weather,	re. In a low-temperature armance decreases and the mended to replace winter a ambient temperature is temperatures below -15°C mage to summer tires. The in the China Light Vehicle Measured and announced sing range will vary due to road conditions, terrain, passengers and load. The last a range of 475km. The
	o Optional 4600	o Optional 4600

N-BOX enhanced entertainment host	N-Box enhanced entertainment host (after optional N-Box enhanced entertainment host, the number of interfaces in the car will also be upgraded simultaneously, including 1 DP-in Type-C interface for connecting portable devices, and 4 for Connect to the DP-out Type-C interface of AR glasses; related software functions will be gradually opened through remote software push)		
NOMI vehicle-mounted artificial intelligence system	o Optional 4900	o Optional 4900	
	NOMI Mate 2.0		
Front wiper defrost function	o Optional 1000	o Optional 1000	
Tunction	Front wiper defrost function		
	o Optional 5500	o Optional 5500	
Rear seat comfort package	Contains rear seat ventilation and massage functi		
Appearance Kit-Moon Theme	o Optional 4500	o Optional 4500	
	Matt metallic gray appearance kit (including front and rear logos, four wheel logos, front and rear bumper trims, side skirt trims, and model tail badges)		
	o Optional 7500	o Optional 7500	

The maximum allowable towing weight is 1260 kg, which can provide 12V power supply to the towed equipment. It supports the towing of residential trailers and trailers that meet regulatory requirements, and expands a richer outdoor experience; including: hidden electric tow hooks and specially adjusted tow hooks. model. According to the requirements of relevant laws, regulations and standards, when towing a residential trailer or a trailer with a total mass of less than 700 kg, Trailer package the driver should hold a C6 driver's license (or A2 driver's license), and the specific implementation shall be in accordance with relevant road traffic safety regulations. As the weight of the towed object increases, the actual battery life of the vehicle will be affected. Please plan your energy replenishment route reasonably and use the towing package. Please use the vehicle in strict accordance with the relevant contents and requirements in the user manual. o Optional 9500 Optional 9500

Intelligent dimming panoramic canopy	Adopting the third generation of flexible electrochromic technology, it can intelligently sense ambient light, actively adjust the light transmittance, and maintain the most comfortable state at all times; it adopts industry-leading black and gray neutral colors for a more natural visual experience	
	○ Optional 3500	○ Optional 3500
Airglow Orange Calipers	Airglow Orange Calipers	
NIO battery (100kWh) rental service	o Optional -128000	o Optional -128000
	The car price is reduced by 128,000 yuan, and the monthly rent is 1,680 yuan	
NIO battery (70kWh) rental service	o Optional -70000	o Optional -70000
	The car price is reduced by 70,000 yuan, and the monthly rent is 980 yuan	