

Yuanhe Unique New Energy

Email: wenbin_zheng@hotmail.com WhatsApp: +86 139 0639 1027

23 models 490km 75kWh	23 models with 590km, first edition 100kWh	23 models 635km 100kWh	23 models 940km 150kWh	23 models, 940km, first edition 150kWh
-----------------------	--	------------------------	------------------------	--

Basic Information

level	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV
Energy type	pure electricity	pure electricity	pure electricity	pure electricity	pure electricity
time to market	2022/12/24	2022/12/24	2022/12/24	-	-
CLTC pure electric range [km]	490	590	635	940	940
Fast charging time[h]	0.5	0.33	0.33	-	-
Fast charging capacity [%]	10-80	10-80	10-80	-	-
Motor[Ps]	653	653	653	653	653
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	4968*1974*1714	4968*1974*1714	4968*1974*1714	4968*1974*1714	4968*1974*1714
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed [km/h]	200	200	200	200	200
Official 0-100km/h acceleration [s]	3.8	3.8	3.8	3.8	3.8
Vehicle warranty	3 years or 120,000 kilometers	3 years or 120,000 kilometers	3 years or 120,000 kilometers	3 years or 120,000 kilometers	3 years or 120,000 kilometers
First owner warranty policy	6 years or 150,000 kilometers (the liability exemption clause shall be subject to the official)	6 years or 150,000 kilometers (the liability exemption clause shall be subject to the official)	6 years or 150,000 kilometers (the liability exemption clause shall be subject to the official)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)
Exterior color					
interior color					

Body

Length[mm]	4968	4968	4968	4968	4968
Width[mm]	1974	1974	1974	1974	1974
Height[mm]	1714	1714	1714	1714	1714
Wheelbase [mm]	2960	2960	2960	2960	2960
Car door opening method	swing door	swing door	swing door	swing door	swing door
Number of doors	5	5	5	5	5
number of seats	5	5	5	5	5
Drag coefficient [Cd]	0.23	0.23	0.23	0.23	0.23
Official trunk volume [L]	442-1449	442-1449	442-1449	442-1449	442-1449
Traction mass [kg]	2000	2000	2000	2000	2000

electric motor

Number of drive motors	Dual motor	Dual motor	Dual motor	Dual motor	Dual motor
Motor layout	Front + rear	Front + rear	Front + rear	Front + rear	Front + rear
Motor type	Front permanent magnet synchronous/rear AC asynchronous	Front permanent magnet synchronous/rear AC asynchronous	Front permanent magnet synchronous/rear AC asynchronous	Front permanent magnet synchronous/rear AC asynchronous	Front permanent magnet synchronous/rear AC asynchronous
Total motor power [kW]	480	480	480	480	480
Total motor horsepower [Ps]	653	653	653	653	653
Motor total torque [N·m]	850	850	850	850	850
Maximum power of front electric motor [kW]	180	180	180	180	180
Maximum torque of front electric motor [N·m]	350	350	350	350	350
Maximum power of rear electric motor [kW]	300	300	300	300	300
Maximum torque of rear electric motor [N·m]	500	500	500	500	500

Battery/recharge

Battery Type	Ternary lithium + lithium iron phosphate	Ternary lithium battery	Ternary lithium battery	solid state battery	solid state battery
Battery brand	Jiangsu Times	Jiangsu Times	Jiangsu Times	Jiangsu Times	Jiangsu Times
Battery temperature management	<ul style="list-style-type: none"> ● Low temperature heating ● Liquid cooling 	<ul style="list-style-type: none"> ● Low temperature heating ● Liquid cooling 	<ul style="list-style-type: none"> ● Low temperature heating ● Liquid cooling 	<ul style="list-style-type: none"> ● Low temperature heating 	<ul style="list-style-type: none"> ● Low temperature heating
CLTC pure electric range [km]	490	590	635	940	940
Battery power [kWh]	75	100	100	150	150
Battery energy density [Wh/kg]	142.1	185.44	185.44	360	360
Electricity consumption per 100 kilometers [kWh/100km]	17.6	19.1	17.6	-	-
vehicle charging port	● Quick charging port	● Quick charging port	● Quick charging port	● Quick charging port	● Quick charging port
Slow charging port location	-	-	-	-	-
Fast charging port location	● Car right front side	● Car right front side	● Car right front side	● Car right front side	● Car right front side
Fast charging time[min]	30	20	20	-	-
Fast charging time[h]	0.5	0.33	0.33	-	-
Fast charging capacity [%]	10-80	10-80	10-80	-	-
Vehicle battery swap	●	●	●	●	●
Home charging pile	○ Optional 4,800 yuan	○ Optional 4,800 yuan	○ Optional 4,800 yuan	○ Optional 4,800 yuan	○ Optional 4,800 yuan
Car charging gun	-	-	-	-	-

External discharge function	•	•	•	•	•
External discharge power	• 3.3kW	• 3.3kW	• 3.3kW	• 3.3kW	• 3.3kW
Battery pack warranty	8 years or 120,000 kilometers	8 years or 120,000 kilometers	8 years or 120,000 kilometers	-	-
First owner battery pack warranty	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)
gearbox					
Gearbox description	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio
Number of gears	1	1	1	1	1
chassis steering					
Drive form	Dual motor four-wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Center differential structure	-	-	-	-	-
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist	electric assist
Adjustable suspension features	• Height adjustment • Soft and hard adjustment	• Height adjustment • Soft and hard adjustment	• Height adjustment • Soft and hard adjustment	• Height adjustment • Soft and hard adjustment	• Height adjustment • Soft and hard adjustment
Adjustable suspension types	• Air suspension	• Air suspension	• Air suspension	• Air suspension	• Air suspension
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing
limited slip differential	-	-	-	-	-
differential lock	-	-	-	-	-
wheel brake					
Front brake type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type
rear brake type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	• 255/50 R20	• 265/45 R21	• 255/50 R20	• 255/50 R20	• 265/45 R21
Rear tire specifications	• 255/50 R20	• 265/45 R21	• 255/50 R20	• 255/50 R20	• 265/45 R21
Spare tire	• Tire repair tools only	• Tire repair tools only	• Tire repair tools only	• Tire repair tools only	• Tire repair tools only
Spare tire placement	-	-	-	-	-
active safety					
ABS anti-lock	•	•	•	•	•
Braking force distribution (EBD/CBC, etc.)	•	•	•	•	•
Brake assist (BA/EBA/BAS, etc.)	•	•	•	•	•
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•	•
Body stability control (ESP/DSC/VSC, etc.)	•	•	•	•	•
Seat belt not fastened reminder	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Tire pressure monitoring	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display
In-car biometric monitoring	-	-	-	-	-
passive safety					
Main driver airbag	•	•	•	•	•
Passenger airbag	•	•	•	•	•
First row side airbag	•	•	•	•	•
Second row side airbags	-	-	-	-	-
side curtain airbags	•	•	•	•	•
knee air bag	-	-	-	-	-
Passenger seat cushion airbag	-	-	-	-	-
Rear seat belt airbag	-	-	-	-	-
Rear seat anti-skid airbags	-	-	-	-	-
center airbag	• First row	• First row	• First row	• First row	• First row
Second row forward airbags	-	-	-	-	-
child seat interface	•	•	•	•	•
passive pedestrian protection	-	-	-	-	-
Run-flat tires	○	•	○	○	•
Auxiliary/control configuration					
front parking radar	•	•	•	•	•
Rear parking radar	•	•	•	•	•
Reverse side warning system	•	•	•	•	•
Door opening collision warning	•	•	•	•	•
Driving assistance images	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image
Chassis perspective	•	•	•	•	•
cruise system	• Full-speed adaptive cruise • Sports • Economy	• Full-speed adaptive cruise • Sports • Economy	• Full-speed adaptive cruise • Sports • Economy	• Full-speed adaptive cruise • Sports • Economy	• Full-speed adaptive cruise • Sports • Economy

Driving mode selection	● Standard/Comfortable	● Standard/Comfortable	● Standard/Comfortable	● Standard/Comfortable	● Standard/Comfortable
	● Off-road	● Off-road	● Off-road	● Off-road	● Off-road
	● Snow	● Snow	● Snow	● Snow	● Snow
	● Customization/personalization	● Customization/personalization	● Customization/personalization	● Customization/personalization	● Customization/personalization
Fatigue reminder	●	●	●	●	●
automatic parking	●	●	●	●	●
remote control parking	●	●	●	○	○
remote summoning	●	●	●	○	○
Engine start and stop	-	-	-	-	-
automatic parking	●	●	●	●	●
Hill assist	●	●	●	●	●
steep descent	●	●	●	●	●
night vision system	-	-	-	-	-
variable steering ratio	-	-	-	-	-
Integral active steering system	-	-	-	-	-
Wading sensing system	-	-	-	-	-
low speed four wheel drive	-	-	-	-	-
creep mode	-	-	-	-	-
tank turns	-	-	-	-	-
Assisted driving functions					
Parallel assistance (BSM/BSD)	●	●	●	●	●
Lane Departure Warning (LDWS)	●	●	●	●	●
Lane Keeping (LKAS)	●	●	●	●	●
Lane centering	●	●	●	●	●
Road traffic sign recognition	●	●	●	●	●
forward collision warning	●	●	●	●	●
rear collision warning	-	-	-	-	-
Active braking	●	●	●	●	●
Automatic lane change assist	●	●	●	●	●
Automatic ramp exit/entry	○	○	○	○	○
High-speed assisted driving	○	○	○	○	○
Urban assisted driving	○	○	○	○	○
Reverse tracking	-	-	-	-	-
Assisted driving hardware					
Driving assistance level	● L2	● L2	● L2	● L2	● L2
Assisted driving system	● NIO Autonomous Driving	● NIO Autonomous Driving	● NIO Autonomous Driving	● NIO Autonomous Driving	● NIO Autonomous Driving
Assisted driving chip	● 4 NVIDIA Drive Orin-X	● 4 NVIDIA Drive Orin-X	● 4 NVIDIA Drive Orin-X	● 4 NVIDIA Drive Orin-X	● 4 NVIDIA Drive Orin-X
Chip computing power	● 1016 TOPS	● 1016 TOPS	● 1016 TOPS	● 1016 TOPS	● 1016 TOPS
Lidar brand	● Innovusion Tudatong	● Innovusion Tudatong	● Innovusion Tudatong	● Innovusion Tudatong	● Innovusion Tudatong
Lidar model	● Falcon	● Falcon	● Falcon	● Falcon	● Falcon
LiDAR quantity	● 1	● 1	● 1	● 1	● 1
Lidar line number	● 150 lines	● 150 lines	● 150 lines	● 150 lines	● 150 lines
Lidar maximum detection distance [m]	● 500	● 500	● 500	● 500	● 500
Lidar 10% reflectivity detection distance [m]	● 250	● 250	● 250	● 250	● 250
Number of lidar point clouds [10,000/second]	● 80-100	● 80-100	● 80-100	● 80-100	● 80-100
millimeter wave radar	● 5	● 5	● 5	● 5	● 5
ultrasonic radar	● First 6/Last 6	● First 6/Last 6	● First 6/Last 6	● First 6/Last 6	● First 6/Last 6
Front sensing camera type	● Binocular	● Binocular	● Binocular	● Binocular	● Binocular
Front sensing camera pixels [10,000]	● 800	● 800	● 800	● 800	● 800
Environment aware camera	● 7	● 7	● 7	● 7	● 7
Environment sensing camera pixels [10,000]	● 800	● 800	● 800	● 800	● 800
surround camera	● 4	● 4	● 4	● 4	● 4
Surround camera pixels [10,000]	● 300	● 300	● 300	● 300	● 300
car camera	● 2	● 2	● 2	● 2	● 2
External configuration					
Skylight type	● The panoramic sunroof cannot be opened	● The panoramic sunroof cannot be opened	● The panoramic sunroof cannot be opened	● The panoramic sunroof cannot be opened	● The panoramic sunroof cannot be opened
Light-sensing awning	○ Optional 9,500 yuan	○ Optional 9,500 yuan	○ Optional 9,500 yuan	-	-
Sport appearance package	-	-	-	-	-
Electric spoiler	●	●	●	●	●
Rim material	● Aluminum alloy	● Aluminum alloy	● Aluminum alloy	● Aluminum alloy	● Aluminum alloy
Electric suction door	● The whole car	● The whole car	● The whole car	● The whole car	● The whole car
Automatic opening and closing of car doors	-	-	-	-	-
Frameless door	-	-	-	-	-
sliding door	-	-	-	-	-
roof rack	-	-	-	-	-
Key type	● Remote key	● Remote key	● Remote key	● Remote key	● Remote key
	● Bluetooth key	● Bluetooth key	● Bluetooth key	● Bluetooth key	● Bluetooth key
	● NFC/RFID key	● NFC/RFID key	● NFC/RFID key	● NFC/RFID key	● NFC/RFID key
	● UWB digital key	● UWB digital key	● UWB digital key	● UWB digital key	● UWB digital key

Keyless start	•	•	•	•	•
keyless entry	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Hidden electric door handle	•	•	•	•	•
Active closing air intake grille	•	•	•	•	•
Electric tailgate	•	•	•	•	•
Tailgate position memory	•	•	•	•	•
Induction tailgate	•	•	•	•	•
Tailgate glass opens independently	-	-	-	-	-
car side pedals	-	-	-	-	-
Low speed driving warning sound	•	•	•	•	•
Sentinel (clairvoyance) mode	•	•	•	•	•
tow hook	○	○	○	○	○
Trailer power outlet	○	○	○	○	○
Internal configuration					
Steering wheel material	• Imitation leather ○ Genuine leather	• Genuine leather	• Imitation leather ○ Genuine leather	• Imitation leather ○ Genuine leather	• Genuine leather
steering wheel adjustment	• Electric up and down + front and rear adjustment • Steering wheel memory	• Electric up and down + front and rear adjustment • Steering wheel memory	• Electric up and down + front and rear adjustment • Steering wheel memory	• Electric up and down + front and rear adjustment • Steering wheel memory	• Electric up and down + front and rear adjustment • Steering wheel memory
Shift pattern	Electronic gear shift	Electronic gear shift	Electronic gear shift	Electronic gear shift	Electronic gear shift
Multifunction steering wheel	•	•	•	•	•
steering wheel gear shift	-	-	-	-	-
Steering wheel heating	•	•	•	•	•
Trip computer display	• Color	• Color	• Color	• Color	• Color
Full LCD instrument panel	•	•	•	•	•
Instrument screen size [inches]	• 10.2	• 10.2	• 10.2	• 10.2	• 10.2
Instrument screen material	• MINI LED	• MINI LED	• MINI LED	• MINI LED	• MINI LED
Instrument screen resolution [px]	• 1920 x 532	• 1920 x 532	• 1920 x 532	-	-
Instrument screen pixel density [PPI]	• 196	• 196	• 196	• 196	• 196
HUD heads up display	•	•	•	•	•
Built-in driving recorder	•	•	•	•	•
Mobile phone wireless charging	• First row	• First row	• First row	• First row	• First row
ETC device	•	•	•	•	•
Active noise reduction	-	-	-	-	-
Electrically adjustable pedals	-	-	-	-	-
Single pedal mode	•	•	•	•	•
Seat configuration					
seat material	• Imitation leather ○ Genuine leather	• Genuine leather	• Imitation leather ○ Genuine leather	• Imitation leather ○ Genuine leather	• Genuine leather
Sports style seats	•	•	•	•	•
Electric driver's seat adjustment	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory
Passenger seat electric adjustment	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory
Driver's seat adjustment method	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment
	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)
	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)
Passenger seat adjustment method	• Leg rest adjustment	• Leg rest adjustment	• Leg rest adjustment	• Leg rest adjustment	• Leg rest adjustment
	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment
	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)
First row seat functions	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)
	• Leg rest adjustment	• Leg rest adjustment	• Leg rest adjustment	• Leg rest adjustment	• Leg rest adjustment
	• Heating • Ventilation • Massage	• Heating • Ventilation • Massage	• Heating • Ventilation • Massage	• Heating • Ventilation • Massage	• Heating • Ventilation • Massage
Boss button	-	-	-	-	-
Electrically adjustable second row seats	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment
Second row seat adjustment method	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
	• Waist adjustment	• Waist adjustment	• Waist adjustment	• Waist adjustment	• Waist adjustment
Second row seat functions	• Heating	• Heating	• Heating	• Heating	• Heating
	○ Ventilation	○ Ventilation	○ Ventilation	○ Ventilation	○ Ventilation
	○ Massage	○ Massage	○ Massage	○ Massage	○ Massage
Electrically adjustable third row seats	-	-	-	-	-
Third row seat adjustment method	-	-	-	-	-
Third row seat functions	-	-	-	-	-
Zero Gravity Seat Function	• Co-pilot	• Co-pilot	• Co-pilot	• Co-pilot	• Co-pilot
center armrest	• First row	• First row	• First row	• First row	• First row
	• Second row	• Second row	• Second row	• Second row	• Second row

Seat layout	• 2+3	• 2+3	• 2+3	• 2+3	• 2+3
Rear seat folding method	• Inverted proportions	• Inverted proportions	• Inverted proportions	• Inverted proportions	• Inverted proportions
Electrically reclining rear seats	-	-	-	-	-
Rear cup holder	• Second row	• Second row	• Second row	• Second row	• Second row
Heated/cooled cup holder	-	-	-	-	-
Rear folding table	-	-	-	-	-
Car/Internet					
Central control color screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen
Central control screen size [inch]	• 12.8	• 12.8	• 12.8	• 12.8	• 12.8
Central control screen material	• AMOLED	• AMOLED	• AMOLED	• AMOLED	• AMOLED
Central control screen resolution [px]	• 1728 x 1888	• 1728 x 1888	• 1728 x 1888	• 1728 x 1888	• 1728 x 1888
Central control screen pixel density [PPI]	• 200	• 200	• 200	-	-
Passenger screen	-	-	-	-	-
Vehicle system	Banyan tree	Banyan tree	Banyan tree	Banyan tree	Banyan tree
Car chip	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155
Vehicle system memory [GB]	• 16	• 16	• 16	-	-
Vehicle system storage [GB]	• 256	• 256	• 256	-	-
Vehicle-to-machine network	• 5G	• 5G	• 5G	• 5G	• 5G
OTA upgrade	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA
Car WiFi function	• WiFi connection	• WiFi connection	• WiFi connection	• WiFi connection	• WiFi connection
	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot
AR real-life navigation	-	-	-	-	-
Car navigation map	• Gaode	• Gaode	• Gaode	• Gaode	• Gaode
HD map	•	•	•	•	•
V2X communication	•	•	•	•	•
roadside assistance call	•	•	•	•	•
Bluetooth/car phone	•	•	•	•	•
Mobile phone interconnection/mapping	-	-	-	-	-
Voice assistant wake word	• Hi NOMI	• Hi NOMI	• Hi NOMI	• Hi NOMI	• Hi NOMI
Voice zone wake-up	• First row	• First row	• First row	• First row	• First row
	• Second row	• Second row	• Second row	• Second row	• Second row
Voice wake-up-free	•	•	•	•	•
Speech continuous recognition	•	•	•	•	•
Voice recognition control function	• Multimedia system	• Multimedia system	• Multimedia system	• Multimedia system	• Multimedia system
	• Navigation	• Navigation	• Navigation	• Navigation	• Navigation
	• Telephone	• Telephone	• Telephone	• Telephone	• Telephone
	• Air conditioning	• Air conditioning	• Air conditioning	• Air conditioning	• Air conditioning
gesture control	-	-	-	-	-
face recognition	-	-	-	-	-
Remote control function	• Door control	• Door control	• Door control	• Door control	• Door control
	• Window control	• Window control	• Window control	• Window control	• Window control
	• Vehicle starts	• Vehicle starts	• Vehicle starts	• Vehicle starts	• Vehicle starts
	• Air conditioning control	• Air conditioning control	• Air conditioning control	• Air conditioning control	• Air conditioning control
	• Heated steering wheel	• Heated steering wheel	• Heated steering wheel	• Heated steering wheel	• Heated steering wheel
	• Seat heating	• Seat heating	• Seat heating	• Seat heating	• Seat heating
	• Seat ventilation	• Seat ventilation	• Seat ventilation	• Seat ventilation	• Seat ventilation
	• Charging management	• Charging management	• Charging management	• Charging management	• Charging management
	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis
• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	
• Maintenance/repair appointment	• Maintenance/repair appointment	• Maintenance/repair appointment	• Maintenance/repair appointment	• Maintenance/repair appointment	
• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	
Media entertainment					
Car APP application market	•	•	•	•	•
Car CD/DVD	-	-	-	-	-
Multimedia/charging interface	• USB	• USB	• USB	• USB	• USB
	• Type-C	• Type-C	• Type-C	• Type-C	• Type-C
Number of USB/Type-C interfaces	• 2 in the front row/2 in the back row	• 2 in the front row/2 in the back row	• 2 in the front row/2 in the back row	• 2 in the front row/2 in the back row	• 2 in the front row/2 in the back row
In-car entertainment functions	○ Games	○ Games	○ Games	○ Games	○ Games
simulated sound	•	•	•	•	•
Rear seat control multimedia	•	•	•	•	•
Number of multimedia screens in the rear row	• 1	• 1	• 1	• 1	• 1
Rear multimedia screen size [inch]	• 6.6	• 6.6	• 6.6	• 6.6	• 6.6
Rear multimedia screen material	• MINI LED	• MINI LED	• MINI LED	• MINI LED	• MINI LED
Rear multimedia screen resolution [px]	• 1268 x 360	• 1268 x 360	• 1268 x 360	• 1268 x 360	• 1268 x 360
Rear multimedia screen pixel density [PPI]	• 199	• 199	• 199	• 199	• 199

Cockpit 220V/230V power supply	-	-	-	-	-
Luggage compartment power interface	• 12V	• 12V	• 12V	• 12V	• 12V
audio brand	-	-	-	-	-
Number of speakers	• 23	• 23	• 23	• 23	• 23
Light function					
Low beam light source	• LED	• LED	• LED	• LED	• LED
high beam light source	• LED	• LED	• LED	• LED	• LED
Lighting features	• Geometric multi-beam	• Geometric multi-beam	• Geometric multi-beam	• Geometric multi-beam	• Geometric multi-beam
LED daytime running lights	•	•	•	•	•
Headlight function	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment
	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing
	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam
	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown
Turn assist light	•	•	•	•	•
Front fog lights	• LED	• LED	• LED	• LED	• LED
Headlight cleaning device	-	-	-	-	-
Car interior ambient light	• 256 colors	• 256 colors	• 256 colors	• 256 colors	• 256 colors
glass/rear view mirror					
First row electric windows	•	•	•	•	•
Second row electric windows	•	•	•	•	•
One-click lifting and lowering of windows	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Window anti-pinch function	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Multilayer soundproof glass	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Exterior rearview mirror function	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment
	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors
	• Electric folding	• Electric folding	• Electric folding	• Electric folding	• Electric folding
	• Rearview mirror memory	• Rearview mirror memory	• Rearview mirror memory	• Rearview mirror memory	• Rearview mirror memory
	• Automatically roll down when reversing	• Automatically roll down when reversing	• Automatically roll down when reversing	• Automatically roll down when reversing	• Automatically roll down when reversing
	• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car
	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle
Interior rearview mirror function	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle
Rear side privacy glass	•	•	•	•	•
Rear side sunshades	-	-	-	-	-
Rear windshield sunshade	-	-	-	-	-
Car vanity mirror	• Main driving + lighting	• Main driving + lighting	• Main driving + lighting	• Main driving + lighting	• Main driving + lighting
	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting
Sensing wiper function rear wiper	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type
Heated water nozzle	-	-	-	-	-
Air conditioning/refrigeration					
First row air conditioner	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning
Second row air conditioner	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning
Third row air conditioner	-	-	-	-	-
heat pump air conditioner	•	•	•	•	•
air quality monitoring	•	•	•	•	•
In-car PM2.5 filter device	•	•	•	•	•
Car air purifier	•	•	•	•	•
negative ion generator	•	•	•	•	•
Fragrance system	•	•	•	•	•
car refrigerator	-	-	-	-	-
Featured configuration					
Zero Gravity Queen Co-pilot	•	•	•	•	•
Brembo four-piston front brake calipers	•	-	•	•	-
Brembo six-piston high-performance front brake calipers	○ Optional	•	○ Optional	○ Optional	•
It can be said that it is visible	•	•	•	-	-
Optional package					
20-inch low-drag racing wheels	○ Free optional	○ Free optional	○ Free optional	-	-
	20-inch low-drag racing wheels (with 255/50 R20 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 490km; equipped with a long-life battery pack (100kWh), the CLTC battery life is 635km.				

21-inch multi-spoke sharp feather wheels	○ Optional 11500	-	○ Optional 11500	-	-
	21-inch multi-spoke Ruiyu wheels (equipped with 265/45 R21 tires) Note: Equipped with a standard battery pack (75kWh), the multi-spoke Ruiyu rims have a CLTC range of 455km; Equipped with a long-life battery pack (100kWh), the multi-width Ruiyu rims have a CLTC range of 455km. The CLTC battery life of Feather Wheel is 590km;				
21-inch multi-spoke sharp feather wheels	-	○ Free optional	-	-	-
	21-inch multi-spoke Ruiyu wheels (equipped with 265/45 R21 tires) Note: Equipped with a standard battery pack (75kWh), the multi-spoke Ruiyu rims have a CLTC range of 455km; Equipped with a long-life battery pack (100kWh), the multi-width Ruiyu rims have a CLTC range of 455km. The CLTC battery life of Feather Wheel is 590km;				
21-inch carbon fiber sharp silver wheels	○ Optional 17000	-	○ Optional 17000	-	-
	21-inch carbon fiber sharp silver wheels (equipped with 265/45 R21 tires) Note: Equipped with a standard battery pack (75kWh), the multi-spoke Ruiyu wheels have a CLTC range of 455km; equipped with a long-life battery pack (100kWh), the multi-width Ruiyu rims The CLTC range of the wheel rim is 590km;				
21-inch carbon fiber sharp silver wheels	-	○ Optional 5500	-	-	-
	21-inch carbon fiber sharp silver wheels (equipped with 265/45 R21 tires) Note: Equipped with a standard battery pack (75kWh), the multi-spoke Ruiyu wheels have a CLTC range of 455km; equipped with a long-life battery pack (100kWh), the multi-width Ruiyu rims The CLTC range of the wheel rim is 590km;				
22-inch forged matte wheels	○ Optional 28000	-	○ Optional 28000	-	-
	22-inch forged matte wheels (with 265/40 R22 tires) Note: Equipped with a standard battery pack (75kWh), the forged matte wheels have a CLTC range of 455km; equipped with a long-range battery pack (100kWh), with forged matte wheels CLTC range is 590km;				
22-inch forged matte wheels	-	○ Optional 16500	-	-	-
	22-inch forged matte wheels (with 265/40 R22 tires) Note: Equipped with a standard battery pack (75kWh), the forged matte wheels have a CLTC range of 455km; equipped with a long-range battery pack (100kWh), with forged matte wheels CLTC range is 590km;				
N-Box enhanced entertainment host	○ Optional 4600	○ Optional 4600	○ Optional 4600	-	-
	N-Box enhanced entertainment host				
NOMI vehicle-mounted artificial intelligence system	○ Optional 4900	-	○ Optional 4900	-	-
	NOMI Mate 2.0				
Six-piston caliper brake package	○ Optional 8500	-	○ Optional 8500	-	-
	Brembo six-piston high-performance front brake calipers, caliper color - Airglow Orange, front and rear perforated ventilated brake discs				
Front wiper defrost function	○ Optional 1000	○ Optional 1000	○ Optional 1000	-	-
	Front wiper defrost function				
Rear seat comfort package	○ Optional 5500	○ Optional 5500	○ Optional 5500	-	-
	Rear seat ventilation and rear seat massage are expected to be delivered starting in July				
Appearance Kit-Moon Theme	○ Optional 4500	○ Optional 4500	○ Optional 4500	-	-
	Matt metallic gray exterior trim parts include: front and rear logos, four wheel logos, side window trims, exterior mirror brackets, front and rear bumper trims, side skirt trims, and model tail badges				
Trailer package	○ Optional 7500	○ Optional 7500	○ Optional 7500	-	-
	Hidden electric tow hook, tow mode				
Intelligent dimming panoramic canopy	○ Optional 9500	○ Optional 9500	○ Optional 9500	-	-
	Intelligent dimming panoramic canopy				
NIO battery (100kWh) rental service	-	○ Optional -128000	○ Optional -128000	-	-

	The car price is reduced by 128,000 yuan, and the monthly rent starts from 1,680 yuan				
NIO battery (75kWh) rental service	○ Optional -70000	-	-	-	-
	The car price is reduced by 70,000 yuan, and the monthly rent starts from 980 yuan				
Microfiber velvet ceiling + Naapa leather interior	○ Optional 21000	-	-	-	-
	Microfiber velvet ceiling + Naapa leather interior				