Yuanhe Unique New Energy			
Email: wenbin_zheng@hotmail.com WhatsApp: +86 139 0639 1027			
	23 models 490km 75kWh	23 models 625km 100kWh	23 models 930km 150kWh
	Basic Inf	ormation	
Level	Medium SUV	Medium SUV	Medium SUV
Energy type	pure electricity	pure electricity	pure electricity
time to market	2023/5/24	2023/5/24	-
CLTC pure electric range [km]	490	625	930
Motor[Ps]	490	490	490
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	4854*1995*1703	4854*1995*1703	4854*1995*1703
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed [km/h]	200	200	200
Official 0-100km/h	4.5	4.5	4.5
acceleration [s]	3 years or 120,000	3 years or 120,000	3 years or 120,000
Vehicle warranty	kilometers	kilometers	kilometers
	6 years or 150,000	6 years or 150,000	10 years with no mileage
	kilometers (the liability	kilometers (the liability	limit (the liability
First owner warranty policy	exemption clause shall be	exemption clause shall be	exemption clause shall be
	subject to the official)	subject to the official)	subject to the official
Exterior color	,	, ,	policy)
interior color			
	Во	ody	
Length[mm]	4854	4854	4854
Width[mm]	1995	1995	1995
Height[mm]	1703	1703	1703
Wheelbase [mm]	2915	2915	2915
Front wheelbase [mm]	1711	1711	1711
Rear wheelbase [mm] Car door opening method	1711 swing door	1711 swing door	1711 swing door
Number of doors	5 Swilling Gool	5 Swing door	5 Swilling Goot
number of seats	5	5	5
Approach angle [°]	17	17	17
Departure angle [°]	20	20	20
Drag coefficient [Cd] Official trunk volume [L]	0.25 579-1430	0.25 579-1430	0.25 579-1430
Curb weight [kg]	2316	2336	2353
Full load mass [kg]	2843	2843	2843
Traction mass [kg]	1200	1200	1200
	electric	motor	
Number of drive motors	Dual motor	Dual motor	Dual motor
Motor layout	Front + rear Front AC	Front + rear Front AC	Front + rear Front AC
	asynchronous/rear	asynchronous/rear	asynchronous/rear
Motor type	permanent magnet	permanent magnet	permanent magnet
	synchronous	synchronous	synchronous
Total motor power [kW]	360	360	360
Total motor horsepower [Ps]	490	490	490
Motor total torque [N·m]	700	700	700
Maximum power of front electric motor [kW]	150	150	150

Maximum torque of front	280	280	280
electric motor [N·m] Maximum power of rear			
electric motor [kW]	210	210	210
Maximum torque of rear electric motor [N·m]	420	420	420
	Battery/	recharge	
Battery Type	Ternary lithium + lithium iron phosphate	Ternary lithium battery	solid state battery
Battery brand	Jiangsu Times	Ningde Times/Jiangsu Times/China New Aviation	Ningde era
Battery temperature management	Low temperature heating	Low temperature heating	Low temperature heating
_	 Liquid cooling 	 Liquid cooling 	 Liquid cooling
CLTC pure electric range [km]	490	625	930
Battery power [kWh]	75	100	150
Battery energy density [Wh/kg]	142.1	185.4	-
vehicle charging port	 Quick charging port 	 Quick charging port 	 Quick charging port
Slow charging port location	-	-	-
Fast charging port location	Car left rear side	Car left rear side	Car left rear side
Vehicle battery swap	•	•	•
Home charging pile	 Optional 4,800 yuan 	 Optional 4,800 yuan 	o Optional 4,800 yuan
Car charging gun	-	-	-
External discharge function	•	•	•
External discharge power	• 3.3kW	• 3.3kW	• 3.3kW
Battery pack warranty	8 years or 120,000	8 years or 120,000	8 years or 120,000
	kilometers 10 years with no mileage	kilometers 10 years with no mileage	kilometers 10 years with no mileage
First suppor bottom, posl,	limit (the liability	limit (the liability	limit (the liability
First owner battery pack	exemption clause shall be	exemption clause shall be	exemption clause shall be
warranty	subject to the official	subject to the official	subject to the official
	policy)	policy)	policy)
	•	rbox	
Gearbox description	Electric vehicle single	Electric vehicle single	Electric vehicle single
•	speed gearbox	speed gearbox	speed gearbox
Gearbox type Number of gears	Fixed gear ratio	Fixed gear ratio 1	Fixed gear ratio
Number of gears	chassis :	ı steering	I
	Dual motor four-wheel	Dual motor four-wheel	Dual motor four-wheel
Drive form	drive	drive	drive
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Center differential structure	-	-	-
Front suspension type	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension
rear suspension type	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension
Assist type	electric assist	electric assist	electric assist
Adjustable suspension	 Soft and hard 	 Soft and hard 	Soft and hard
features			
	adjustment	adjustment	adjustment
Adjustable suspension		adjustment -	adjustment -
		adjustment - Load-bearing	adjustment - Load-bearing

limited alia differential			<u> </u>	
limited slip differential differential lock	-	<u>-</u>	-	
unierentiai lock	<u> </u>	<u> </u>	<u>-</u>	
wheel brake				
Front brake type	 Ventilated disc type 	 Ventilated disc type 	 Ventilated disc type 	
rear brake type	 Ventilated disc type 	 Ventilated disc type 	 Ventilated disc type 	
Parking brake type	Electronic parking	Electronic parking	Electronic parking	
Front tire specifications	• 255/50 R20	• 255/50 R20	• 255/50 R20	
Tront the specifications	。 265/45 R21	。 265/45 R21	○ 265/45 R21	
Rear tire specifications	• 255/50 R20	• 255/50 R20	• 255/50 R20	
-	o 265/45 R21	o 265/45 R21	o 265/45 R21	
Spare tire	 Tire repair tools only 	 Tire repair tools only 	 Tire repair tools only 	
Spare tire placement	-	-	-	
	active	safety		
ABS anti-lock	•	•	•	
Braking force distribution				
(EBD/CBC, etc.)	•	•	•	
Brake assist (BA/EBA/BAS,				
etc.)				
Traction control	•	•	•	
(ASR/TCS/TRC, etc.)	_	_		
Body stability control	•	•	•	
(ESP/DSC/VSC, etc.)				
Seat belt not fastened	 The whole car 	 The whole car 	The whole car	
reminder	Tine a necessary diseases	Time and a second discolor		
Tire pressure monitoring In-car biometric	Tire pressure display	Tire pressure display	Tire pressure display	
	•	•	•	
monitoring		<u> </u>	l	
	passive	safety		
Main driver airbag		·		
	•	•	•	
Passenger airbag	•	•	•	
Passenger airbag First row side airbag				
Passenger airbag First row side airbag Second row side airbags	•	•	•	
Passenger airbag First row side airbag Second row side airbags side curtain airbags	•	•	•	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag	•	•	•	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion	•	•	•	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag	•	•	•	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion	•	•	•	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag	•	•	•	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags	• • • • •	• • • • • • •	• • • • • • •	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag	•	•	•	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward	• • • • •	• • • • • • •	• • • • • • •	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag	• • • • •	• • • • • • •	• • • • • • •	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags	•	•	• •	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection	•	•	• •	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian	•	•	• •	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection	• • First row •	• First row	• First row	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection Run-flat tires	• • First row •	• • First row •	• First row	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection Run-flat tires	• • First row •	• • First row •	• • First row - •	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection Run-flat tires front parking radar Rear parking radar	• • •	• • •	• •	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection Run-flat tires front parking radar Rear parking radar Reverse side warning	• • •	• • •	• •	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection Run-flat tires front parking radar Rear parking radar	• • •	• • •	• •	
Passenger airbag First row side airbag Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection Run-flat tires front parking radar Reverse side warning system	• • •	• • •	• • • • First row • • • • • • • • • • • • • • • • •	
Passenger airbag First row side airbags Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection Run-flat tires front parking radar Rear parking radar Reverse side warning system Door opening collision warning	• • •	• • •	• •	
Passenger airbag First row side airbags Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbags Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection Run-flat tires front parking radar Reverse side warning system Door opening collision warning Driving assistance images	• • •	• • •	• • • • First row • • • • • • • • • • • • • • • • •	
Passenger airbag First row side airbags Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection Run-flat tires front parking radar Rear parking radar Reverse side warning system Door opening collision warning	• • •	• • • • First row • ol configuration • • • • • • • • • • • • • • • • • • •	• • •	
Passenger airbag First row side airbags Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbag Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection Run-flat tires front parking radar Reverse side warning system Door opening collision warning Driving assistance images Chassis perspective	• • •	• • •	• • •	
Passenger airbag First row side airbags Second row side airbags side curtain airbags knee air bag Passenger seat cushion airbag Rear seat belt airbags Rear seat anti-skid airbags center airbag Second row forward airbags child seat interface passive pedestrian protection Run-flat tires front parking radar Reverse side warning system Door opening collision warning Driving assistance images	• • •	• • • • First row • ol configuration • • • • • • • • • • • • • • • • • • •	• • •	

	Economy	Economy	• Economy
	Standard/Comfortable	Standard/Comfortable	Standard/Comfortable
	Off-road	Off-road	Off-road
Driving mode selection	• Snow	• Snow	• Snow
	• 3110W	• 3110W	• SHOW
	Customization/personalizat	Customization/personalizat	Customization/personalizat
			<u>.</u>
Fatigue reminder	ion •	ion •	ion
automatic parking	•	•	•
remote control parking	•	•	•
remote summoning	•	•	•
Engine start and stop	_	_	-
automatic parking	•	•	•
Hill assist	•	•	•
steep descent	•	•	•
	<u> </u>	•	•
night vision system variable steering ratio	-	-	-
Integral active steering	-	-	-
	-	-	-
system			
Wading sensing system	-	-	-
low speed four wheel drive	-	-	-
·			
creep mode	-	-	-
tank turns	-	-	-
	Assisted driv	ing functions	
Parallel assistance			
	•	•	•
(BSM/BSD) Lane Departure Warning			
	•	•	•
(LDWS)			
Lane Keeping (LKAS)	•	•	•
Lane centering	•	•	•
Road traffic sign	•	•	•
recognition			
forward collision warning	•	•	•
rear collision warning	-	-	-
Active braking	•	•	•
Automatic lane change	•	•	•
assist			•
Automatic ramp exit/entry	0	0	0
·	Ŭ	Č	O
High-speed assisted	0	0	0
driving	Ŭ	Ü	0
Urban assisted driving	0	0	0
Reverse tracking	-	-	-
	Assisted driv	ing hardware	
Driving assistance level	• L2	• L2	• L2
	 NIO Autonomous 	 NIO Autonomous 	 NIO Autonomous
Assisted driving system	Driving NIO Autonomous	Driving NIO Autonomous	Driving NIO Autonomous
	Driving	Driving	Driving
Assisted driving chip	 4 NVIDIA Drive Orin-X 	 4 NVIDIA Drive Orin-X 	 4 NVIDIA Drive Orin-X
Chip computing power	• 1016 TOPS	• 1016 TOPS	 1016 TOPS
Lidar brand	 Innovusion Tudatong 	 Innovusion Tudatong 	Innovusion Tudatong
Lidar model	• Falcon	• Falcon	• Falcon
LiDAR quantity	• 1	• 1	• 1
Lidar line number	• 150 lines	 150 lines 	• 150 lines
Lidar maximum detection			
distance [m]	• 500	• 500	• 500
Lidar 10% reflectivity	350	250	250
detection distance [m]	• 250	• 250	• 250
Number of lidar point	00.400	00.400	. 00 100
clouds [10,000/second]	• 80-100	• 80-100	• 80-100
ziodas [Tojodoj second]		1	

millimeter wave radar	• 5	• 5	• 5
ultrasonic radar	• First 6/Last 6	• First 6/Last 6	• First 6/Last 6
Front sensing camera type	Binocular	Binocular	Binocular
Front sensing camera pixels [10,000]	• 800	• 800	• 800
Environment aware camera	• 7	• 7	• 7
Environment sensing camera pixels [10,000]	• 800	• 800	• 800
surround camera	• 4	• 4	• 4
Surround camera pixels [10,000]	• 300	• 300	• 300
car camera	• 2	• 2	• 2
	External co	nfiguration	
		The panoramic sunroof	The panoramic sunroof
Skylight type	can be opened	can be opened	can be opened
Light-sensing awning	-	-	-
Sport appearance package	-	-	-
Electric spoiler	-	-	-
Rim material	 Aluminum alloy 	 Aluminum alloy 	 Aluminum alloy
Electric suction door	The whole car	The whole car	The whole car
Automatic opening and	_	_	_
closing of car doors			
Frameless door	-	-	-
sliding door	-	-	-
roof rack	•	•	•
	Remote key	Remote key	Remote key
Key type	Bluetooth key	Bluetooth key	Bluetooth key
	NFC/RFID keyUWB digital key	NFC/RFID keyUWB digital key	NFC/RFID keyUWB digital key
Keyless start	• OWB digital key	• OWB digital key	• OVVB digital key
keyless entry	The whole car	The whole car	The whole car
Hidden electric door	- The Whole can	- The Whole can	i ille miore car
handle	•	•	•
Active closing air intake grille	•	•	•
Electric tailgate	•	•	•
Tailgate position memory	•	•	•
Induction tailgate	•	•	•
Tailgate glass opens			
independently	-	-	-
car side pedals	-	-	-
Low speed driving warning sound	•	•	•
Sentinel (clairvoyance)	_	_	_
mode	•	•	•
Cargo box treasure	-	<u>-</u>	-
tow hook	 Optional 7,500 yuan 	 Optional 7,500 yuan 	 Optional 7,500 yuan
Trailer power outlet	0	0	0
	Internal co	nfiguration	
Ctooring whool material	Imitation leather	 Imitation leather 	Imitation leather
Steering wheel material	 Genuine leather 	 Genuine leather 	 Genuine leather
	 Electric up and down + 	 Electric up and down + 	 Electric up and down +
steering wheel adjustment	front and rear adjustment	front and rear adjustment	front and rear adjustment
	Steering wheel memory	Steering wheel memory	Steering wheel memory
Shift pattern	Electronic gear shift	Electronic gear shift	Electronic gear shift
Multifunction steering	•	•	•
wheel			

steering wheel gear shift	-	-	-
Steering wheel heating	0	0	0
Trip computer display	• Color	• Color	• Color
Full LCD instrument panel	•	•	•
Instrument screen size		-	-
[inches]	• 10.2	• 10.2	• 10.2
Instrument screen material	MINI LED	MINI LED	MINI LED
Instrument screen		1000 500	
resolution [px]	• 1920 x 532	• 1920 x 532	• 1920 x 532
Instrument screen pixel density [PPI]	• 196	• 196	• 196
HUD heads up display	•	•	•
Built-in driving recorder	•	•	•
Mobile phone wireless charging	• First row	• First row	• First row
Maximum wireless			
charging power of mobile phones [W]	• 40	• 40	• 40
ETC device	•	•	•
Active noise reduction	-	-	-
Electrically adjustable pedals	-	-	-
Single pedal mode	•	•	•
5g.c pod.dod.c	Seat conf	iguration	
seat material	Imitation leather	Imitation leather	Imitation leather
	 Genuine leather 	 Genuine leather 	 Genuine leather
Sports style seats	-	-	-
Electric driver's seat	Electric adjustment with	Electric adjustment with	· ·
adjustment	memory	memory	memory
Passenger seat electric	Electric adjustment with	 Electric adjustment with 	Electric adjustment with
adjustment	memory	memory	memory
	 Front and back 	 Front and back 	 Front and back
	adjustment	adjustment	adjustment
	Backrest adjustment	Backrest adjustment	Backrest adjustment
Driver's seat adjustment	 Height adjustment (4- 	 Height adjustment (4- 	 Height adjustment (4-
method	way)	way)	way)
	 Waist adjustment (4- 	 Waist adjustment (4- 	 Waist adjustment (4-
	way)	way)	way)
	 Leg rest adjustment 	Leg rest adjustment	Leg rest adjustment
	Front and back	 Front and back 	 Front and back
	adjustment	adjustment	adjustment
	Backrest adjustment	Backrest adjustment	Backrest adjustment
Passenger seat adjustment	 Height adjustment (4- 	 Height adjustment (4- 	 Height adjustment (4-
method	way)	way)	way)
	 Waist adjustment (4- 	 Waist adjustment (4- 	 Waist adjustment (4-
	way)	way)	way)
	Leg rest adjustment	Leg rest adjustment	Leg rest adjustment
	Heating	Heating	Heating
First row seat functions	 Ventilation 	 Ventilation 	 Ventilation
P	 Massage 	 Massage 	 Massage
Boss button	-	-	-
Electrically adjustable second row seats	Electric adjustment	Electric adjustment	Electric adjustment
Second row seat adjustment method	Backrest adjustment	Backrest adjustment	Backrest adjustment
adjustificiti frictifod	Heating	Heating	 Heating
Second row seat functions	Ventilation	Ventilation	Ventilation
	VentilationMassage	VentulationMassage	VentulationMassage
Zero Gravity Seat Function	Co-pilot 8,500 yuan	Co-pilot 8,500 yuan	Co-pilot 8,500 yuan
	• First row	• First row	• First row
center armrect	- 111301000	- 111301000	- 1113C1OVV

Center anniest	C	C	C
Soat layout	• Second row	• Second row	• Second row
Seat layout Rear seat folding method	2+3Inverted proportions	2+3Inverted proportions	2+3Inverted proportions
Electrically reclining rear	• Inverted proportions	• Inverted proportions	• Inverted proportions
seats	-	-	-
Rear cup holder	Second row	Second row	Second row
·			
Heated/cooled cup holder	-	-	-
Rear folding table	-	-	-
	Car/In	ternet	
Central control color			
screen	 Touch LCD screen 	 Touch LCD screen 	 Touch LCD screen
Central control screen size	10.0	10.0	10.0
[inch]	• 12.8	• 12.8	• 12.8
Central control screen	a AMOLED	- AMOLED	- AMOLED
material	AMOLED	AMOLED	AMOLED
Central control screen	• 1728 x 1888	• 1728 x 1888	• 1728 x 1888
resolution [px]	• 1720 X 1000	• 1720 X 1000	- 1720 X 1000
Central control screen pixel	• 200	• 200	• 200
density [PPI]			
Passenger screen	-	-	-
Vehicle system	Banyan tree	Banyan tree	Banyan tree
Car chip	Qualcomm Snapdragon	Qualcomm Snapdragon	Qualcomm Snapdragon
Vehicle system memory	8155	8155	8155
[GB]	• 16	• 16	• 16
Vehicle system storage			
[GB]	256	256	256
Vehicle-to-machine			
network	• 5G	• 5G	• 5G
OTA upgrade	Vehicle OTA	Vehicle OTA	Vehicle OTA
	WiFi connection	WiFi connection	WiFi connection
Car WiFi function	WiFi hotspot	WiFi hotspot	WiFi hotspot
Car navigation map	Gaode	Gaode	Gaode
HD map	•	•	•
V2X communication	•	•	•
roadside assistance call	•	•	•
Bluetooth/car phone	•	•	•
Mobile phone	_	_	_
interconnection/mapping			
Voice assistant wake word	Hi NOMI	Hi NOMI	Hi NOMI
Voice zone wake-up	• First row	• First row	• First row
·	Second row	 Second row 	 Second row
Voice wake-up-free	•	•	•
Speech continuous	•	•	•
recognition	Multimedia system	• Multimadia austam	• Multimadia sustana
	Navigation	Multimedia systemNavigation	Multimedia systemNavigation
Voice recognition control	Telephone	Telephone	Telephone
function	Air conditioning	Air conditioning	Air conditioning
	Skylight	Skylight	Skylight
gesture control	- Okynyiit	- Okynymi	- Okynynt
face recognition	•	•	•
<u>y</u>	Door control	Door control	Door control
	Window control	Window control	Window control
	 Vehicle starts 	 Vehicle starts 	 Vehicle starts
	Air conditioning control	Air conditioning control	Air conditioning control
	Air conditioning control	Air conditioning control	Air conditioning control
	 Seat heating 	 Seat heating 	 Seat heating
	 Charging management 	 Charging management 	 Charging management
Remote control function	 Vehicle condition 	 Vehicle condition 	 Vehicle condition
	inquiry/diagnosis	inquiry/diagnosis	inquiry/diagnosis

1			
	Vehicle positioning/car	Vehicle positioning/car	Vehicle positioning/car
	search	search	search
	Maintenance/repair	Maintenance/repair	Maintenance/repair
	appointmentCar owner services (find	appointmentCar owner services (find	appointmentCar owner services (find
	•	,	-
	charging piles, gas	charging piles, gas	charging piles, gas
	stations, parking lots, etc.)		stations, parking lots, etc.)
	Media ente	ertainment	
Car APP application market	•	•	•
Car CD/DVD	-	-	-
Multimedia/charging	• USB	• USB	• USB
interface	• Type-C	• Type-C	• Type-C
Number of USB/Type-C	• 3 in the front row/1 in	• 3 in the front row/1 in	• 3 in the front row/1 in
interfaces	the back row	the back row	the back row
In-car entertainment functions	 Karaoke 	 Karaoke 	 Karaoke
1 11 1	• Games	Games	Games
simulated sound	•	•	•
Rear seat control multimedia	•	•	•
Number of multimedia screens in the rear row	• 1	• 1	• 1
Rear multimedia screen size [inch]	• 6.6	• 6.6	• 6.6
Rear multimedia screen material	• MINI LED	MINI LED	MINI LED
Rear multimedia screen resolution [px]	• 1268 x 360	• 1268 x 360	• 1268 x 360
Rear multimedia screen pixel density [PPI]	• 199	• 199	• 199
Cockpit 220V/230V power supply	-	1	-
Luggage compartment power interface	• 12V	• 12V	• 12V
audio brand	-	1	-
Number of speakers	• 23	• 23	• 23
	Light fu	unction	
Low beam light source	• LED	• LED	• LED
high beam light source	• LED	• LED	• LED
Lighting features	Geometric multi-beam	Geometric multi-beam	Geometric multi-beam
LED daytime running lights	•	•	•
	Height adjustment	 Height adjustment 	 Height adjustment
	Automatic opening and	 Automatic opening and 	 Automatic opening and
Line alliant from ation	closing	closing	closing
Headlight function	Adaptive high and low	Adaptive high and low	Adaptive high and low
	beam	beam	beam
	Delayed shutdown	Delayed shutdown	Delayed shutdown
Turn assist light	•	•	•
Front fog lights	• LED	• LED	• LED
Headlight cleaning device	-	-	-
Car interior ambient light	 256 colors 	 256 colors 	• 256 colors
	glass/rear v		
First row electric windows	•	•	•
Second row electric			
windows			•
One-click lifting and	The whole car	The whole car	The whole car
lowering of windows	• THE WHOLE CAL	• THE WHOLE CAL	THE WHOLE CAL

Window anti-pinch	The whole car	The whole car	The whole car
function Multilayer soundproof			
glass	The whole car	The whole car	The whole car
	Electric adjustment	Electric adjustment	Electric adjustment
	Heated rearview mirrors	Heated rearview mirrors	Heated rearview mirrors
	Electric folding	 Electric folding 	 Electric folding
Exterior rearview mirror	Rearview mirror memory	Rearview mirror memory	Rearview mirror memory
function	Automatically roll down	Automatically roll down	Automatically roll down
	when reversing	when reversing	when reversing
	Automatic folding when	Automatic folding when	Automatic folding when
	locking the car	locking the car	locking the car
Interior rearview mirror	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle
	 Automatic anti-dazzle 	 Automatic anti-dazzle 	 Automatic anti-dazzle
function Rear side privacy glass	•	•	•
Rear side sunshades	-	-	_
Rear windshield sunshade			
	Main driving + lighting	Main driving + lighting	Main driving + lighting
Car vanity mirror	Co-pilot + lighting	Co-pilot + lighting	Co-pilot + lighting
Sensing wiper function	Rain sensor type	Rain sensor type	Rain sensor type
rear wiper	•	•	• •
Heated water nozzle	-	- -	- -
Treated Water Field	Air conditionin	a /vofrig o votion	
	Air conditionin	g/refrigeration	
l	Dual temperature zone	Dual temperature zone	Dual temperature zone
First row air conditioner	automatic air conditioning	automatic air conditioning	automatic air conditioning
Second row air conditioner	Single temperature zone	Single temperature zone	Single temperature zone
	automatic air conditioning	automatic air conditioning	automatic air conditioning
Third row air conditioner	-	-	-
heat pump air conditioner	•	•	•
air quality monitoring	•	•	•
In-car PM2.5 filter device	•	•	•
Car air purifier	•	•	•
negative ion generator	•	•	•
Fragrance system	0	0	0
car refrigerator	-	-	-
	Featured co	onfiguration	
It can be said that it is visible	•	•	•
Queen's Passenger	Optional	Optional	Optional
Queen a rassenger			U Optional
	Optional	package	
20-inch multi-spoke snow woven wheels	o Optional 3500	o Optional 3500	o Optional 3500
	20-inch multi-spoke spow-v	woven rims (with 255/50 R20	low rolling resistance silent
	20-inch multi-spoke snow-woven rims (with 255/50 R20 low rolling resistance silent tires)		
21-inch five-spoke sail	o Optional 9500	o Optional 9500	○ Optional 9500
wheels	21-inch five-spoke sail wh	eels (with 265/45 R21 low ro	lling resistance silent tires)
•	-		

21-inch carbon fiber sharp	o Optional 17000	o Optional 17000	o Optional 17000	
silver wheels	21-inch carbon fiber sharp silver wheels (equipped with 265/45 R21 silent tires with self-repairing function)			
Moon theme appearance kit	o Optional 4500	o Optional 4500	o Optional 4500	
		Moon theme appearance kit	:	
	o Optional 4600	o Optional 4600	o Optional 4600	
N-BOX enhanced entertainment host	host, the number of inter including 1 DP-in Type- Connect to the DP-out Typ	nent host (after optional N-B rfaces in the car will also be u C interface for connecting po pe-C interface of AR glasses; illy opened through remote s	upgraded simultaneously, ortable devices, and 4 for related software functions	
NOMI vehicle-mounted artificial intelligence system	○ Optional 4900	o Optional 4900	○ Optional 4900	
		NOMI Mate 2.0		
	o Optional 16000	o Optional 16000	o Optional 16000	
Nappa Premium Interior Package	High-end Nappa perforated leather seats, high-end Nappa leather interior covering, high-end Nappa leather steering wheel			
	o Optional 15000	o Optional 15000	o Optional 15000	
All-encompassing package	Steering wheel heating, front seat ventilation, front seat massage, rear seat heating intelligent fragrance system, door sill pedal welcome lights, rear seat ventilation, rear seat massage			
Front wiper defrost function	○ Optional 1000	o Optional 1000	o Optional 1000	
		Front wiper defrost function		
Caliper color option package	○ Optional 3500	o Optional 3500	o Optional 3500	
· •	0 1 10500	Airglow Orange Calipers	0 1 10500	
	Optional 8500	o Optional 8500	o Optional 8500	
Queen's Passenger		ar comes with one-button co posture)		
Trailor madra es	o Optional 7500	o Optional 7500	o Optional 7500	
Trailer package	Hide	den electric tow hook, tow m	node	
	o Optional 9500	o Optional 9500	o Optional 9500	

Comfort set

Steering wheel heating, front seat ventilation, front seat massage, rear seat heating, intelligent fragrance system, door sill pedal welcome lights