Yuanhe Unique New Energy			
Email	: wenbin_zheng@hotmail.co	m WhatsApp: +86 139 0639	1027
	22 models 485km 75kWh	22 models, 575km, first edition 100kWh	22 models 620km 100kWh
	Basic Info	ormation	
Level	Medium and large SUV	Medium and large SUV	Medium and large SUV
Energy type	pure electricity	pure electricity	pure electricity
time to market	2022/6/15	2022/6/15	2022/6/15
CLTC pure electric range			
[km]	485	575	620
Motor[Ps]	653	653	653
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	4912*1987*1720	4912*1987*1720	4912*1987*1720
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed [km/h]	200	200	200
Official 0-100km/h	3.9	3.9	3.9
acceleration [s]	3 years or 120,000	3 years or 120,000	3 years or 120,000
Vehicle warranty	kilometers	kilometers	kilometers
	6 years or 150,000	6 years or 150,000	6 years or 150,000
First some succession at the street	kilometers (the liability	kilometers (the liability	kilometers (the liability
First owner warranty policy	exemption clause shall be	exemption clause shall be	exemption clause shall be
	subject to the official)	subject to the official)	subiect to the official)
Exterior color			
interior color			
	Во	dy	
Length[mm]	4912	4912	4912
Width[mm]	1987	1987	1987
Height[mm]	1720	1720	1720
Wheelbase [mm]	2960	2960	2960
Front wheelbase [mm]	1668 1672	1668 1672	1668 1672
Rear wheelbase [mm] Car door opening method	swing door	swing door	swing door
Number of doors	5	5	5
number of seats	5	5	5
Approach angle [°]	17	17	17
Departure angle[°]	twenty two	twenty two	twenty two
Drag coefficient [Cd]	0.263	0.263	0.263
Official trunk volume [L]	570-1545	570-1545	570-1545
Curb weight [kg]	2361	2400	2381
Full load mass [kg]	2850 2000	2850 2000	2850 2000
Traction mass [kg]		: motor	2000
N. I. C.I.			
Number of drive motors	Dual motor	Dual motor	Dual motor
Motor layout	Front + rear Front permanent magnet	Front + rear Front permanent magnet	Front + rear Front permanent magnet
Motor type	synchronous/rear AC	synchronous/rear AC	synchronous/rear AC
Wiotor type	asynchronous	asynchronous	asynchronous
Total motor power [kW]	480	480	480
Total motor horsepower [Ps]	653	653	653
Motor total torque [N·m]	850	850	850
Maximum power of front	180	180	180
electric motor [kW]	100	100	100
Maximum power of rear electric motor [kW]	300	300	300
	Ratton/	rochargo	

Vehicle battery swap Home charging pile Car charging gun External discharge function External discharge power Battery pack warranty First owner battery pack Wehicle battery swap Optional 4,800 yuan Substitute of the state of the st		שמננכו אי	i eciiai ye	
Battery temperature heating beating beating heating heating heating heating heating beating beating limit (the liability examption clause shall be subject to the official nolicy) Gearbox description Gearbox description Gearbox type First owner of gears Gearbox description Gearbox type Four wheel drive Center differential structure Front suspension type For types Adjustable suspension features Adjustable suspension for surce wheel adjustment types Adjustable suspension feed and adjustment adjustment suspension types Body structure Power (LWh) 185, 44 185, 4	Battery Type	iron phosphate	Ternary lithium battery	Ternary lithium battery
heating heating heating heating heating management	Battery brand	Jiangsu Times	Jiangsu Times	Jiangsu Times
CLTC pure electric range kin 485 575 620 Battery power kWh 75 100 100 Battery peregy density 142.1 185.44 185.44 Battery energy density 19.1 17.6 Battery energy	•	•		•
Sattery power [AWh] 75 100 100	,	 Liquid cooling 	 Liquid cooling 	 Liquid cooling
Battery energy density Mh/kg 142.1 185.44 185.45 175.6 175	[km]			
Myh/ka Electricity consumption per 100 kilometers 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 19.1 17.6 17.6 17.6 19.1 17.6 1		75	100	100
17.6 19.1 17.1 17.0 17.0 17.0 17.0 17.0 17.0 17	[Wh/kg]	142.1	185.44	185.44
Vehicle charging port Slow charging port Ouick charging port	100 kilometers	17.6	19.1	17.6
Search charging port location Car right front side Car silve Care of Care	vehicle charging port	 Quick charging port 	 Quick charging port 	 Quick charging port
Vehicle battery swap	5 5 .	-	-	-
Home charging pile Car charging gun External discharge function External discharge power Battery pack warranty First owner battery pack warranty Gearbox description Gearbox type Drive form Drive form Drive form Drive form Control wheel drive Center differential structure Front suspension type Adjustable suspension features Adjustable suspension features Adjustable suspension Resternal discharge power • 3.3kW • 9ars or 120,000 kilometers 10 years with no mileage limit (the liability exemption clause shall be subjers of 10 years with no mileage limit (the liability exemption clause shall be subjers of 10 years with no mileage limit (the liability exemption clause shall be subjers of 10 years with no mileage limit (the liability exemption clause shall be subjers of 10 years with no mileage limit (the liability exemption clause shall be subjers of 10 years with no mileage limit (the liability exemption clause shall be subjers of 10 years with no mileage limit (the liability exemption cla	Fast charging port location	Car right front side	Car right front side	Car right front side
External discharge function External discharge power Battery pack warranty Battery pack warranty First owner battery pack warranty Gearbox Gearbox description Gearbox type Drive form four-wheel drive Center differential structure Front suspension type Adjustable suspension Adjustable suspension features Adjustable suspension features Battery pack warranty Syears or 120,000 kilometers By ears or 120,000 kilometers 10 years with no mileage limit (the liability exemption clause shall be subject to the official policy) Electric vehicle single speed qearbox Fixed gear ratio Dual motor four-wheel drive Electric four-wheel drive Electric four-wheel drive Electric		•	•	•
External discharge function External discharge power Battery pack warranty Battery pack warranty First owner battery pack warranty First owner battery pack warranty Bear or 120,000 kilometers 10 years with no mileage limit (the liability exemption clause shall be subject to the official policy) Gearbox Bearbox Bearbox Bearbox Bearbox description Gearbox type Fixed gear ratio Fixed gear rat		○ Optional 4,800 yuan	○ Optional 4,800 yuan	Optional 4,800 yuan
External discharge power Battery pack warranty Battery pack warranty Battery pack warranty Battery pack warranty First owner battery pack warranty Gearbox description Gearbox type To years with no mileage subject to the official policy Bearbox Gearbox type Fixed gear ratio Four-wheel drive Center differential structure Front suspension type Adjustable suspension Assist type Adjustable suspension Adjustable suspension Types Battery pack warranty 8 years or 120,000 10 years with no mileage limit (the liability exemption clause shall be subject to the official policy 10 years with no mileage limit (the liability exemption clause shall be subject to the official policy 10 year with no mileage limit (the liability exemption clause shall be subject to the official policy 10 year with no mileage Beletric solicy		•	•	•
Battery pack warranty Rilometers 10 years with no mileage limit (the liability exemption clause shall be subject to the official nolicv)	•	• 2.2k/M	2.21/1/	• 3.3kW
Sattery pack warranty Silometers Silometers Silometers 10 years with no mileage limit (the liability exemption clause shall be subject to the official nolicy) exemption clause shall be subject to the official nolicy exemption clause shall be subject to the o				
First owner battery pack warranty Sear box Initity Electric vehicle single speed qearbox Speed qearbo	Battery pack warranty	_		
Gearbox description Gearbox type Gearbox type Fixed gear ratio Number of gears Drive form Four-wheel drive Center differential structure Front suspension type Adjustable suspension features Adjustable suspension Adjustable suspension Adjustable suspension Adjustable suspension Adjustable suspension Adjustable suspension Body structure Belectric vehicle single speed qearbox Speed qearbox Fixed gear ratio Dual motor four-wheel drive Electric suspension Multi-link independent suspension Multi-link independent suspension Multi-link independent suspension Height adjustment Soft and hard adjustment Soft and hard adjustment Soft and hard adjustment Air suspension	, ,	limit (the liability exemption clause shall be subject to the official	limit (the liability exemption clause shall be subject to the official	limit (the liability exemption clause shall be subject to the official
Speed gearbox Speed gearbo		gea	rbox	
Chassis steering	Gearbox description	_		
Drive form Dual motor four-wheel drive Electric four	Gearbox type			Fixed gear ratio
Drive form Dual motor four-wheel drive Dual motor four-wheel drive Grive Dual motor four-wheel drive Grive	2.	1	1	1
Drive form Dual motor four-wheel drive four-wheel drive Center differential structure Front suspension type rear suspension type Adjustable suspension features Adjustable suspension types Adjustable suspension types Body structure Adjustable suspension types Body structure Dual motor four-wheel drive Electric four-wheel drive Double wishbone independent suspension Multi-link independent suspension Multi-link independent Suspension Folia driper drive Air suspension • Air suspension		chassis	steerina	
four-wheel drive Center differential structureElectric four-wheel driveElectric four-wheel driveElectric four-wheel driveFront suspension typeDouble wishbone independent suspension Multi-link independent suspensionDouble wishbone independent suspensionDouble wishbone independent suspensionAssist typeMulti-link independent suspensionMulti-link independent suspensionMulti-link independent suspensionAdjustable suspension featuresHeight adjustmentHeight adjustmentHeight adjustmentAdjustable suspension typesAir suspensionSoft and hard adjustmentSoft and hard adjustmentSoft and hard adjustmentAdjustable suspension typesAir suspensionAir suspensionAir suspensionBody structureLoad-bearingLoad-bearingLoad-bearingIimited slip differential differential lockwheel brake	Drive form	Dual motor four-wheel	Dual motor four-wheel	
Center differential structure Front suspension type rear suspension type Adjustable suspension types Adjustable suspension types Body structure Bouble wishbone independent suspension independent suspension Assist type Adjustable suspension type Body structure Bouble wishbone independent suspension Multi-link independent suspension Suspension Belectric assist Aleight adjustment Air suspension	four-wheel drive			
rear suspension type rear suspension type Assist type Adjustable suspension types Adjustable suspension types Body structure B	Center differential	-	-	-
rear suspension type Assist type Adjustable suspension features Adjustable suspension types Adjustable suspension features Adjustable suspension types Body structure Imited slip differential differential lock Air suspension Wulti-link independent suspension Buspension Allustable suspension Air suspension		independent suspension	independent suspension	independent suspension
Assist type Adjustable suspension features Adjustable suspension features Adjustable suspension types Body structure Imited slip differential differential lock Adjustable suspension types Body structure Assist type Height adjustment Soft and hard adjustment Alir suspension Air suspension Air suspension Load-bearing Load-bearing Load-bearing Load-bearing Load-bearing Air suspension Load-bearing Load-bearing Load-bearing Load-bearing Load-bearing Load-bearing Air suspension Wheel brake	rear suspension type	Multi-link independent	Multi-link independent	Multi-link independent
Adjustable suspension Adjustable suspension Adjustable suspension Adjustable suspension Adjustable suspension Adjustable suspension Adjustment Air suspension Air suspension Load-bearing Load-bearing Load-bearing Adjustment Air suspension Load-bearing Adjustment Air suspension Load-bearing Load-bearing Air suspension Air suspension Load-bearing Adjustment Air suspension Air suspension Air suspension Air suspension Load-bearing Adjustment	Assist type			
features Adjustable suspension types Body structure limited slip differential lock Adjustable suspension * Soft and hard adjustment * Air suspension * Air suspension * Air suspension Load-bearing Load-bearing Load-bearing Load-bearing * Soft and hard adjustment * Air suspension Load-bearing Load-bearing * Soft and hard adjustment * Air suspension	Adjustable suspension			
Adjustable suspension types Body structure Load-bearing Limited slip differential differential lock Wheel brake • Air suspension				
types	Adjustable suspension			
limited slip differential	types	·	·	·
differential lock		Load-pearing	Load-pearing	Load-bearing
wheel brake		<u>-</u>	<u>-</u>	<u>-</u>
Front brake type • Ventilated disc type • Ventilated disc type	amerendan lock	wheel	brake	1
	Front brake type	 Ventilated disc type 	 Ventilated disc type 	 Ventilated disc type

noon broke true	- Ventileted disc ture	. Vantilated disc turns	. Vantilated disc ture
rear brake type	Ventilated disc type Floatronic parking	Ventilated disc type Floatronic parking	Ventilated disc type Floatronic parking
Parking brake type	Electronic parking	Electronic parking	Electronic parking ● 255/50 R20
Front tire specifications	• 255/50 R20	• 265/45 R21	
Rear tire specifications	• 255/50 R20	• 265/45 R21	• 255/50 R20
Spare tire	Tire repair tools only	Tire repair tools only	Tire repair tools only
Spare tire placement	<u>-</u>	<u>-</u>	-
	active	safety	
ABS anti-lock	•	•	•
Braking force distribution			
(EBD/CBC, etc.)	•	•	•
Brake assist (BA/EBA/BAS,			
etc.)	•	•	•
Traction control			
(ASR/TCS/TRC, etc.)	•	•	•
Body stability control			
(ESP/DSC/VSC, etc.)	•	•	•
Seat belt not fastened			
reminder	The whole car	The whole car	The whole car
Tire pressure monitoring	Tire pressure display	Tire pressure display	Tire pressure display
In-car biometric	, , ,	, , ,	, , , , , , , , , , , , , , , , , , , ,
monitoring	-	-	-
memering	nassive	cofoty	
	passive	safety	
Main driver airbag	•	•	•
Passenger airbag	•	•	•
First row side airbag	•	•	•
Second row side airbags	-	-	-
side curtain airbags	•	•	•
knee air bag	-	-	-
Passenger seat cushion	_	_	_
airbag	_	_	_
Rear seat belt airbag	-	-	-
Rear seat anti-skid airbags	_	_	_
Real Seat anti-Skid alibags	_	_	_
center airbag	First row	First row	First row
Second row forward	_	_	_
airbags			
child seat interface	•	•	•
passive pedestrian	_	_	_
protection	_	_	_
Run-flat tires	-	•	-
	Auxiliary/contro	ol configuration	
front police a voden			T
front parking radar	<u> </u>	<u> </u>	•
Rear parking radar	•	•	•
Reverse side warning	•	•	•
system Door opening collision			
	•	•	•
warning	a 260 dagraa nanarania	260 dograd nanovania	a 260 dagraa nanaramis
Driving assistance images	• 360-degree panoramic	• 360-degree panoramic	• 360-degree panoramic
	image	image	image
Chassis perspective	• Full speed adoptive	• Full speed adoptive	a Full speed adoptive
cruise system	Full-speed adaptive	Full-speed adaptive	Full-speed adaptive
<u> </u>	cruise	cruise	cruise
	• Sports	• Sports	• Sports
Duiting models salestics	Economy Story day of Complete to bloomy	Economy Story do not for the letter	Economy Standard/Compfortable
Driving mode selection	Standard/Comfortable	Standard/Comfortable	Standard/Comfortable
	Off-road	Off-road	Off-road
Fations near 1	• Snow	• Snow	• Snow
Fatigue reminder	•	•	•
automatic parking	•	•	•
remote control parking	•	•	•

remote summoning	•	•	•
Engine start and stop	-	-	-
automatic parking	•	•	•
Hill assist	•	•	•
	· ·	· ·	-
steep descent	•	•	•
night vision system	-	-	-
variable steering ratio	-	-	-
Integral active steering			
	-	-	-
system			
Wading sensing system	_	-	_
low speed four wheel drive	_	_	_
low speed rour wheer drive			
creep mode	_	_	_
	_	_	_
tank turns	-	-	-
	Assisted driv	ing functions	
			T
Parallel assistance			
(DCM/DCD)	•	•	•
(BSM/BSD)			
Lane Departure Warning	_	_	_
(LDWS)	•	•	•
Lane Keeping (LKAS)	•	•	•
Lane centering	•	•	•
	 	 	
Road traffic sign	_	_	_
recognition	•	•	•
famound 11:-:	_	_	
forward collision warning	•	•	•
rear collision warning	_	-	-
Active braking	_	_	
	•	•	•
Automatic lane change			
	•	•	•
assist			
A t t			
Automatic ramp exit/entry	•	•	•
High-speed assisted	_	_	_
driving	0	0	О
Urban assisted driving	0	0	0
Reverse tracking	-	-	_
reverse tracking			
	Assisted driv	ing hardware	
	715515104 4111	mg naraware	
Driving assistance level	• L2	• L2	• L2
Briving assistance level	NIO Autonomous	NIO Autonomous	NIO Autonomous
		NIO Autoriorious	• NIO Autoriomous
Assisted driving system	Driving NIO Autonomous	Driving NIO Autonomous	Driving NIO Autonomous
7 issisted driving system.	_	_	
	Driving	Driving	Driving
Assisted driving chip	 4 NVIDIA Drive Orin-X 	 4 NVIDIA Drive Orin-X 	 4 NVIDIA Drive Orin-X
Chip computing power	• 1016 TOPS	• 1016 TOPS	• 1016 TOPS
Lidar brand	 Innovusion Tudatong 	 Innovusion Tudatong 	 Innovusion Tudatong
Lidar model	Falcon	Falcon	Falcon
LiDAR quantity	• 1	• 1	• 1
Lidar line number	 150 lines 	 150 lines 	• 150 lines
	- 150 11103	- 150 11103	- 150 11103
Lidar maximum detection	• 500	• 500	• 500
distance [m]	U 300	● 300	300
			
Lidar 10% reflectivity	• 250	• 250	• 250
detection distance [m]	₩ 230	₩ 230	230
Number of lidar point			
•	• 80-100	• 80-100	• 80-100
clouds [10,000/second]	- 00 100	- 00 100	5 00 100
	• 5	• 5	• 5
millimeter wave radar	_		
ultrasonic radar	First 6/Last 6	First 6/Last 6	First 6/Last 6
Front sensing camera type	 Binocular 	 Binocular 	 Binocular
carriera type	2ocaidi	2ocaidi	Dirio caidi
Front sensing camera			
_	• 800	• 800	• 800
pixels [10,000]			
Environment aware camera	• 7	• 7	• 7
Environment sensing			
	• 800	• 800	• 800
		i	Ī
camera pixels [10,000]	<u> </u>		

surround camera	• 4	• 4	• 4
Surround camera pixels	222	222	
[10,000]	• 300	• 300	• 300
car camera	• 2	• 2	• 2
car carriera			<u> </u>
	External co	nfiguration	
a	The panoramic sunroof	 The panoramic sunroof 	• The panoramic sunroof
Skylight type	can be opened	can be opened	can be opened
Light-sensing awning	-	-	-
Light sensing awning			
Sport appearance package	-	-	-
Electric spoiler	_	_	_
Rim material	Aluminum alloy	Aluminum alloy	Aluminum alloy
	The whole car		
Electric suction door	• The whole car	The whole car	The whole car
Automatic opening and	-	-	-
closing of car doors			
Frameless door	-	-	-
sliding door	-	-	-
roof rack	•	•	•
	 Remote key 	 Remote key 	 Remote key
Vou tuno	Bluetooth key	Bluetooth key	 Bluetooth key
Key type	NFC/RFID key	NFC/RFID key	NFC/RFID key
	UWB digital key	UWB digital key	UWB digital key
Keyless start	•	•	•
keyless entry	The whole car	The whole car	The whole car
Hidden electric door	The whole car	• The whole car	o The Whole car
	•	•	•
handle			
Active closing air intake	•	•	•
grille			
Electric tailgate	•	•	•
Tailgate position memory	•	•	•
Induction tailgate	•	•	•
Tailgate glass opens			
independently	_	-	-
car side pedals	-	-	-
Low speed driving warning			
sound	•	•	•
Sentinel (clairvoyance)			
	•	•	•
mode	_		
tow hook	0	0	0
Trailer power outlet	0	0	0
	Internal co	nfiguration	
			a Imitation Isother
Steering wheel material	Imitation leather	 Genuine leather 	Imitation leather
	Genuine leather	- Flantwicker	Genuine leather
	Electric up and down +	Electric up and down +	Electric up and down +
steering wheel adjustment		front and rear adjustment	front and rear adjustment
Steering which adjustinelit	front and rear adjustment	mont and real adjustinent	
	Steering wheel memory	Steering wheel memory	
Shift pattern	Steering wheel memory	Steering wheel memory	Steering wheel memory
Shift pattern Multifunction steering			
Multifunction steering	Steering wheel memory	Steering wheel memory	Steering wheel memory
Multifunction steering wheel	Steering wheel memory	Steering wheel memory	Steering wheel memory
Multifunction steering wheel steering wheel gear shift	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift
Multifunction steering wheel steering wheel gear shift Steering wheel heating	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift
Multifunction steering wheel steering wheel gear shift Steering wheel heating Trip computer display	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift
Multifunction steering wheel steering wheel gear shift Steering wheel heating Trip computer display Full LCD instrument panel	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift
Multifunction steering wheel steering wheel gear shift Steering wheel heating Trip computer display Full LCD instrument panel Instrument screen size	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift Color •	Steering wheel memory Electronic gear shift
Multifunction steering wheel steering wheel gear shift Steering wheel heating Trip computer display Full LCD instrument panel	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift
Multifunction steering wheel steering wheel gear shift Steering wheel heating Trip computer display Full LCD instrument panel Instrument screen size	Steering wheel memory Electronic gear shift	Steering wheel memory Electronic gear shift Color •	Steering wheel memory Electronic gear shift Color •
Multifunction steering wheel steering wheel gear shift Steering wheel heating Trip computer display Full LCD instrument panel Instrument screen size [inches]	Steering wheel memory Electronic gear shift - - Color 10.2	Steering wheel memory Electronic gear shift Color 10.2	Steering wheel memory Electronic gear shift Color 10.2

Instrument screen pixel	- 100	- 100	- 100
density [PPI]	• 196	• 196	• 196
HUD heads up display	•	•	•
Built-in driving recorder	•	•	•
Mobile phone wireless	- · .	 .	<u>-</u>
•	First row	First row	First row
charging			
ETC device	•	•	•
Active noise reduction	-	-	-
Electrically adjustable			
	-	-	-
pedals			
Single pedal mode	•	•	•
	Seat conf	iguration	
	Seat Com	igulation	
	 Imitation leather 		 Imitation leather
seat material	Genuine leather	 Genuine leather 	Genuine leather
	O Genuine leatner		O Genuine leatner
Sports style seats Electric driver's seat	-	-	-
Electric driver's seat	 Electric adjustment with 	 Electric adjustment with 	 Electric adjustment with
adjustment	memory	memon/	memory
	Electric adjustment with		Electric adjustment with
Passenger seat electric	Electric adjustifient with	· ·	
adjustment	memory	memory	memory
	 Front and back 	 Front and back 	 Front and back
	adjustment	adjustment	adjustment
	adjustment		adjustment
	 Backrest adjustment 		 Backrest adjustment
Driver's seat adjustment	 Height adjustment (4- 	 Height adjustment (4- 	 Height adjustment (4-
method	way)	way)	way)
method	Waist adjustment (4-		Wayy Waist adjustment (4-
	• waist adjustifient (4-	• waist adjustinent (4-	• waist adjustifient (4-
	way)	way)	way)
	 Leg rest adjustment 	 Leg rest adjustment 	 Leg rest adjustment
	Front and back		Front and back
	adjustment		adjustment
	 Backrest adjustment 	 Backrest adjustment 	 Backrest adjustment
Passenger seat adjustment	 Height adjustment (4- 	 Height adjustment (4- 	 Height adjustment (4-
method	,	· .	
metriod	way)	way)	way)
	Waist adjustment (4-	 Waist adjustment (4- 	Waist adjustment (4-
	way)	wav)	way)
	 Leg rest adjustment 		 Leg rest adjustment
	Heating		Heating
First row seat functions	Ventilation	memory Electric adjustment with memory Front and back adjustment Backrest adjustment (4-way) Waist adjustment (4-way) Leg rest adjustment Backrest adjustment Backrest adjustment Height adjustment (4-way) Waist adjustment (4-way) Leg rest adjustment (4-way) Leg rest adjustment (4-way) Leg rest adjustment Heating Ventilation Massage Backrest adjustment Heating Ventilation Massage First row Second row 2+3 Inverted proportions Second row Second row 2+3 Second row	Ventilation
	 Massage 	 Massage 	 Massage
Boss button	-	- Industry C	
Electrically adjustable	 Electric adjustment 	 Flectric adjustment 	 Electric adjustment
second row seats Second row seat	• Electric dajastinent	• Electric dajustificiti	• Electric dajustinent
Second row seat	 Backrest adjustment 	Backrest adjustment	 Backrest adjustment
adjustment method	Waist adjustment		Waist adjustment
Second row seat functions	Heating		Heating
contor armuset	First row	First row	First row
center armrest	Second row		Second row
Soat lavout	• 2+3		
Seat layout			• 2+3
Rear seat folding method	 Inverted proportions 	 Inverted proportions 	 Inverted proportions
Electrically reclining rear			
seats	-	-	-
	Second row	• Cocond row	• Cocond *****
Rear cup holder	Second row	Second row	Second row
Heated/cooled cup holder	_	_	_
rieated/cooled cup riolder	_	_	_
Rear folding table	_	_	_
Near lolaring table			<u> </u>
	Car/In	ternet	
Central control color			
	 Touch LCD screen 	 Touch LCD screen 	 Touch LCD screen
screen			
Central control screen size	10.0	12.0	12.0
[inch]	• 12.8	• 12.8	• 12.8
Central control screen			
	AMOLED	AMOLED	AMOLED
material	, 5225	, 5	7.11.13.22.2

			-
Central control screen	• 1728 x 1888	• 1728 x 1888	• 1728 x 1888
resolution [px]		- 1720 X 1000	- 1720 X 1000
Central control screen pixel	• 200	• 200	• 200
density [PPI]	9 200	- 200	5 200
Passenger screen	-	-	-
Vehicle system	Banyan tree	Banyan tree	Banyan tree
Car chip	Qualcomm Snapdragon	Qualcomm Snapdragon	Qualcomm Snapdragon
•	8155	8155	8155
Vehicle system memory	• 16	• 16	• 16
[GB]	• 10	• 10	3 10
Vehicle system storage	• 256	• 256	• 256
[GB]	5 230	U 230	U 230
Vehicle-to-machine	• 5G	• 5G	• 5G
network	• 30	• 30	• 30
OTA upgrade	 Vehicle OTA 	 Vehicle OTA 	 Vehicle OTA
Car WiFi function	 WiFi connection 	 WiFi connection 	 WiFi connection
Car wiri function	 WiFi hotspot 	 WiFi hotspot 	 WiFi hotspot
Car navigation map	Gaode	Gaode	Gaode
V2X communication	•	•	•
roadside assistance call	•	•	•
Bluetooth/car phone	•	•	•
Mobile phone			
interconnection/mapping	-	-	-
Voice assistant wake word	Hi NOMI	Hi NOMI	Hi NOMI
	First row	First row	First row
Voice zone wake-up	Second row	 Second row 	 Second row
Voice wake-up-free	•	•	•
Speech continuous			
recognition	•	•	•
,	 Multimedia system 	 Multimedia system 	 Multimedia system
Voice recognition central	 Navigation 	 Navigation 	 Navigation
Voice recognition control	Telephone	Telephone	Telephone
function	Air conditioning	Air conditioning	Air conditioning
	Skylight	Skylight	Skylight
gesture control	-	-	-
face recognition	-	-	-
	 Door control 	 Door control 	Door control
	Window control	 Window control 	Window control
	 Vehicle starts 	 Vehicle starts 	 Vehicle starts
	Air conditioning control	Air conditioning control	Air conditioning control
	Heated steering wheel	Heated steering wheel	Heated steering wheel
	Seat heating	Seat heating	Seat heating
	Seat ventilation	Seat reduing Seat ventilation	Seat reduing Seat ventilation
	Charging management	Charging management	Charging management
Remote control function	Vehicle condition	Vehicle condition	Vehicle condition
	inquiry/diagnosis	inquiry/diagnosis	inquiry/diagnosis
	Vehicle positioning/car	Vehicle positioning/car	Vehicle positioning/car
	search	search	search
	Maintenance/repair	Maintenance/repair	Maintenance/repair
	•	•	
	appointmentCar owner services (find	appointmentCar owner services (find	appointmentCar owner services (find
	charging piles, gas	charging piles, gas	charging piles, gas
	stations, parking lots, etc.)	stations, parking lots, etc.)	stations, parking lots, etc.)
		ertainment	j stations, parking 10ts, etc.)
Con ADD and lineting			_
Car APP application market	•	•	•
Car CD/DVD Multimodia/charging	- LICD	- - LICD	- LICD
Multimedia/charging	• USB	• USB	• USB
interface Number of USB/Type-C	Type-C2 in the front row/2 in	Type-C2 in the front row/2 in	• Type-C • 2 in the front row/2 in
interfaces	the back row	the back row	the back row

In-car entertainment	I				
	-	-	-		
functions Rear seat control					
	•	•	•		
multimedia					
Number of multimedia	• 1	• 1	• 1		
screens in the rear row	·	·	·		
Rear multimedia screen	• 6.6	• 6.6	• 6.6		
size [inch]	0.0	0.0	0.0		
Rear multimedia screen	MINI LED	MINI LED	MINI LED		
material	• WIINI LED	• MIINI LED	● IVIIINI LED		
Rear multimedia screen	1260 260	1260 260	1260 260		
resolution [px]	• 1268 x 360	• 1268 x 360	• 1268 x 360		
Rear multimedia screen					
pixel density [PPI]	• 199	• 199	• 199		
Cockpit 220V/230V power					
1	-	-	-		
supply					
Luggage compartment	• 12V	• 12V	• 12V		
power interface					
audio brand	-	-	-		
Number of speakers	• 23	• 23	• 23		
	Liaht fo	unction			
Lauria a con Bada			LED		
Low beam light source	• LED	• LED	• LED		
high beam light source	• LED	• LED	• LED		
Lighting features	-	-	-		
LED daytime running lights					
LLD day time raming lights					
	 Height adjustment 	 Height adjustment 	 Height adjustment 		
	 Automatic opening and 	 Automatic opening and 	 Automatic opening and 		
Llas dialet function	closing	closing	closing		
Headlight function	 Adaptive high and low 	 Adaptive high and low 	 Adaptive high and low 		
	beam	beam	beam		
	Delayed shutdown	Delayed shutdown	Delayed shutdown		
Turn assist light	•	•	•		
Front fog lights	• LED	• LED	• LED		
Headlight cleaning device	-	-	-		
Car interior ambient light	• 256 colors	• 256 colors	• 256 colors		
car interior ambient light	•		2 250 001013		
	glass/rear view mirror				
First row electric windows	•	•	•		
Second row electric		· ·			
windows	•	•	•		
One-click lifting and					
	The whole car	The whole car	The whole car		
lowering of windows					
Window anti-pinch	 The whole car 	The whole car	The whole car		
function					
Multilayer soundproof	The whole car	 The whole car 	 The whole car 		
glass					
	 Electric adjustment 	 Electric adjustment 	 Electric adjustment 		
	Heated rearview mirrors	Heated rearview mirrors	Heated rearview mirrors		
	• Heated real view Hill 1013	• Heated real view Hill 1013	• Heated real view militors		
	 Electric folding 	 Electric folding 	 Electric folding 		
Exterior rearview mirror	Rearview mirror memory	Rearview mirror memory	Rearview mirror memory		
	Real view militor memory	• Real view Illinoi Illemory	• Real view Illimor Illemory		
function	Automatically roll down	 Automatically roll down 	Automatically roll down		
	when reversing	when reversing	when reversing		
	Automatic folding when	Automatic folding when	Automatic folding when		
	locking the car	locking the car	locking the car		
i .		rocking the cut			
	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle		
Interior rearview mirror	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle		
Interior rearview mirror	Automatic anti-dazzle Automatic anti-dazzle	Automatic anti-dazzleAutomatic anti-dazzle	Automatic anti-dazzleAutomatic anti-dazzle		
function	Automatic anti-dazzle Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle		
	Automatic anti-dazzle				

Rear windshield sunshade	-	-	_
	Main driving + lighting	Main driving + lighting	Main driving + lighting
Car vanity mirror	Co-pilot + lighting	Co-pilot + lighting	Co-pilot + lighting
Sensing wiper function	 Rain sensor type 	 Rain sensor type 	 Rain sensor type
rear wiper	•	•	•
Heated water nozzle	-	-	-
	Air conditionin	g/refrigeration	
First row air conditioner	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning
Second row air conditioner	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning
Third row air conditioner	-	-	-
heat pump air conditioner	•	•	•
air quality monitoring	_	-	-
In-car PM2.5 filter device	•	•	•
Car air purifier	•	•	•
negative ion generator	•	•	•
Fragrance system	•	•	•
car refrigerator	-	-	-
	Featured co	nfiguration	
It can be said that it is visible	•	•	•
	Optional	nackage	
	Optional	раскаде	
	○ Free optional	 Free optional 	○ Free optional
20-inch multi-spoke black wheels	standard battery pack (75	wheels (with 255/50 R20 tir kWh), the CLTC battery life is ck (100kWh), the CLTC batte	s 485km; equipped with a
	○ Optional 3500	-	o Optional 3500
20-inch multi-spoke matte alloy wheels	a standard battery pack (7	alloy wheels (with 255/50 R2 5kWh), the CLTC battery life pack (100kWh), the CLTC ba	
	-	 Free optional 	-
20-inch multi-spoke matte alloy wheels	a standard battery pack (7	alloy wheels (with 255/50 R2 5kWh), the CLTC battery life pack (100kWh), the CLTC ba	

	o Optional 9500	-	o Optional 9500
21-inch five-spoke racing wheels	with a standard battery pa range of 450km; Equipped	wheels (equipped with 265/4! ock (75kWh), the multi-spoke with a long-life battery pack e CLTC battery life of Feather	Ruiyu wheels have a CLTC (100kWh), the multi-spoke
	-	○ Free optional	-
21-inch five-spoke racing wheels	with a standard battery pa range of 450km; Equipped	wheels (equipped with 265/4) ock (75kWh), the multi-spoke with a long-life battery pack e CLTC battery life of Feather	Ruiyu wheels have a CLTC (100kWh), the multi-spoke
	o Optional 17000	o Optional 17000	
21-inch carbon fiber sharp silver wheels	21-inch carbon fiber sharp silver wheels (equipped with 265/2 Equipped with a standard battery pack (75kWh), the multi-spok a CLTC range of 450km; equipped with a long-life battery pack of width Ruiyu rims The wheel CLTC range is 575l		lti-spoke Ruiyu wheels have y pack (100kWh), the multi-
	-	○ Optional 7500	-
21-inch carbon fiber sharp silver wheels			lti-spoke Ruiyu wheels have y pack (100kWh), the multi-
NOMI vehicle artificial intelligence system-NOMI Mate 2.0	○ Optional 4900	-	○ Optional 4900

		NOMI Mate 2.0	
Front wiper defrost function	o Optional 1000	o Optional 1000	o Optional 1000
Tunetion		Front wiper defrost function	
	o Optional 4500	o Optional 4500	o Optional 4500
Appearance Kit-Moon Theme	side window trims, exterior	r mirror brackets, front and re	ear bumper trims, side skirt
	o Optional 7500	o Optional 7500	o Optional 7500
Trailer package	Hid	den electric tow hook, tow m	ode
Airglow Orange Calipers	o Optional 3500	o Optional 3500	o Optional 3500
7 mgiow Grange eampers	(allic gray exterior trim parts include: front and rear logos, follow trims, exterior mirror brackets, front and rear bumper trims, and model tail badges ptional 7500	e
NIO battery (100kWh)	-	o Optional -128000	o Optional -128000
rental service	The car price is reduced by		
NIO battery (75kWh) rental	o Optional -70000	-	-
service	The car price is reduced by	70,000 yuan, and the monthly rent starts from 980 yuan	
Microfiber velvet ceiling + Naapa leather interior	o Optional 21000	-	o Optional 21000
	Microfibe	r velvet ceiling + Naapa leath	ner interior