

## Yuanhe Unique New Energy

Email: wenbin\_zheng@hotmail.com WhatsApp: +86 139 0639 1027

	23 models 465km 75kWh	23 models with 465km, executive version with 75kWh	23 models 565km signature version 100kWh	23 models 605km 100kWh	23 models 605km executive version 100kWh
<b>Basic Information</b>					
level	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV
Energy type	pure electricity	pure electricity	pure electricity	pure electricity	pure electricity
time to market	2022/12/24	2022/12/24	2022/12/24	2022/12/24	2022/12/24
CLTC pure electric range [km]	465	465	565	605	605
Fast charging time[h]	0.5	0.5	0.6	0.6	0.6
Fast charging capacity [%]	10-80	10-80	10-80	10-80	10-80
Slow charging time[h]	11.5	11.5	14	14	14
Motor[Ps]	653	653	653	653	653
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	5099*1989*1750	5099*1989*1750	5099*1989*1750	5099*1989*1750	5099*1989*1750
Body structure	5-door, 6-seater SUV	5-door, 6-seater SUV	5-door, 6-seater SUV	5-door, 6-seater SUV	5-door, 6-seater SUV
Maximum speed [km/h]	200	200	200	200	200
Official 0-100km/h acceleration [s]	4.1	4.1	4.1	4.1	4.1
Vehicle warranty	3 years or 120,000 kilometers	3 years or 120,000 kilometers	3 years or 120,000 kilometers	3 years or 120,000 kilometers	3 years or 120,000 kilometers
First owner warranty policy	6 years or 150,000 kilometers (the liability exemption clause shall be subject to the official)	6 years or 150,000 kilometers (the liability exemption clause shall be subject to the official)	6 years or 150,000 kilometers (the liability exemption clause shall be subject to the official)	6 years or 150,000 kilometers (the liability exemption clause shall be subject to the official)	6 years or 150,000 kilometers (the liability exemption clause shall be subject to the official)
Exterior color					
interior color					
<b>Body</b>					
Length[mm]	5099	5099	5099	5099	5099
Width[mm]	1989	1989	1989	1989	1989
Height[mm]	1750	1750	1750	1750	1750
Wheelbase [mm]	3070	3070	3070	3070	3070
Front wheelbase [mm]	1692	1692	1692	1692	1692
Rear wheelbase [mm]	1702	1702	1702	1702	1702
Car door opening method	swing door	swing door	swing door	swing door	swing door
Number of doors	5	5	5	5	5
number of seats	6	6	6	6	6
Approach angle [°]	17	17	17	17	17
Departure angle [°]	twenty one	twenty one	twenty one	twenty one	twenty one
Drag coefficient [Cd]	0.25	0.25	0.25	0.25	0.25
Official trunk volume [L]	235-552	235-552	235-552	235-552	235-552
Full load mass [kg]	3190	3190	3190	3190	3190
Traction mass [kg]	2000	2000	2000	2000	2000
<b>electric motor</b>					
Number of drive motors	Dual motor	Dual motor	Dual motor	Dual motor	Dual motor
Motor layout	Front + rear	Front + rear	Front + rear	Front + rear	Front + rear
Motor type	Front permanent magnet synchronous/rear AC asynchronous	Front permanent magnet synchronous/rear AC asynchronous	Front permanent magnet synchronous/rear AC asynchronous	Front permanent magnet synchronous/rear AC asynchronous	Front permanent magnet synchronous/rear AC asynchronous
Total motor power [kW]	480	480	480	480	480
Total motor horsepower [Ps]	653	653	653	653	653
Motor total torque [N·m]	850	850	850	850	850
Maximum power of front electric motor [kW]	180	180	180	180	180
Maximum power of rear electric motor [kW]	300	300	300	300	300
<b>Battery/recharge</b>					
Battery Type	Ternary lithium + lithium iron phosphate	Ternary lithium + lithium iron phosphate	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery brand	Jiangsu Times	Jiangsu Times	Jiangsu Times/CATL/China New Aviation	Jiangsu Times/CATL/China New Aviation	Jiangsu Times/CATL/China New Aviation
Battery temperature management	<ul style="list-style-type: none"> <li>Low temperature heating</li> <li>Liquid cooling</li> </ul>	<ul style="list-style-type: none"> <li>Low temperature heating</li> <li>Liquid cooling</li> </ul>	<ul style="list-style-type: none"> <li>Low temperature heating</li> <li>Liquid cooling</li> </ul>	<ul style="list-style-type: none"> <li>Low temperature heating</li> <li>Liquid cooling</li> </ul>	<ul style="list-style-type: none"> <li>Low temperature heating</li> <li>Liquid cooling</li> </ul>
CLTC pure electric range [km]	465	465	565	605	605
Battery power [kWh]	75	75	100	100	100
Battery energy density [Wh/kg]	142.1	142.1	185.44	185.44	185.44
Electricity consumption per 100 kilometers [kWh/100km]	17.6	17.6	19.1	17.6	17.6
vehicle charging port	• Quick charging port	• Quick charging port	• Quick charging port	• Quick charging port	• Quick charging port
Slow charging port location	-	-	-	-	-
Fast charging port location	• Car right front side	• Car right front side	• Car right front side	• Car right front side	• Car right front side
Fast charging power [kW]	180	180	180	180	180
Fast charging time[min]	30	30	36	36	36
Fast charging time[h]	0.5	0.5	0.6	0.6	0.6
Fast charging capacity [%]	10-80	10-80	10-80	10-80	10-80

Slow charging time[h]	11.5	11.5	14	14	14
Vehicle battery swap	•	•	•	•	•
Home charging pile	○ Optional 4,800 yuan	○ Optional 4,800 yuan	○ Optional 4,800 yuan	○ Optional 4,800 yuan	○ Optional 4,800 yuan
Car charging gun	-	-	-	-	-
External discharge function	•	•	•	•	•
External discharge power	• 3.3kW	• 3.3kW	• 3.3kW	• 3.3kW	• 3.3kW
Battery pack warranty	8 years or 120,000 kilometers	8 years or 120,000 kilometers	8 years or 120,000 kilometers	8 years or 120,000 kilometers	8 years or 120,000 kilometers
First owner battery pack warranty	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)
<b>gearbox</b>					
Gearbox description	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio
Number of gears	1	1	1	1	1
<b>chassis steering</b>					
Drive form	Dual motor four-wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Center differential structure	-	-	-	-	-
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist	electric assist
Adjustable suspension features	• Height adjustment • Soft and hard adjustment	• Height adjustment • Soft and hard adjustment	• Height adjustment • Soft and hard adjustment	• Height adjustment • Soft and hard adjustment	• Height adjustment • Soft and hard adjustment
Adjustable suspension types	• Air suspension	• Air suspension	• Air suspension	• Air suspension	• Air suspension
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing
limited slip differential	-	-	-	-	-
differential lock	-	-	-	-	-
<b>wheel brake</b>					
Front brake type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type
rear brake type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	• 255/50 R20	• 255/50 R20	• 265/40 R22	• 255/50 R20	• 255/50 R20
Rear tire specifications	• 255/50 R20	• 255/50 R20	• 265/40 R22	• 255/50 R20	• 255/50 R20
Spare tire	• Tire repair tools only	• Tire repair tools only	• Tire repair tools only	• Tire repair tools only	• Tire repair tools only
Spare tire placement	-	-	-	-	-
<b>active safety</b>					
ABS anti-lock	•	•	•	•	•
Braking force distribution (EBD/CBC, etc.)	•	•	•	•	•
Brake assist (BA/EBA/BAS, etc.)	•	•	•	•	•
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•	•
Body stability control (ESP/DSC/VSC, etc.)	•	•	•	•	•
Seat belt not fastened reminder	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Tire pressure monitoring	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display
In-car biometric monitoring	-	-	-	-	-
<b>passive safety</b>					
Main driver airbag	•	•	•	•	•
Passenger airbag	•	•	•	•	•
First row side airbag	•	•	•	•	•
Second row side airbags	-	-	-	-	-
side curtain airbags	•	•	•	•	•
knee air bag	-	-	-	-	-
Passenger seat cushion airbag	-	-	-	-	-
Rear seat belt airbag	-	-	-	-	-
Rear seat anti-skid airbags	-	-	-	-	-
center airbag	• First row	• First row	• First row	• First row	• First row
Second row forward airbags	-	-	-	-	-
child seat interface	•	•	•	•	•
passive pedestrian protection	-	-	-	-	-
Run-flat tires	○	○	•	○	○
<b>Auxiliary/control configuration</b>					
front parking radar	•	•	•	•	•
Rear parking radar	•	•	•	•	•
Reverse side warning system	•	•	•	•	•
Door opening collision warning	•	•	•	•	•
Driving assistance images	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image
Chassis perspective	•	•	•	•	•

cruise system	<ul style="list-style-type: none"> <li>• Full-speed adaptive cruise</li> </ul>	<ul style="list-style-type: none"> <li>• Full-speed adaptive cruise</li> </ul>	<ul style="list-style-type: none"> <li>• Full-speed adaptive cruise</li> </ul>	<ul style="list-style-type: none"> <li>• Full-speed adaptive cruise</li> </ul>	<ul style="list-style-type: none"> <li>• Full-speed adaptive cruise</li> </ul>
Driving mode selection	<ul style="list-style-type: none"> <li>• Sports</li> </ul>	<ul style="list-style-type: none"> <li>• Sports</li> </ul>	<ul style="list-style-type: none"> <li>• Sports</li> </ul>	<ul style="list-style-type: none"> <li>• Sports</li> </ul>	<ul style="list-style-type: none"> <li>• Sports</li> </ul>
	<ul style="list-style-type: none"> <li>• Economy</li> </ul>	<ul style="list-style-type: none"> <li>• Economy</li> </ul>	<ul style="list-style-type: none"> <li>• Economy</li> </ul>	<ul style="list-style-type: none"> <li>• Economy</li> </ul>	<ul style="list-style-type: none"> <li>• Economy</li> </ul>
	<ul style="list-style-type: none"> <li>• Standard/Comfortable</li> </ul>	<ul style="list-style-type: none"> <li>• Standard/Comfortable</li> </ul>	<ul style="list-style-type: none"> <li>• Standard/Comfortable</li> </ul>	<ul style="list-style-type: none"> <li>• Standard/Comfortable</li> </ul>	<ul style="list-style-type: none"> <li>• Standard/Comfortable</li> </ul>
	<ul style="list-style-type: none"> <li>• Off-road</li> </ul>	<ul style="list-style-type: none"> <li>• Off-road</li> </ul>	<ul style="list-style-type: none"> <li>• Off-road</li> </ul>	<ul style="list-style-type: none"> <li>• Off-road</li> </ul>	<ul style="list-style-type: none"> <li>• Off-road</li> </ul>
	<ul style="list-style-type: none"> <li>• Snow</li> </ul>	<ul style="list-style-type: none"> <li>• Snow</li> </ul>	<ul style="list-style-type: none"> <li>• Snow</li> </ul>	<ul style="list-style-type: none"> <li>• Snow</li> </ul>	<ul style="list-style-type: none"> <li>• Snow</li> </ul>
	Customization/personalization	Customization/personalization	Customization/personalization	Customization/personalization	Customization/personalization
Fatigue reminder	•	•	•	•	•
automatic parking	•	•	•	•	•
remote control parking	○	○	○	○	○
remote summoning	•	•	•	•	•
Engine start and stop	-	-	-	-	-
automatic parking	•	•	•	•	•
Hill assist	•	•	•	•	•
steep descent	•	•	•	•	•
night vision system	-	-	-	-	-
variable steering ratio	-	-	-	-	-
Integral active steering system	-	-	-	-	-
Wading sensing system	-	-	-	-	-
<b>Assisted driving functions</b>					
Parallel assistance (BSM/BSD)	•	•	•	•	•
Lane Departure Warning (LDWS)	•	•	•	•	•
Lane Keeping (LKAS)	•	•	•	•	•
Lane centering	•	•	•	•	•
Road traffic sign recognition	•	•	•	•	•
forward collision warning	•	•	•	•	•
rear collision warning	-	-	-	-	-
Active braking	•	•	•	•	•
Automatic lane change assist	•	•	•	•	•
Automatic ramp exit/entry	○	○	○	○	○
High-speed assisted driving	○	○	○	○	○
Urban assisted driving	○	○	○	○	○
Reverse tracking	-	-	-	-	-
<b>Assisted driving hardware</b>					
Driving assistance level	• L2	• L2	• L2	• L2	• L2
Assisted driving system	Driving NIO Autonomous Driving	Driving NIO Autonomous Driving	Driving NIO Autonomous Driving	Driving NIO Autonomous Driving	Driving NIO Autonomous Driving
Assisted driving chip	• 4 NVIDIA Drive Orin-X	• 4 NVIDIA Drive Orin-X	• 4 NVIDIA Drive Orin-X	• 4 NVIDIA Drive Orin-X	• 4 NVIDIA Drive Orin-X
Chip computing power	• 1016 TOPS	• 1016 TOPS	• 1016 TOPS	• 1016 TOPS	• 1016 TOPS
Lidar brand	• Innovusion Tudatong	• Innovusion Tudatong	• Innovusion Tudatong	• Innovusion Tudatong	• Innovusion Tudatong
Lidar model	• Falcon	• Falcon	• Falcon	• Falcon	• Falcon
LiDAR quantity	• 1	• 1	• 1	• 1	• 1
Lidar line number	• 150 lines	• 150 lines	• 150 lines	• 150 lines	• 150 lines
Lidar maximum detection distance [m]	• 500	• 500	• 500	• 500	• 500
Lidar 10% reflectivity detection distance [m]	• 250	• 250	• 250	• 250	• 250
Number of lidar point clouds [10,000/second]	• 80-100	• 80-100	• 80-100	• 80-100	• 80-100
millimeter wave radar	• 5	• 5	• 5	• 5	• 5
ultrasonic radar	• First 6/Last 6	• First 6/Last 6	• First 6/Last 6	• First 6/Last 6	• First 6/Last 6
Front sensing camera type	• Binocular	• Binocular	• Binocular	• Binocular	• Binocular
Front sensing camera pixels [10,000]	• 800	• 800	• 800	• 800	• 800
Environment aware camera	• 7	• 7	• 7	• 7	• 7
Environment sensing camera pixels [10,000]	• 800	• 800	• 800	• 800	• 800
surround camera	• 4	• 4	• 4	• 4	• 4
Surround camera pixels [10,000]	• 300	• 300	• 300	• 300	• 300
car camera	• 2	• 2	• 2	• 2	• 2
<b>External configuration</b>					
Skylight type	• The panoramic sunroof can be opened	• The panoramic sunroof can be opened	• The panoramic sunroof can be opened	• The panoramic sunroof can be opened	• The panoramic sunroof can be opened
Light-sensing awning	-	-	-	-	-
Sport appearance package	-	-	-	-	-
Electric spoiler	-	-	-	-	-
Rim material	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy
Electric suction door	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Automatic opening and closing of car doors	-	-	-	-	-
Frameless door	-	-	-	-	-
sliding door	-	-	-	-	-
roof rack	○ Optional 3,000 yuan	○ Optional 3,000 yuan	○ Optional 3,000 yuan	○ Optional 3,000 yuan	○ Optional 3,000 yuan
Key type	• Remote key	• Remote key	• Remote key	• Remote key	• Remote key
	• Bluetooth key	• Bluetooth key	• Bluetooth key	• Bluetooth key	• Bluetooth key
	• NFC/RFID key	• NFC/RFID key	• NFC/RFID key	• NFC/RFID key	• NFC/RFID key
	• UWB digital key	• UWB digital key	• UWB digital key	• UWB digital key	• UWB digital key

Keyless start	•	•	•	•	•
keyless entry	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Hidden electric door handle	•	•	•	•	•
Active closing air intake grille	•	•	•	•	•
Electric tailgate	•	•	•	•	•
Tailgate position memory	•	•	•	•	•
Induction tailgate	•	•	•	•	•
Tailgate glass opens independently	-	-	-	-	-
car side pedals	-	-	-	-	-
Low speed driving warning sound	•	•	•	•	•
Sentinel (clairvoyance) mode	•	•	•	•	•
tow hook	○	○	○	○	○
<b>Internal configuration</b>					
Steering wheel material	• Genuine leather	• Genuine leather	• Genuine leather	• Genuine leather	• Genuine leather
steering wheel adjustment	• Electric up and down + front and rear adjustment	• Electric up and down + front and rear adjustment	• Electric up and down + front and rear adjustment	• Electric up and down + front and rear adjustment	• Electric up and down + front and rear adjustment
	• Steering wheel memory	• Steering wheel memory	• Steering wheel memory	• Steering wheel memory	• Steering wheel memory
Shift pattern	Electronic gear shift	Electronic gear shift	Electronic gear shift	Electronic gear shift	Electronic gear shift
Multifunction steering wheel	•	•	•	•	•
steering wheel gear shift	-	-	-	-	-
Steering wheel heating	•	•	•	•	•
Trip computer display	• Color	• Color	• Color	• Color	• Color
Full LCD instrument panel	•	•	•	•	•
Instrument screen size [inches]	• 10.2	• 10.2	• 10.2	• 10.2	• 10.2
Instrument screen material	• MINI LED	• MINI LED	• MINI LED	• MINI LED	• MINI LED
Instrument screen resolution [px]	• 1920 x 532	• 1920 x 532	• 1920 x 532	• 1920 x 532	• 1920 x 532
Instrument screen pixel density [PPI]	• 196	• 196	• 196	• 196	• 196
HUD heads up display	•	•	•	•	•
Built-in driving recorder	•	•	•	•	•
Mobile phone wireless charging	• First row	• First row • Second row	• First row • Second row	• First row	• First row • Second row
ETC device	•	•	•	•	•
Active noise reduction	-	-	-	-	-
Electrically adjustable pedals	-	-	-	-	-
Single pedal mode	•	•	•	•	•
<b>Seat configuration</b>					
seat material	• Genuine leather	• Genuine leather	• Genuine leather	• Genuine leather	• Genuine leather
Sports style seats	-	-	-	-	-
Electric driver's seat adjustment	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory
Passenger seat electric adjustment	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory
Driver's seat adjustment method	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment
	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)
	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)
	• Shoulder adjustment • Leg rest adjustment	• Shoulder adjustment • Leg rest adjustment	• Shoulder adjustment • Leg rest adjustment	• Shoulder adjustment • Leg rest adjustment	• Shoulder adjustment • Leg rest adjustment
Passenger seat adjustment method	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment
	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)
	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)
	• Shoulder adjustment • Leg rest adjustment	• Shoulder adjustment • Leg rest adjustment	• Shoulder adjustment • Leg rest adjustment	• Shoulder adjustment • Leg rest adjustment	• Shoulder adjustment • Leg rest adjustment
First row seat functions	• Heating	• Heating	• Heating	• Heating	• Heating
	• Ventilation	• Ventilation	• Ventilation	• Ventilation	• Ventilation
	• Massage	• Massage	• Massage	• Massage	• Massage
Boss button	-	-	-	-	-
Electrically adjustable second row seats	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory
Second row seat adjustment method	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment
	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)
	• Leg rest adjustment	• Leg rest adjustment	• Leg rest adjustment	• Leg rest adjustment	• Leg rest adjustment
Second row seat functions	• Heating	• Heating	• Heating	• Heating	• Heating
	• Ventilation	• Ventilation	• Ventilation	• Ventilation	• Ventilation
	• Massage	• Massage	• Massage	• Massage	• Massage
Electrically adjustable third row seats	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment
Third row seat adjustment method	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
Third row seat functions	• Heating	• Heating	• Heating	• Heating	• Heating

Zero Gravity Seat Function	• Co-pilot	• Co-pilot	• Co-pilot	• Co-pilot	• Co-pilot
center armrest	• First row	• First row	• First row	• First row	• First row
	• Second row	• Second row	• Second row	• Second row	• Second row
Seat layout	• 2+2+2	• 2+2+2	• 2+2+2	• 2+2+2	• 2+2+2
Rear seat folding method	• Inverted proportions	• Inverted proportions	• Inverted proportions	• Inverted proportions	• Inverted proportions
Electrically reclining rear seats	• Third row	• Third row	• Third row	• Third row	• Third row
Rear cup holder	• Second row	• Second row	• Second row	• Second row	• Second row
	• Third row	• Third row	• Third row	• Third row	• Third row
Heated/cooled cup holder	-	-	-	-	-
Rear folding table	-	-	-	-	-
<b>Car/Internet</b>					
Central control color screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen
Central control screen size [inch]	• 12.8	• 12.8	• 12.8	• 12.8	• 12.8
Central control screen material	• AMOLED	• AMOLED	• AMOLED	• AMOLED	• AMOLED
Central control screen resolution [px]	• 1728 x 1888	• 1728 x 1888	• 1728 x 1888	• 1728 x 1888	• 1728 x 1888
Central control screen pixel density [PPI]	• 200	• 200	• 200	• 200	• 200
Passenger screen	-	-	-	-	-
Vehicle system	Banyan tree	Banyan tree	Banyan tree	Banyan tree	Banyan tree
Car chip	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155
Vehicle system memory [GB]	• 16	• 16	• 16	• 16	• 16
Vehicle system storage [GB]	• 256	• 256	• 256	• 256	• 256
Vehicle-to-machine network	• 5G	• 5G	• 5G	• 5G	• 5G
OTA upgrade	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA
Car WiFi function	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot
Car navigation map	• Gaode	• Gaode	• Gaode	• Gaode	• Gaode
HD map	•	•	•	•	•
V2X communication	•	•	•	•	•
roadside assistance call	•	•	•	•	•
Bluetooth/car phone	•	•	•	•	•
Mobile phone interconnection/mapping	-	-	-	-	-
Voice assistant wake word	• Hi NOMI	• Hi NOMI	• Hi NOMI	• Hi NOMI	• Hi NOMI
Voice zone wake-up	• First row	• First row	• First row	• First row	• First row
	• Second row	• Second row	• Second row	• Second row	• Second row
Voice wake-up-free	•	•	•	•	•
Speech continuous recognition	•	•	•	•	•
Voice recognition control function	• Multimedia system	• Multimedia system	• Multimedia system	• Multimedia system	• Multimedia system
	• Navigation	• Navigation	• Navigation	• Navigation	• Navigation
	• Telephone	• Telephone	• Telephone	• Telephone	• Telephone
	• Air conditioning	• Air conditioning	• Air conditioning	• Air conditioning	• Air conditioning
	• Skylight	• Skylight	• Skylight	• Skylight	• Skylight
gesture control	-	-	-	-	-
face recognition	-	-	-	-	-
Remote control function	• Door control	• Door control	• Door control	• Door control	• Door control
	• Window control	• Window control	• Window control	• Window control	• Window control
	• Vehicle starts	• Vehicle starts	• Vehicle starts	• Vehicle starts	• Vehicle starts
	• Air conditioning control	• Air conditioning control	• Air conditioning control	• Air conditioning control	• Air conditioning control
	• Heated steering wheel	• Heated steering wheel	• Heated steering wheel	• Heated steering wheel	• Heated steering wheel
	• Seat heating	• Seat heating	• Seat heating	• Seat heating	• Seat heating
	• Seat ventilation	• Seat ventilation	• Seat ventilation	• Seat ventilation	• Seat ventilation
	• Charging management	• Charging management	• Charging management	• Charging management	• Charging management
	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis
• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	
• Maintenance/repair appointment	• Maintenance/repair appointment	• Maintenance/repair appointment	• Maintenance/repair appointment	• Maintenance/repair appointment	
• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	
<b>Media entertainment</b>					
Car APP application market	•	•	•	•	•
Car CD/DVD	-	-	-	-	-
Multimedia/charging interface	• USB	• USB	• USB	• USB	• USB
	• Type-C	• Type-C	• Type-C	• Type-C	• Type-C
Number of USB/Type-C interfaces	• 4 people in the front row/4 people in the back row	• 4 people in the front row/4 people in the back row	• 4 people in the front row/4 people in the back row	• 4 people in the front row/4 people in the back row	• 4 people in the front row/4 people in the back row
In-car entertainment functions	• Karaoke	• Karaoke	• Karaoke	• Karaoke	• Karaoke
	• Games	• Games	• Games	• Games	• Games
Rear seat control multimedia	•	•	•	•	•
Number of multimedia screens in the rear row	• 1	• 1	• 1	• 1	• 1
Rear multimedia screen size [inch]	• 6.6	• 6.6	• 6.6	• 6.6	• 6.6

Rear multimedia screen material	• MINI LED	• MINI LED	• MINI LED	• MINI LED	• MINI LED
Rear multimedia screen resolution [px]	• 1268 x 360	• 1268 x 360	• 1268 x 360	• 1268 x 360	• 1268 x 360
Rear multimedia screen pixel density [PPI]	• 199	• 199	• 199	• 199	• 199
Cockpit 220V/230V power supply	-	-	-	-	-
Luggage compartment power interface	• 12V	• 12V	• 12V	• 12V	• 12V
audio brand	-	-	-	-	-
Number of speakers	• 23	• 23	• 23	• 23	• 23
<b>Light function</b>					
Low beam light source	• LED	• LED	• LED	• LED	• LED
high beam light source	• LED	• LED	• LED	• LED	• LED
Lighting features	• Geometric multi-beam	• Geometric multi-beam	• Geometric multi-beam	• Geometric multi-beam	• Geometric multi-beam
LED daytime running lights	•	•	•	•	•
Headlight function	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment
	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing
	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam
	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown
Turn assist light	•	•	•	•	•
Front fog lights	• LED	• LED	• LED	• LED	• LED
Headlight cleaning device	-	-	-	-	-
Car interior ambient light	• 256 colors	• 256 colors	• 256 colors	• 256 colors	• 256 colors
<b>glass/rear view mirror</b>					
First row electric windows	•	•	•	•	•
Second row electric windows	•	•	•	•	•
One-click lifting and lowering of windows	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Window anti-pinch function	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Multilayer soundproof glass	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Exterior rearview mirror function	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment
	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors
	• Electric folding	• Electric folding	• Electric folding	• Electric folding	• Electric folding
	• Rearview mirror memory	• Rearview mirror memory	• Rearview mirror memory	• Rearview mirror memory	• Rearview mirror memory
	• Automatically roll down when reversing	• Automatically roll down when reversing	• Automatically roll down when reversing	• Automatically roll down when reversing	• Automatically roll down when reversing
	• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car
	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle
Interior rearview mirror function	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle
Rear side privacy glass	•	•	•	•	•
Rear side sunshades	-	-	-	-	-
Rear windshield sunshade	-	-	-	-	-
Car vanity mirror	• Main driving + lighting	• Main driving + lighting	• Main driving + lighting	• Main driving + lighting	• Main driving + lighting
	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting
Sensing wiper function rear wiper	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type
Heated water nozzle	-	-	-	-	-
<b>Air conditioning/refrigeration</b>					
First row air conditioner	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning
Second row air conditioner	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning
Third row air conditioner	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning
heat pump air conditioner	•	•	•	•	•
air quality monitoring	•	•	•	•	•
In-car PM2.5 filter device	•	•	•	•	•
Car air purifier	•	•	•	•	•
negative ion generator	•	•	•	•	•
Fragrance system	•	•	•	•	•
car refrigerator	-	•	•	-	•
<b>Featured configuration</b>					
Brembo six-piston front brake calipers	•	•	•	•	•
Second row executive island layout	-	•	•	-	•
It can be said that it is visible	•	•	•	•	•
Queen's Passenger	•	•	•	•	•
<b>Optional package</b>					
20-inch five-spoke racing	○ Free optional	○ Free optional	○ Free optional	○ Free optional	○ Free optional

20-inch five-spoke racing wheels	20-inch five-spoke racing wheels (with 255/50 R20 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 465km; equipped with a long battery pack (100kWh), the CLTC battery life is 605km				
21-inch multi-spoke silver alloy wheels	○ Optional 11500	○ Optional 11500	-	○ Optional 11500	○ Optional 11500
	21-inch multi-spoke silver wheels (with 265/45 R21 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 465km; equipped with a long battery pack (100kWh), the CLTC battery life is 605km				
21-inch carbon fiber sharp silver wheels	○ Optional 17000	○ Optional 17000	-	○ Optional 17000	○ Optional 17000
	21-inch carbon fiber sharp silver wheels (with 265/45 R21 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 435km; equipped with a long battery pack (100kWh), the CLTC battery life is 565km				
21-inch carbon fiber sharp silver wheels	-	-	○ Optional 5500	-	-
	21-inch carbon fiber sharp silver wheels (with 265/45 R21 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 435km; equipped with a long battery pack (100kWh), the CLTC battery life is 565km				
22-inch forged high-gloss wheels	○ Optional 28000	○ Optional 28000	-	○ Optional 28000	○ Optional 28000
	22-inch forged high-gloss wheels (with 265/40 R22 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 435km; equipped with a long-range battery pack (100kWh), the CLTC battery life is 565km				
NAD Weilai autonomous driving service subscription	○ No price for options yet	○ No price for options yet	○ No price for options yet	○ No price for options yet	○ No price for options yet
	680/month, NAD autonomous driving covers the autonomous driving experience on some urban roads and closed highways. NAD low-speed and parking autonomous driving supports pilot parking, remote parking, smart summoning and other functional experiences, and enhanced pilot assistance (NOP+)				
NOMI vehicle-mounted artificial intelligence system	○ Optional 4900	○ Optional 4900	-	○ Optional 4900	○ Optional 4900
	NOMI Mate 2.0				
Front wiper defrost function	○ Optional 1000	○ Optional 1000	○ Optional 1000	○ Optional 1000	○ Optional 1000
	Front wiper defrost function				
Appearance Kit-Moon Theme	○ Optional 4500	○ Optional 4500	○ Optional 4500	○ Optional 4500	○ Optional 4500
	Matt metallic gray appearance kit (including front and rear logos, four wheel logos, front and rear bumper trims, side skirt trims, and model tail badges)				
Trailer package	○ Optional 7500	○ Optional 7500	○ Optional 7500	○ Optional 7500	○ Optional 7500
	Hidden electric tow hook, tow mode				
Airglow Orange Calipers	○ Optional 3500	○ Optional 3500	○ Optional 3500	○ Optional 3500	○ Optional 3500
	Airglow Orange Calipers				
NIO battery (100kWh) rental service	-	-	○ Optional -128000	○ Optional -128000	○ Optional -128000
	The car price is reduced by 128,000 yuan, and the monthly rent is 1,680 yuan				
NIO battery (75kWh) rental service	○ Optional -70000	○ Optional -70000	-	-	-
	The car price is reduced by 70,000 yuan, and the monthly rent is 980 yuan				
Roof rack rails	○ Optional 3000	○ Optional 3000	○ Optional 3000	○ Optional 3000	○ Optional 3000
	Roof rack rails				