

# Yuanhe Unique New Energy

Email: wenbin\_zheng@hotmail.com WhatsApp: +86 139 0639 1027

23 models 530km 75kWh	23 models 675km 100kWh	23 models 675km signature version 100kWh
-----------------------	------------------------	--

## Basic Information

Level	Medium and large cars	Medium and large cars	Medium and large cars
Energy type	pure electricity	pure electricity	pure electricity
time to market	2023/4/18	2023/4/18	2023/4/18
CLTC pure electric range [km]	530	675	675
Fast charging time[h]	0.5	0.6	0.6
Fast charging capacity [%]	80	80	80
Slow charging time[h]	11.5	14	14
Motor[Ps]	653	653	653
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	5101*1987*1509	5101*1987*1509	5101*1987*1509
Body structure	4-door, 5-seat sedan	4-door, 5-seat sedan	4-door, 5-seat sedan
Maximum speed [km/h]	200	200	200
Official 0-100km/h acceleration [s]	3.8	3.8	3.8
Vehicle warranty	3 years or 120,000 kilometers	3 years or 120,000 kilometers	3 years or 120,000 kilometers
First owner warranty policy	6 years or 150,000 kilometers (the liability exemption clause shall be subject to the official)	6 years or 150,000 kilometers (the liability exemption clause shall be subject to the official)	6 years or 150,000 kilometers (the liability exemption clause shall be subject to the official)
Exterior color			
interior color			

## Body

Length[mm]	5101	5101	5101
Width[mm]	1987	1987	1987
Height[mm]	1509	1509	1509
Wheelbase [mm]	3060	3060	3060
Front wheelbase [mm]	1668	1668	1668
Rear wheelbase [mm]	1672	1672	1672
Car door opening method	swing door	swing door	swing door
Number of doors	4	4	4
number of seats	5	5	5
Approach angle [°]	14	14	14
Departure angle [°]	17	17	17
Drag coefficient [Cd]	0.208	0.208	0.208
Official trunk volume [L]	503	503	503
Curb weight [kg]	2349	2379	2379
Full load mass [kg]	2900	2900	2900

## electric motor

Number of drive motors	Dual motor	Dual motor	Dual motor
Motor layout	Front + rear	Front + rear	Front + rear
Motor type	Front permanent magnet synchronous/rear AC asynchronous	Front permanent magnet synchronous/rear AC asynchronous	Front permanent magnet synchronous/rear AC asynchronous
Total motor power [kW]	480	480	480
Total motor horsepower [Ps]	653	653	653
Motor total torque [N·m]	850	850	850
Maximum power of front electric motor [kW]	180	180	180

Maximum torque of front electric motor [N·m]	350	350	350
Maximum power of rear electric motor [kW]	300	300	300
Maximum torque of rear electric motor [N·m]	500	500	500
<b>Battery/recharge</b>			
Battery Type	Ternary lithium + lithium iron phosphate	Ternary lithium battery	Ternary lithium battery
Battery brand	Jiangsu Times	Jiangsu Times	Jiangsu Times
Battery temperature management	<ul style="list-style-type: none"> <li>• Low temperature heating</li> </ul>	<ul style="list-style-type: none"> <li>• Low temperature heating</li> </ul>	<ul style="list-style-type: none"> <li>• Low temperature heating</li> </ul>
	<ul style="list-style-type: none"> <li>• Liquid cooling</li> </ul>	<ul style="list-style-type: none"> <li>• Liquid cooling</li> </ul>	<ul style="list-style-type: none"> <li>• Liquid cooling</li> </ul>
CLTC pure electric range [km]	530	675	675
Battery power [kWh]	75	100	100
Battery energy density [Wh/kg]	142.1	185.44	185.44
Electricity consumption per 100 kilometers [kWh/100km]	16.2	16	16
vehicle charging port	<ul style="list-style-type: none"> <li>• Quick charging port</li> </ul>	<ul style="list-style-type: none"> <li>• Quick charging port</li> </ul>	<ul style="list-style-type: none"> <li>• Quick charging port</li> </ul>
Slow charging port location	-	-	-
Fast charging port location	<ul style="list-style-type: none"> <li>• Car left rear side</li> </ul>	<ul style="list-style-type: none"> <li>• Car left rear side</li> </ul>	<ul style="list-style-type: none"> <li>• Car left rear side</li> </ul>
Fast charging power [kW]	180	180	180
Fast charging time[min]	30	36	36
Fast charging time[h]	0.5	0.6	0.6
Fast charging capacity [%]	80	80	80
Slow charging time[h]	11.5	14	14
Vehicle battery swap	•	•	•
Home charging pile	○ Optional 4,800 yuan	○ Optional 4,800 yuan	○ Optional 4,800 yuan
Car charging gun	-	-	-
External discharge function	•	•	•
External discharge power	<ul style="list-style-type: none"> <li>• 3.3kW</li> </ul>	<ul style="list-style-type: none"> <li>• 3.3kW</li> </ul>	<ul style="list-style-type: none"> <li>• 3.3kW</li> </ul>
Battery pack warranty	8 years or 120,000 kilometers	8 years or 120,000 kilometers	8 years or 120,000 kilometers
First owner battery pack warranty	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)	10 years with no mileage limit (the liability exemption clause shall be subject to the official policy)
<b>gearbox</b>			
Gearbox description	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio
Number of gears	1	1	1
<b>chassis steering</b>			
Drive form	Dual motor four-wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Center differential structure	-	-	-
Front suspension type	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension

rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric assist	electric assist
Adjustable suspension features	<ul style="list-style-type: none"> <li>● Height adjustment</li> <li>● Soft and hard adjustment</li> </ul>	<ul style="list-style-type: none"> <li>● Height adjustment</li> <li>● Soft and hard adjustment</li> </ul>	<ul style="list-style-type: none"> <li>● Height adjustment</li> <li>● Soft and hard adjustment</li> </ul>
	<ul style="list-style-type: none"> <li>● Air suspension</li> </ul>	<ul style="list-style-type: none"> <li>● Air suspension</li> </ul>	<ul style="list-style-type: none"> <li>● Air suspension</li> </ul>
Adjustable suspension types	<ul style="list-style-type: none"> <li>● Air suspension</li> </ul>	<ul style="list-style-type: none"> <li>● Air suspension</li> </ul>	<ul style="list-style-type: none"> <li>● Air suspension</li> </ul>
Body structure	Load-bearing	Load-bearing	Load-bearing
limited slip differential	-	-	-
differential lock	-	-	-
<b>wheel brake</b>			
Front brake type	<ul style="list-style-type: none"> <li>● Ventilated disc type</li> </ul>	<ul style="list-style-type: none"> <li>● Ventilated disc type</li> </ul>	<ul style="list-style-type: none"> <li>● Ventilated disc type</li> </ul>
rear brake type	<ul style="list-style-type: none"> <li>● Ventilated disc type</li> </ul>	<ul style="list-style-type: none"> <li>● Ventilated disc type</li> </ul>	<ul style="list-style-type: none"> <li>● Ventilated disc type</li> </ul>
Parking brake type	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	<ul style="list-style-type: none"> <li>● 245/50 R19</li> <li>○ 245/45 R20</li> <li>○ 255/40 R21</li> </ul>	<ul style="list-style-type: none"> <li>● 245/50 R19</li> <li>○ 245/45 R20</li> <li>○ 255/40 R21</li> </ul>	<ul style="list-style-type: none"> <li>● 245/45R20</li> <li>○ 245/50 R19</li> <li>○ 255/40 R21</li> </ul>
	<ul style="list-style-type: none"> <li>● 245/50 R19</li> <li>○ 245/45 R20</li> <li>○ 255/40 R21</li> </ul>	<ul style="list-style-type: none"> <li>● 245/50 R19</li> <li>○ 245/45 R20</li> <li>○ 255/40 R21</li> </ul>	<ul style="list-style-type: none"> <li>● 245/45R20</li> <li>○ 245/50 R19</li> <li>○ 255/40 R21</li> </ul>
	<ul style="list-style-type: none"> <li>● Tire repair tools only</li> </ul>	<ul style="list-style-type: none"> <li>● Tire repair tools only</li> </ul>	<ul style="list-style-type: none"> <li>● Tire repair tools only</li> </ul>
Spare tire placement	-	-	-
<b>active safety</b>			
ABS anti-lock	●	●	●
Braking force distribution (EBD/CBC, etc.)	●	●	●
Brake assist (BA/EBA/BAS, etc.)	●	●	●
Traction control (ASR/TCS/TRC, etc.)	●	●	●
Body stability control (ESP/DSC/VSC, etc.)	●	●	●
Seat belt not fastened reminder	<ul style="list-style-type: none"> <li>● The whole car</li> </ul>	<ul style="list-style-type: none"> <li>● The whole car</li> </ul>	<ul style="list-style-type: none"> <li>● The whole car</li> </ul>
Tire pressure monitoring	<ul style="list-style-type: none"> <li>● Tire pressure display</li> </ul>	<ul style="list-style-type: none"> <li>● Tire pressure display</li> </ul>	<ul style="list-style-type: none"> <li>● Tire pressure display</li> </ul>
In-car biometric monitoring	-	-	-
<b>passive safety</b>			
Main driver airbag	●	●	●
Passenger airbag	●	●	●
First row side airbag	●	●	●
Second row side airbags	-	-	-
side curtain airbags	●	●	●
knee air bag	-	-	-
Passenger seat cushion airbag	-	-	-
Rear seat belt airbag	-	-	-
Rear seat anti-skid airbags	-	-	-
center airbag	<ul style="list-style-type: none"> <li>● First row</li> </ul>	<ul style="list-style-type: none"> <li>● First row</li> </ul>	<ul style="list-style-type: none"> <li>● First row</li> </ul>
Second row forward airbags	-	-	-
child seat interface	●	●	●
passive pedestrian protection	-	-	-
Run-flat tires	-	-	-
<b>Auxiliary/control configuration</b>			
front parking radar	●	●	●

Rear parking radar	•	•	•
Reverse side warning system	•	•	•
Door opening collision warning	•	•	•
Driving assistance images	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image
Chassis perspective	•	•	•
cruise system	• Full-speed adaptive cruise	• Full-speed adaptive cruise	• Full-speed adaptive cruise
Driving mode selection	• Sports	• Sports	• Sports
	• Economy	• Economy	• Economy
	• Standard/Comfortable	• Standard/Comfortable	• Standard/Comfortable
	• Off-road	• Off-road	• Off-road
	• Snow	• Snow	• Snow
Fatigue reminder	•	•	•
automatic parking	•	•	•
remote control parking	•	•	•
remote summoning	•	•	•
Engine start and stop	-	-	-
automatic parking	•	•	•
Hill assist	•	•	•
steep descent	-	-	-
night vision system	-	-	-
variable steering ratio	-	-	-
Integral active steering system	-	-	-
Wading sensing system	-	-	-
<b>Assisted driving functions</b>			
Parallel assistance (BSM/BSD)	•	•	•
Lane Departure Warning (LDWS)	•	•	•
Lane Keeping (LKAS)	•	•	•
Lane centering	•	•	•
Road traffic sign recognition	•	•	•
forward collision warning	•	•	•
rear collision warning	-	-	-
Active braking	•	•	•
Automatic lane change assist	•	•	•
Automatic ramp exit/entry	•	•	•
High-speed assisted driving	○	○	○
Urban assisted driving	○	○	○
Reverse tracking	-	-	-
<b>Assisted driving hardware</b>			
Driving assistance level	• L2	• L2	• L2
Assisted driving system	• NIO Autonomous Driving Driving NIO Autonomous Driving	• NIO Autonomous Driving Driving NIO Autonomous Driving	• NIO Autonomous Driving Driving NIO Autonomous Driving
Assisted driving chip	• 4 NVIDIA Drive Orin-X	• 4 NVIDIA Drive Orin-X	• 4 NVIDIA Drive Orin-X
Chip computing power	• 1016 TOPS	• 1016 TOPS	• 1016 TOPS
Lidar brand	• Innovusion Tudatong	• Innovusion Tudatong	• Innovusion Tudatong
Lidar model	• Falcon	• Falcon	• Falcon
LiDAR quantity	• 1	• 1	• 1
Lidar line number	• 150 lines	• 150 lines	• 150 lines
Lidar maximum detection distance [m]	• 500	• 500	• 500

Lidar 10% reflectivity detection distance [m]	• 250	• 250	• 250
Number of lidar point clouds [10,000/second]	• 80-100	• 80-100	• 80-100
millimeter wave radar	• 5	• 5	• 5
ultrasonic radar	• First 6/Last 6	• First 6/Last 6	• First 6/Last 6
Front sensing camera type	• Binocular	• Binocular	• Binocular
Front sensing camera pixels [10,000]	• 800	• 800	• 800
Environment aware camera	• 7	• 7	• 7
Environment sensing camera pixels [10,000]	• 800	• 800	• 800
surround camera	• 4	• 4	• 4
Surround camera pixels [10,000]	• 300	• 300	• 300
car camera	• 2	• 2	• 2
<b>External configuration</b>			
Skylight type	• Segmented non-openable skylight	• Segmented non-openable skylight	• Segmented non-openable skylight
Light-sensing awning	-	-	-
Sport appearance package	-	-	-
Electric spoiler	-	-	-
Rim material	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy
Electric suction door	• The whole car	• The whole car	• The whole car
Automatic opening and closing of car doors	-	-	-
Frameless door	•	•	•
sliding door	-	-	-
roof rack	-	-	-
Key type	• Remote key	• Remote key	• Remote key
	• Bluetooth key	• Bluetooth key	• Bluetooth key
	• NFC/RFID key	• NFC/RFID key	• NFC/RFID key
	• UWB digital key	• UWB digital key	• UWB digital key
Keyless start	•	•	•
keyless entry	• The whole car	• The whole car	• The whole car
Hidden electric door handle	•	•	•
Active closing air intake grille	•	•	•
Electric tailgate	•	•	•
Tailgate position memory	•	•	•
Induction tailgate	•	•	•
Tailgate glass opens independently	-	-	-
car side pedals	-	-	-
Low speed driving warning sound	•	•	•
Sentinel (clairvoyance) mode	•	•	•
tow hook	○	○	○
Trailer power outlet	○	○	○
<b>Internal configuration</b>			
Steering wheel material	• Imitation leather	• Imitation leather	• Genuine leather
	○ Genuine leather	○ Genuine leather	
steering wheel adjustment	• Electric up and down + front and rear adjustment	• Electric up and down + front and rear adjustment	• Electric up and down + front and rear adjustment
	• Steering wheel memory	• Steering wheel memory	• Steering wheel memory

Shift pattern	Electronic gear shift	Electronic gear shift	Electronic gear shift
Multifunction steering wheel	•	•	•
steering wheel gear shift	-	-	-
Steering wheel heating	•	•	•
Trip computer display	• Color	• Color	• Color
Full LCD instrument panel	•	•	•
Instrument screen size [inches]	• 10.2	• 10.2	• 10.2
Instrument screen material	• MINI LED	• MINI LED	• MINI LED
Instrument screen resolution [px]	• 1920 x 532	• 1920 x 532	• 1920 x 532
Instrument screen pixel density [PPI]	• 196	• 196	• 196
HUD heads up display	•	•	•
Built-in driving recorder	•	•	•
Mobile phone wireless charging	• First row	• First row	• First row
ETC device	•	•	•
Active noise reduction	-	-	-
Electrically adjustable pedals	-	-	-
Single pedal mode	-	-	-
<b>Seat configuration</b>			
seat material	• Imitation leather ○ Genuine leather	• Imitation leather ○ Genuine leather	• Genuine leather
Sports style seats	-	-	-
Electric driver's seat adjustment	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory
Passenger seat electric adjustment	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory
Driver's seat adjustment method	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment
	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)
	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)
Passenger seat adjustment method	• Leg rest adjustment	• Leg rest adjustment	• Leg rest adjustment
	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment
	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)
First row seat functions	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)
	• Leg rest adjustment	• Leg rest adjustment	• Leg rest adjustment
	• Heating	• Heating	• Heating
	• Ventilation	• Ventilation	• Ventilation
Boss button	• Massage	• Massage	• Massage
	-	-	-
Electrically adjustable second row seats	-	-	-
Second row seat adjustment method	-	-	-
Second row seat functions	• Heating	• Heating	• Heating
	• Ventilation	• Ventilation	• Ventilation
	• Massage	• Massage	• Massage
center armrest	• First row	• First row	• First row
	• Second row	• Second row	• Second row
Seat layout	• 2+3	• 2+3	• 2+3

Rear seat folding method	-	-	-
Electrically reclining rear seats	-	-	-
Rear cup holder	● Second row	● Second row	● Second row
Heated/cooled cup holder	-	-	-
Rear folding table	-	-	-
<b>Car/Internet</b>			
Central control color screen	● Touch LCD screen	● Touch LCD screen	● Touch LCD screen
Central control screen size [inch]	● 12.8	● 12.8	● 12.8
Central control screen material	● AMOLED	● AMOLED	● AMOLED
Central control screen resolution [px]	● 1728 × 1888	● 1728 × 1888	● 1728 × 1888
Central control screen pixel density [PPI]	● 200	● 200	● 200
Passenger screen	-	-	-
Vehicle system	Banyan tree	Banyan tree	Banyan tree
Car chip	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155
Vehicle system memory [GB]	● 16	● 16	● 16
Vehicle system storage [GB]	● 256	● 256	● 256
Vehicle-to-machine network	● 5G	● 5G	● 5G
OTA upgrade	● Vehicle OTA	● Vehicle OTA	● Vehicle OTA
Car WiFi function	● WiFi connection	● WiFi connection	● WiFi connection
	● WiFi hotspot	● WiFi hotspot	● WiFi hotspot
Car navigation map	●	●	●
HD map	●	●	●
V2X communication	●	●	●
roadside assistance call	●	●	●
Bluetooth/car phone	●	●	●
Mobile phone interconnection/mapping	-	-	-
Voice assistant wake word	● Hi NOMI	● Hi NOMI	● Hi NOMI
Voice zone wake-up	● First row	● First row	● First row
	● Second row	● Second row	● Second row
Voice wake-up-free	●	●	●
Speech continuous recognition	●	●	●
Voice recognition control function	● Multimedia system	● Multimedia system	● Multimedia system
	● Navigation	● Navigation	● Navigation
	● Telephone	● Telephone	● Telephone
	● Air conditioning	● Air conditioning	● Air conditioning
gesture control	-	-	-
face recognition	-	-	-
Remote control function	● Door control	● Door control	● Door control
	● Window control	● Window control	● Window control
	● Vehicle starts	● Vehicle starts	● Vehicle starts
	● Air conditioning control	● Air conditioning control	● Air conditioning control
	● Heated steering wheel	● Heated steering wheel	● Heated steering wheel
	● Seat heating	● Seat heating	● Seat heating
	● Seat ventilation	● Seat ventilation	● Seat ventilation
	● Charging management	● Charging management	● Charging management
● Vehicle condition inquiry/diagnosis	● Vehicle condition inquiry/diagnosis	● Vehicle condition inquiry/diagnosis	

	<ul style="list-style-type: none"> <li>• Vehicle positioning/car search</li> <li>• Maintenance/repair appointment</li> <li>• Car owner services (find charging piles, gas stations, parking lots, etc.)</li> </ul>	<ul style="list-style-type: none"> <li>• Vehicle positioning/car search</li> <li>• Maintenance/repair appointment</li> <li>• Car owner services (find charging piles, gas stations, parking lots, etc.)</li> </ul>	<ul style="list-style-type: none"> <li>• Vehicle positioning/car search</li> <li>• Maintenance/repair appointment</li> <li>• Car owner services (find charging piles, gas stations, parking lots, etc.)</li> </ul>
<b>Media entertainment</b>			
Car APP application market	•	•	•
Car CD/DVD	-	-	-
Multimedia/charging interface	<ul style="list-style-type: none"> <li>• USB</li> <li>• Type-C</li> </ul>	<ul style="list-style-type: none"> <li>• USB</li> <li>• Type-C</li> </ul>	<ul style="list-style-type: none"> <li>• USB</li> <li>• Type-C</li> </ul>
Number of USB/Type-C interfaces	• 3 people in the front row/2 people in the back row	• 3 people in the front row/2 people in the back row	• 3 people in the front row/2 people in the back row
In-car entertainment functions	• Karaoke	• Karaoke	• Karaoke
simulated sound	•	•	•
Rear seat control multimedia	•	•	•
Number of multimedia screens in the rear row	• 1	• 1	• 1
Rear multimedia screen size [inch]	• 6.6	• 6.6	• 6.6
Rear multimedia screen material	• MINI LED	• MINI LED	• MINI LED
Rear multimedia screen resolution [px]	• 1268 x 360	• 1268 x 360	• 1268 x 360
Rear multimedia screen pixel density [PPI]	• 199	• 199	• 199
Cockpit 220V/230V power supply	-	-	-
Luggage compartment power interface	• 12V	• 12V	• 12V
audio brand	-	-	-
Number of speakers	• 23	• 23	• 23
<b>Light function</b>			
Low beam light source	• LED	• LED	• LED
high beam light source	• LED	• LED	• LED
Lighting features	-	-	-
LED daytime running lights	•	•	•
Headlight function	• Height adjustment	• Height adjustment	• Height adjustment
	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing
	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam
	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown
Turn assist light	•	•	•
Front fog lights	• LED	• LED	• LED
Headlight cleaning device	-	-	-
Car interior ambient light	• 256 colors	• 256 colors	• 256 colors
<b>glass/rear view mirror</b>			
First row electric windows	•	•	•
Second row electric windows	•	•	•
One-click lifting and lowering of windows	• The whole car	• The whole car	• The whole car



Window anti-pinch function	• The whole car	• The whole car	• The whole car
Multilayer soundproof glass	• The whole car	• The whole car	• The whole car
Exterior rearview mirror function	• Electric adjustment	• Electric adjustment	• Electric adjustment
	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors
	• Electric folding	• Electric folding	• Electric folding
	• Rearview mirror memory	• Rearview mirror memory	• Rearview mirror memory
	• Automatically roll down when reversing	• Automatically roll down when reversing	• Automatically roll down when reversing
	• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car
	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle
Interior rearview mirror function	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle
Rear side privacy glass	•	•	•
Rear side sunshades	-	-	-
Rear windshield sunshade	-	-	-
Car vanity mirror	• Main driving + lighting	• Main driving + lighting	• Main driving + lighting
	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting
Sensing wiper function rear wiper	• Rain sensor type	• Rain sensor type	• Rain sensor type
Heated water nozzle	-	-	-
<b>Air conditioning/refrigeration</b>			
First row air conditioner	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning
Second row air conditioner	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning
Third row air conditioner	-	-	-
heat pump air conditioner	•	•	•
air quality monitoring	•	•	•
In-car PM2.5 filter device	•	•	•
Car air purifier	•	•	•
negative ion generator	•	•	•
Fragrance system	•	•	•
car refrigerator	-	-	-
<b>Featured configuration</b>			
It can be said that it is visible	•	•	•
<b>Optional package</b>			
19-inch five-spoke alloy wheels	○ Free optional	○ Free optional	○ Free optional
	19-inch five-spoke alloy wheels (with 245/50 R19 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 530km; equipped with a long-range battery pack (100kWh), the CLTC battery life is 675km		
	○ Optional 14500	○ Optional 14500	-

20-inch five-spoke swing wheels	20-inch five-spoke dynamic wheels (with 245/40 R20 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 550km; equipped with a long-range battery pack (100kWh), the CLTC battery life is 675km.		
20-inch five-spoke swing wheels	-	-	○ Free optional
	20-inch five-spoke dynamic wheels (with 245/40 R20 tires) Note: Equipped with a long-range battery pack (100kWh), CLTC range is 675km		
20-inch five-spoke Qianfan wheels	○ Optional 11500	○ Optional 11500	-
	20-inch five-spoke Qianfan wheels (with 245/40 R20 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 550km; equipped with a long-range battery pack (100kWh), the CLTC battery life is 705km.		
20-inch five-spoke Qianfan wheels	-	-	○ Free optional
	20-inch five-spoke Qianfan wheels (with 245/40 R20 tires) Note: Equipped with a long-range battery pack (100kWh), CLTC range is 705km		
20-inch multi-spoke star silver wheels	○ Optional 9500	○ Optional 9500	-
	20-inch multi-spoke star silver wheels (with 245/40 R20 tires) Note: Equipped with a standard battery pack (75kWh), the CLTC battery life is 530km; equipped with a long-range battery pack (100kWh), the CLTC battery life is 675km.		
20-inch multi-spoke star silver wheels	-	-	○ Free optional
	20-inch multi-spoke star silver wheels (with 245/40 R20 tires) Note: Equipped with a long-range battery pack (100kWh), CLTC range is 675km		
21-inch carbon fiber alloy wheels	○ Optional 26500	○ Optional 26500	-
	21-inch carbon fiber alloy wheels (with 255/40 R21 self-repairing tires) Note: Equipped with a long-range battery pack (100kWh), CLTC range is 615km		

21-inch carbon fiber alloy wheels	-	-	○ Optional 12000
	21-inch carbon fiber alloy wheels (with 255/40 R21 self-repairing tires) Note: Equipped with a long-range battery pack (100kWh), CLTC range is 615km		
Microfiber ceiling + leather interior	○ Optional 21000	○ Optional 21000	-
	Microfiber ceiling + leather interior		
N-Box enhanced entertainment host	○ Optional 4600	○ Optional 4600	○ Optional 4600
	N-Box enhanced entertainment host		
NAD Full Feature Service Subscription	○ No price for options yet	○ No price for options yet	○ No price for options yet
	680 yuan/month, NAD autonomous driving (covering the autonomous driving experience on some urban roads and closed highways), NAD low-speed and parking autonomous driving (supporting pilot parking, remote control parking, smart summoning and other functional experiences), NAD assisted driving (Including NOP pilot assist, ALC turn signal control lane change, steering assist and other functional experiences)		
NOMI vehicle-mounted artificial intelligence system	○ Optional 4900	○ Optional 4900	-
	NOMI Mate 2.0		
Front wiper defrost function	○ Optional 1000	○ Optional 1000	○ Optional 1000
	Front wiper defrost function		
Appearance Kit-Moon Theme	○ Optional 4500	○ Optional 4500	○ Optional 4500
	Matt metallic gray exterior kit (including front and rear logos, four wheel logos, side window trims, rearview mirror trims, and model tail badges)		
Trailer package	○ Optional 7500	○ Optional 7500	○ Optional 7500
	Hidden electric tow hook, tow mode		
Airglow Orange Calipers	○ Optional 3500	○ Optional 3500	○ Optional 3500
	Airglow Orange Calipers		
NIO battery (100kWh) rental service	-	○ Optional -128000	○ Optional -128000
	The car price is reduced by 128,000 yuan, and the monthly rent is 1,680 yuan		

NIO battery (75kWh) rental service	o Optional -70000	-	-
	The car price is reduced by 70,000 yuan, and the monthly rent is 980 yuan		