## Yuanhe Unique New Energy

Email: wenbin\_zheng@hotmail.com WhatsApp: +86 139 0639 1027

2024 Version 210km four-wheel drive ultra-long range smart driving version

	ultra-long range smart driving version
Basic Information	
Level	Medium and large SUV
Energy type	Extended range pure electric
Environmental protection standards	National VI
time to market	2023/8/19
CLTC pure electric range [km]	210
WLTC pure electric range [km]	160
Fast charging time[h]	0.43
Fast charging capacity [%]	30-80
Slow charging time[h]	5.7
engine	1.5T 150 horsepower L4
Maximum power/maximum torque	110kW/220N·m
Motor[Ps]	490
gearbox	1st gear fixed gear ratio
Length*width*height[mm]	4905*1950*1645
Body structure	5-door, 5-seater SUV
Maximum speed [km/h]	200
Official 0-100km/h acceleration [s]	4.8
WLTC comprehensive fuel consumption [L/100km]	0.81
Fuel consumption in low power state [L/100km]	6.69
Vehicle warranty	5 years or 100,000 kilometers
First owner warranty policy	5 years or 100,000 kilometers
Exterior color	
interior color	
В	ody
Length[mm]	4905
Width[mm]	1950
Height[mm]	1645
Wheelbase [mm]	2960
Front wheelbase [mm]	1654

Rear wheelbase [mm]	1647
Car door opening method	swing door
Number of doors	5
number of seats	5
Approach angle [°]	19
Departure angle [°]	26
Minimum ground clearance with full load [mm]	213
Minimum turning radius [m]	5.75
Drag coefficient [Cd]	0.28
Fuel tank volume [L]	56
Official trunk volume [L]	560-1320
Curb weight [kg]	2270
Full load mass [kg]	2655
	gine
engine model	DAM15NTDE
Displacement [mL]	1499
Displacement[L]	1.5
Intake form	turbocharging
Engine layout	horizontal
Cylinder arrangement	I
Cylinder arrangement	L
Number of cylinders [number]	4
Number of valves per cylinder	4
[number]	4
Compression ratio	15
Air Supply	DOHC
Maximum power [kW]	110
Maximum horsepower[Ps]	150
Maximum power speed [rpm]	5500
Maximum torque [N·m]	220
Maximum torque speed [rpm]	2500-4000
Maximum net power [kW]	110
fuel mark	No. 95
Fuel supply method	direct injection
Cylinder head material	Aluminum alloy
Cylinder material	Aluminum alloy
Environmental protection standards	National VI
	c motor
Number of drive motors	Dual motor
Motor layout	Front + rear
Motor type	Permanent magnet synchronization
Total motor power [kW]	360
. C.t potter [itti]	555

Total motor horsepower [Ps]	490
Motor total torque [N·m]	720
Maximum power of front electric	160
motor [kW]	100
Maximum torque of front electric	310
motor [N·m]	310
Maximum power of rear electric motor	200
[kW]	200
Maximum torque of rear electric motor	410
[N·m]	110
Battery,	/recharge
Battery Type	Ternary lithium battery
Battery brand	CATL/Hive Energy
Battery temperature management	Low temperature heating
	Liquid cooling
CLTC pure electric range [km]	210
WLTC pure electric range [km]	160
CLTC comprehensive range [km]	1201
Battery power [kWh]	39.2
Battery energy density [Wh/kg]	155.1
Electricity consumption per 100 kilometers [kWh/100km]	twenty one
	Slow charging port
vehicle charging port	Quick charging port
Slow charging port location	Car left rear side
Fast charging port location	Car left rear side
Fast charging time[min]	26
Fast charging time[h]	0.43
Fast charging capacity [%]	30-80
Slow charging power [kW]	7
Slow charging time[h]	5.7
Vehicle battery swap	
Home charging pile	•
External discharge function	•
External discharge power	• 3.6kW
Battery pack warranty	8 years or 120,000 kilometers
no:	rhov

yea	шрол
Gearbox description	Electric vehicle single speed gearbox
Gearbox type	Fixed gear ratio
Number of gears	1
chassis	steering
Drive form	Dual motor four-wheel drive
four-wheel drive	Electric four-wheel drive
Center differential structure	-
Front suspension type	Double wishbone independent suspension
rear suspension type	Multi-link independent suspension
Assist type	electric assist
	<ul> <li>Height adjustment</li> </ul>
Adjustable suspension features	<ul> <li>Soft and hard adjustment</li> </ul>
Adjustable suspension types	Air suspension
Body structure	Load-bearing
limited slip differential	-
differential lock	-
whee	l brake
Front brake type	<ul> <li>Ventilated disc type</li> </ul>
rear brake type	<ul> <li>Ventilated disc type</li> </ul>
Parking brake type	Electronic parking
Front tire specifications	• 255/45 R20
Rear tire specifications	• 255/45 R20
Spare tire	<ul> <li>No spare tire</li> </ul>
Spare tire placement	-
active	e safety
ABS anti-lock	•
Braking force distribution (EBD/CBC, etc.)	•
Brake assist (BA/EBA/BAS, etc.)	•
Traction control (ASR/TCS/TRC, etc.)	•
Body stability control (ESP/DSC/VSC, etc.)	•
Seat belt not fastened reminder	• First row
Tire pressure monitoring	Tire pressure display
In-car biometric monitoring	•
passiv	e safety
Main driver airbag	•

	T
Passenger airbag	•
First row side airbag	•
Second row side airbags	-
side curtain airbags	•
knee air bag	-
Passenger seat cushion airbag	-
Rear seat belt airbag	-
Rear seat anti-skid airbags	-
center airbag	-
Second row forward airbags	-
child seat interface	•
passive pedestrian protection	-
Run-flat tires	-
	rol configuration
front parking radar	•
Rear parking radar	•
Reverse side warning system	•
Door opening collision warning	•
Driving assistance images	360-degree panoramic image
Chassis perspective	•
cruise system	Full-speed adaptive cruise
	• Sports
	Economy
Driving mode colection	• Snow
Driving mode selection	Customization/personalization
Fatigue reminder	•
automatic parking	•
remote control parking	0
remote summoning	-
Engine start and stop	-
automatic parking	•
Hill assist	•
steep descent	•
night vision system	-
variable steering ratio	-
Integral active steering system	
Wading sensing system	-
	ving functions

Parallel assistance (BSM/BSD)	•
Lane Departure Warning (LDWS)	•
Lane Keeping (LKAS)	•
Lane centering	•
Road traffic sign recognition	•
forward collision warning	•
rear collision warning	- -
Active braking	•
	•
Automatic lane change assist	0
Automatic ramp exit/entry	0
High-speed assisted driving	0
Reverse tracking	-
Assisted dri	ving hardware
Driving assistance level	• L2
Assisted driving system	Baidu Apollo
Assisted driving chip	• 2 TDA4
Chip computing power	• 16TOPS
millimeter wave radar	• 5
ultrasonic radar	First 6/Last 6
Front sensing camera type	Binocular
Environment aware camera	• 6
surround camera	• 4
car camera	• 2
External co	onfiguration
Skylight type	The panoramic sunroof cannot be
Light concing awning	opened •
Light-sensing awning	•
Sport appearance package	-
Electric spoiler	-
Rim material	<ul> <li>Aluminum alloy</li> </ul>
Electric suction door	-
Automatic opening and closing of car	
doors	<u>-</u>
Frameless door	-
sliding door	-
roof rack	•
	Remote key
Key type	Bluetooth key
Keyless start	•
keyless entry	The whole car

Hidden electric door handle	•
Active closing air intake grille	-
Electric tailgate	•
Tailgate position memory	•
Induction tailgate	•
induction tangate	•
Tailgate glass opens independently	-
car side pedals	-
Low speed driving warning sound	•
Sentinel (clairvoyance) mode	•
Internal co	onfiguration
Steering wheel material	Leather
<u> </u>	Manual up and down + front and rear
steering wheel adjustment	adjustment
Shift pattern	Electronic gear shift
Shirt pattern	Electronic gear smit
Multifunction steering wheel	•
steering wheel gear shift	-
Steering wheel heating	-
Trip computer display	• Color
Full LCD instrument panel	•
Instrument screen size [inches]	• 12.3
Instrument screen resolution [px]	• 1920 x 720
Instrument screen pixel density [PPI]	• 167
HUD heads up display	-
Built-in driving recorder	•
Mobile phone wireless charging	First row
Maximum wireless charging power of mobile phones [W]	• 50
ETC device	-
Active noise reduction	-
Electrically adjustable pedals	-
Single nedal mode	
Single pedal mode - Seat configuration	
seat material	Leather/fleece material mix and match
Sports style seats	
Sports style seats	<u>-</u>
Electric driver's seat adjustment	<ul> <li>Electric adjustment with memory</li> </ul>

	=1
Passenger seat electric adjustment	Electric adjustment
Driver's seat adjustment method	<ul> <li>Front and back adjustment</li> </ul>
	Backrest adjustment
	Height adjustment (4-way)
	Waist adjustment (4-way)
	<ul> <li>Front and back adjustment</li> </ul>
	<ul> <li>Backrest adjustment</li> </ul>
Passenger seat adjustment method	Height adjustment (4-way)
	<ul> <li>Waist adjustment (4-way)</li> </ul>
	Heating
First row seat functions	Ventilation     Massage
Boss button	Massage -
Electrically adjustable second row seats	-
Second row seat adjustment method	-
Second row seat functions	<del>-</del>
center armrest	• First row
Seat layout	• Second row • 2+3
Rear seat folding method	Inverted proportions
Electrically reclining rear seats	-
Rear cup holder	Second row
Heated/cooled cup holder	-
Rear folding table	-
Car/lı	nternet
Central control color screen	Touch LCD screen
Central control screen size [inch]	• 12.3
Central control screen resolution [px]	• 1920 x 720
Central control screen pixel density [PPI]	• 167
Passenger screen	<ul> <li>Touch LCD screen</li> </ul>
Passenger screen size [inches]	• 12.3
Passenger screen resolution [px]	• 1920 x 720
Passenger screen pixel density [PPI]	• 167

Multi-finger flying screen control	•
Vehicle system	Windlink
Car chip	Qualcomm Snapdragon 8155
Vehicle system memory [GB]	• 16
Vehicle system storage [GB]	• 128
Vehicle-to-machine network	• 5G
OTA upgrade	Vehicle OTA
Car WiFi function	<ul><li>WiFi connection</li><li>WiFi hotspot</li></ul>
AR real-life navigation	-
Car navigation map	• Baidu
HD map	•
V2X communication	ı
roadside assistance call	-
Bluetooth/car phone	•
Mobile phone	Support HiCar
interconnection/mapping	• •
Voice assistant wake word	<ul><li>Hi, Lantu</li></ul>
Voice zone wake-up	<ul><li>First row</li></ul>
·	<ul><li>Second row</li></ul>
Voice wake-up-free	•
Speech continuous recognition	•
	<ul> <li>Multimedia system</li> </ul>
Voice recognition control function	<ul><li>Navigation</li></ul>
Voice recognition control function	<ul><li>Telephone</li></ul>
	<ul><li>Air conditioning</li></ul>
gesture control	•
face recognition	•
	<ul><li>Door control</li></ul>
	<ul><li>Vehicle starts</li></ul>
	Air conditioning control
	<ul> <li>Charging management</li> </ul>
Domoto control function	Vehicle condition inquiry/diagnosis
Remote control function	Vehicle positioning/car search
	Maintenance/repair appointment
	Car owner services (find charging piles,
	gas stations, parking lots, etc.)
Media ent	tertainment
Split screen function	<u> </u>

Car APP application market	•
Car CD/DVD	-
Multimedia/charging interface	• USB
ivialitimedia, enarging interface	● Type-C
Number of USB/Type-C interfaces	• 2 in the front row/2 in the back row
In-car entertainment functions	Karaoke
simulated sound	<u>-</u>
Rear seat control multimedia	•
Number of multimedia screens in the	<b>a</b> 1
rear row	
Cockpit 220V/230V power supply	-
Luggage compartment power interface	• 12V
audio brand	<ul><li>Dynaudio</li></ul>
Number of speakers	• 10
Light <sup>•</sup>	function
Low beam light source	• LED
high beam light source	• LED
Lighting features	<ul><li>Matrix</li></ul>
LED daytime running lights	•
	<ul> <li>Height adjustment</li> </ul>
Headlight function	Automatic opening and closing
Heading it function	Adaptive high and low beam
	<ul> <li>Delayed shutdown</li> </ul>
Turn assist light	-
Front fog lights	-
Headlight cleaning device	-
Car interior ambient light	• 64 colors
Active ambient lighting	•
glass/rear view mirror	
First row electric windows	•
Second row electric windows	•
One-click lifting and lowering of windows	The whole car
Window anti-pinch function	The whole car
Multilayer soundproof glass	• First row
	Electric adjustment
	Heated rearview mirrors
	5 Tiedeed Teatview Hillitors

Electric folding
- Doom ious mirror momons
Rearview mirror memory
Automatically roll down when
reversing
Automatic folding when locking the car
Automatic anti-dazzle
Automatic anti-dazzle
•
-
-
<ul> <li>Main driving + lighting</li> </ul>
<ul><li>Co-pilot + lighting</li></ul>
<ul> <li>Rain sensor type</li> </ul>
•
-
ing/refrigeration
Dual temperature zone automatic air conditioning
Air outlet
-
-
•
•
•
-
•
-
configuration
•
al package
No price for options yet
11kw OBC car charger
No price for options yet
Damanania accesina
Panoramic awning

High-end intelligent driving assistance system

Emergency lane keeping ELK, emergency steering assist ESA, intelligent speed limit reminder ISA, signal light recognition GLA, intelligent speed limit control ISLC, automatic lane change assist ALC, triggered automatic lane change TLC, automatic ramp exit (entry), large vehicle avoidance IEF, memory parking HPP, remote parking RPA