	Yuar	nhe Unique New En	ergy	
	Email: wenbin_zhen	g@hotmail.com WhatsApp:	+86 139 0639 1027	
	2024 Version 650km ultra- long range flagship version	2024 Version plug-in hybrid 1.5T 236km ultra- long battery life excellent version	2024 Version plug-in hybrid 1.5T 236km ultra- long range premium version	2024 Version plug-in hybrid 1.5T 236km ultra- long battery life flagship version
		<b>Basic Information</b>		
level	Large MPV	Large MPV	Large MPV	Large MPV
Energy type	pure electricity	plug-in hybrid	plug-in hybrid	plug-in hybrid
Environmental protection standards	-	National VI	National VI	National VI
time to market	2023/10/12	2023/10/12	2023/10/12	2023/10/12
CLTC pure electric range [km]	650	236	236	236
WLTC pure electric range [km]	-	-	-	-
Fast charging time[h]	0.58	0.5	0.5	0.5
Fast charging capacity [%]	20-80	20-80	20-80	20-80
Slow charging time[h]	13	8.4	8.4	8.4
Slow charging capacity[%]	0-100	0-100	0-100	0-100
engine	-	1.5T 149.6 horsepower L4	1.5T 149.6 horsepower L4	1.5T 149.6 horsepower L4
Maximum power/maximum torque	-	110kW/220N⋅m	110kW/220N⋅m	110kW/220N⋅m
Motor[Ps]	435	421	421	421
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	5315*1985*1800	5315*1985*1820	5315*1985*1820	5315*1985*1800
Body structure	5-door, 7-seater MPV	5-door, 7-seater MPV	5-door, 7-seater MPV	5-door, 7-seater MPV
Maximum speed [km/h]	200	203	203	203

Official 0-100km/h acceleration [s]	5.9	5.9	5.9	5.9
WLTC comprehensive fuel consumption [L/100km]	-	0.65	0.65	0.65
Fuel consumption in low power state [L/100km]	-	5.36	5.36	5.36
Vehicle warranty	6 years or 150,000 kilometers	6 years or 150,000 kilometers	6 years or 150,000 kilometers	6 years or 150,000 kilometers
First owner warranty policy	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	_	-	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)
Exterior color				
interior color				
		Body		
Length[mm]	5315	5315	5315	5315
Width[mm]	1985	1985	1985	1985
Height[mm]	1800	1820	1820	1800
Wheelbase [mm]	3200	3200	3200	3200
Front wheelbase [mm]	1705	1705	1705	1705
Rear wheelbase [mm]	1708	1708	1708	1708
Car door opening method	Swing door + sliding door	Swing door + sliding door	Swing door + sliding door	Swing door + sliding door
Number of doors	5	5	5	5
number of seats	7	7	7	7
Approach angle [°]	13	14	14	13
Departure angle [°]	16	17	17	16
Minimum ground clearance with full load [mm]	133	150	150	133

Minimum ground clearance without load [mm]	133	150	150	133
Fuel tank volume [L]	-	51	51	51
Official front trunk volume [L]	40	-	-	-
Official trunk volume [L]	427-2680	427-2680	427-2680	427-2680
Curb weight [kg]	2645	2590	2590	2590
Full load mass [kg]	3180	3125	3125	3125
		engine		
engine model	-	C15TDE	C15TDE	C15TDE
Displacement [mL]	-	1475	1475	1475
Displacement[L]	-	1.5	1.5	1.5
Intake form	-	turbocharging	turbocharging	turbocharging
Engine layout	-	horizontal	horizontal	horizontal
Cylinder arrangement	-	L	L	L
Number of cylinders [number]	-	4	4	4
Number of valves per cylinder [number]	-	4	4	4
Air Supply	-	DOHC	DOHC	DOHC
Maximum power [kW]	_	110	110	110

Maximum horsepower[Ps]	-	149.6	149.6	149.6
Maximum power speed [rpm]	-	4500	4500	4500
Maximum torque [N·m]	-	220	220	220

Maximum torque speed [rpm]	-	2000-4500	2000-4500	2000-4500
Maximum net power [kW]	-	105	105	105
fuel mark	-	No. 95	No. 95	No. 95
Fuel supply method	-	direct injection	direct injection	direct injection
Cylinder head material	-	Aluminum alloy	Aluminum alloy	Aluminum alloy
Cylinder material	-	Aluminum alloy	Aluminum alloy	Aluminum alloy
Environmental protection standards	-	National VI	National VI	National VI
		electric motor		
Number of drive motors	Dual motor	Dual motor	Dual motor	Dual motor
Motor layout	Front + rear	Front + rear	Front + rear	Front + rear
Motor type	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization
Total motor power [kW]	320	310	310	310
Total motor horsepower [Ps]	435	421	421	421
Motor total torque [N·m]	620	620	620	620
Maximum power of front electric motor [kW]	160	150	150	150
Maximum torque of front electric motor [N·m]	310	310	310	310

Maximum power of rear electric motor [kW]	160	160	160	160
Maximum torque of rear electric motor [N·m]	310	310	310	310

System comprehensive power [kW]	-	420	420	420
System comprehensive horsepower [Ps]	-	571	571	571
System comprehensive torque [N·m]	-	840	840	840
		Battery/recharge		
Battery Type	Nickel cobalt manganese battery	Nickel cobalt manganese battery	Nickel cobalt manganese battery	Nickel cobalt manganese battery
Battery brand	Ningde era	hive energy	hive energy	hive energy
Battery temperature	<ul> <li>Low temperature heating</li> </ul>			
management	Liquid cooling	Liquid cooling	<ul> <li>Liquid cooling</li> </ul>	Liquid cooling
CLTC pure electric range [km]	650	236	236	236
WLTC pure electric range [km]	-	-	-	-
CLTC comprehensive range [km]	-	1231	1231	1231
WLTC comprehensive range [km]	-	-	-	-
Battery power [kWh]	108.73	43	43	43
Battery energy density [Wh/kg]	-	-	-	-
Electricity consumption per 100 kilometers [kWh/100km]	17.7	-	-	-
vehicle charging port	• Slow charging port	• Slow charging port	• Slow charging port	• Slow charging port
	• Quick charging port			
Slow charging port location	• Right rear side of car			
Fast charging port location	• Right rear side of car			

Fast charging power [kW]	125	80	80	80	
Fast charging time[min]	35	30	30	30	
Fast charging time[h]	0.58	0.5	0.5	0.5	
Fast charging capacity [%]	20-80	20-80	20-80	20-80	
Slow charging power [kW]	10	6.6	6.6	6.6	
Slow charging time[h]	13	8.4	8.4	8.4	
Slow charging capacity[%]	0-100	0-100	0-100	0-100	
Vehicle battery swap	-	_	_	_	
Home charging pile	•	•	•	•	
Car charging gun	•	•	•	•	
External discharge function	•	•	•	•	
External discharge power	• 3.3kW	• 3.3kW	• 3.3kW	• 3.3kW	
Battery pack warranty	8 years or 160,000 kilometers				
First owner battery pack warranty	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	Unlimited years/unlimited mileage (the liability exemption clause shall be subject to the official)	
	L	gearbox			
Gearbox description	Electric vehicle single speed gearbox				
Gearbox type	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	
Number of gears	1	1	1	1	
chassis steering					
Drive form	Dual motor four-wheel drive	Front four-wheel drive	Front four-wheel drive	Front four-wheel drive	
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	

Center differential structure	-	-	-	-
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist
	<ul> <li>Height adjustment</li> </ul>			Height adjustment
Adjustable suspension features	<ul> <li>Soft and hard adjustment</li> </ul>	-	-	<ul> <li>Soft and hard adjustment</li> </ul>
Adjustable suspension types	• Air suspension	-	-	• Air suspension
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
limited slip differential	-	-	-	-
differential lock	-	-	-	-
		wheel brake		
Front brake type	<ul> <li>Ventilated disc type</li> </ul>	<ul> <li>Ventilated disc type</li> </ul>	• Ventilated disc type	• Ventilated disc type
rear brake type	<ul> <li>Ventilated disc type</li> </ul>	<ul> <li>Ventilated disc type</li> </ul>	• Ventilated disc type	<ul> <li>Ventilated disc type</li> </ul>
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	• 255/50 R20	• 255/50 R20	• 255/50 R20	• 255/50 R20
Rear tire specifications	• 255/50 R20	• 255/50 R20	• 255/50 R20	• 255/50 R20
Spare tire	• Tire repair tools only	• Tire repair tools only	• Tire repair tools only	• Tire repair tools only
Spare tire placement	-	-	-	-
		active safety		
ABS anti-lock	•	•	•	•
Braking force distribution (EBD/CBC, etc.)	•	•	•	•
Brake assist (BA/EBA/BAS, etc.)	•	•	•	•
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•

r							
Body stability control (ESP/DSC/VSC, etc.)	•	•	•	•			
Seat belt not fastened reminder	• First two rows	• First two rows	• First two rows	• First two rows			
Tire pressure monitoring	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display			
		passive safety					
Main driver airbag	Main driver airbag • • • •						
Passenger airbag	•	•	•	•			
First row side airbag	٠	•	•	•			
Second row side airbags	-	-	-	-			
side curtain airbags	•	•	•	•			
knee air bag	-	-	-	-			
Passenger seat cushion airbag	-	_	_	-			
Rear seat belt airbag	_	_	-	_			
Rear seat anti-skid airbags	-	-	-	-			
center airbag	-	_		-			
Second row forward airbags	-	-	-	-			
child seat interface	•	•	•	•			
passive pedestrian protection	-	-	-	_			
Run-flat tires	-	-	-	-			
	Auxi	liary/control configura	ation				
front parking radar	•	•	•	•			
Rear parking radar	•	•	•	•			
Reverse side warning system	•	-	•	•			

Door opening collision warning	•	-	•	•
Driving assistance images	<ul> <li>360-degree panoramic image</li> </ul>	<ul> <li>360-degree panoramic image</li> </ul>	• 360-degree panoramic image	<ul> <li>360-degree panoramic image</li> </ul>
Chassis perspective	•	•	•	•
cruise system	<ul> <li>Full-speed adaptive cruise</li> </ul>	Cruise speed	<ul> <li>Full-speed adaptive cruise</li> </ul>	<ul> <li>Full-speed adaptive cruise</li> </ul>
	<ul><li>Sports</li><li>Economy</li></ul>	<ul><li>Sports</li><li>Economy</li></ul>	<ul><li>Sports</li><li>Economy</li></ul>	<ul><li>Sports</li><li>Economy</li></ul>
	Standard/Comfortable	Standard/Comfortable	Standard/Comfortable	Standard/Comfortable
Driving mode selection	<ul> <li>Off-road</li> </ul>	<ul> <li>Off-road</li> </ul>	<ul> <li>Off-road</li> </ul>	<ul> <li>Off-road</li> </ul>
	<ul> <li>Snow</li> </ul>	<ul> <li>Snow</li> </ul>	<ul> <li>Snow</li> </ul>	<ul> <li>Snow</li> </ul>
	• Customization/personalizat ion	• Customization/personalizat ion	• Customization/personalizat ion	• Customization/personalizat ion
Fatigue reminder	•	•	•	•
automatic parking	•	-	•	•
remote control parking	•	-	•	•
remote summoning	•	•	•	•
Engine start and stop	-	•	•	•
automatic parking	•	•	•	•
Hill assist	•	•	•	•
steep descent	•	•	•	•
night vision system	-	-	-	-
variable steering ratio	-	-	-	-
Integral active steering system	-	_	-	-
Wading sensing system	-	-	-	-
low speed four wheel drive	•	•	•	•
	As	ssisted driving functio	ns	1
Parallel assistance (BSM/BSD)	•	-	•	•
Lane Departure Warning (LDWS)	•	-	•	•

Lane Keeping (LKAS)	•	-	•	•
Lane centering	•	-	•	•
Road traffic sign recognition	•	_	•	•
forward collision warning	•	-	•	•
rear collision warning	•	-	•	•
Active braking	•	-	•	•
Automatic lane change assist	•	-	•	•
Automatic ramp exit/entry	-	-	-	-
Reverse tracking	-	-	-	-
	A	ssisted driving hardwa	re	
Driving assistance level	• L2	-	• L2	• L2
Assisted driving system	-	-	-	-
millimeter wave radar	• 5	-	• 5	• 5
ultrasonic radar	• First 6/Last 6	• Front 4/Last 4	• First 6/Last 6	• First 6/Last 6
Front sensing camera type	• monocular	-	• monocular	• monocular
Environment aware camera	• 1	-	• 1	• 1
surround camera	• 4	• 4	• 4	• 4
car camera	• 1	• 1	• 1	• 1
		External configuration		
Skylight type	<ul> <li>Segmented electric sunroof</li> </ul>			
Sport appearance package	-	_	_	-
Electric spoiler	-	-	-	-
Rim material	• Aluminum alloy	Aluminum alloy	Aluminum alloy	Aluminum alloy
Electric suction door	-	-	-	-
Automatic opening and closing of car doors	-	-	-	-

Frameless door	_	_	_	_
sliding door	Bilateral electric	Bilateral electric	Bilateral electric	Bilateral electric
roof rack	-	-	-	-
	Remote key	Remote key	Remote key	Remote key
Key type	Bluetooth key	Bluetooth key	Bluetooth key	Bluetooth key
Keyless start	• Blactooth key	•	• Didetootii key	• Didetootin key
keyless entry	The whole car	The whole car	The whole car	The whole car
Hidden electric door handle	-	-	-	-
Active closing air intake grille	•	-	-	-
Electric tailgate	•	•	•	•
Tailgate position memory	•	•	•	•
Induction tailgate	-	-	-	-
Tailgate glass opens independently	-	-	-	-
car side pedals	-	-	-	-
Low speed driving warning sound	•	•	•	•
Sentinel (clairvoyance) mode	•	•	•	•
tow hook	•	•	•	•
		Internal configuration		
Steering wheel material	Leather	• Leather	Leather	• Leather
steering wheel adjustment	<ul> <li>Manual up and down + front and rear adjustment</li> </ul>	<ul> <li>Manual up and down + front and rear adjustment</li> </ul>	<ul> <li>Manual up and down + front and rear adjustment</li> </ul>	<ul> <li>Manual up and down + front and rear adjustment</li> </ul>
Shift pattern	Electronic gear shift	Electronic gear shift	Electronic gear shift	Electronic gear shift
Multifunction steering wheel	•	•	•	•
steering wheel gear shift	_	_	-	-
Steering wheel heating	-	-	-	-
Trip computer display	• Color	• Color	• Color	• Color

Full LCD instrument panel	•	•	•	•
Instrument screen size [inches]	• 12.3	• 12.3	• 12.3	• 12.3
HUD heads up display	_	-	-	-
Built-in driving recorder	•	•	•	•
Mobile phone wireless charging	• First row	• First row	• First row	• First row
Maximum wireless charging power of mobile phones [W]	• 50	• 50	• 50	• 50
ETC device	-	-	-	-
Active noise reduction	•	•	•	•
Electrically adjustable pedals	_	_	-	_
Single pedal mode	•	•	•	•
		Seat configuration		
seat material	Imitation leather	Imitation leather	Imitation leather	Imitation leather
Sports style seats	-	-	-	-
Electric driver's seat adjustment	<ul> <li>Electric adjustment with memory</li> </ul>			
Passenger seat electric adjustment	<ul> <li>Electric adjustment with memory</li> </ul>			
Driver's seat adjustment method	<ul> <li>Front and back adjustment</li> </ul>			
	Backrest adjustment	Backrest adjustment	Backrest adjustment	<ul> <li>Backrest adjustment</li> </ul>
	<ul> <li>Height adjustment (4- way)</li> </ul>			
	<ul> <li>Waist adjustment (4- way)</li> </ul>		<ul> <li>Waist adjustment (4- way)</li> </ul>	<ul> <li>Waist adjustment (4- way)</li> </ul>
	<ul> <li>Front and back adjustment</li> </ul>			
Passenger seat adjustment method	<ul> <li>Backrest adjustment</li> </ul>	Backrest adjustment	<ul> <li>Backrest adjustment</li> </ul>	<ul> <li>Backrest adjustment</li> </ul>

	<ul> <li>Height adjustment (2- way)</li> </ul>			
	Heating		Heating	Heating
First row seat functions	Ventilation	_	Ventilation	Ventilation
	Massage		<ul> <li>Massage</li> </ul>	<ul> <li>Massage</li> </ul>
Boss button	•	•	•	•
Electrically adjustable second row seats	<ul> <li>Electric adjustment with memory</li> </ul>			
	<ul> <li>Front and back adjustment</li> </ul>			
Second row seat	<ul> <li>Backrest adjustment</li> </ul>			
adjustment method	<ul> <li>Waist adjustment (4- way)</li> </ul>			
	<ul> <li>Leg rest adjustment</li> </ul>			
	Heating	Heating	Heating	Heating
Second row seat functions	<ul> <li>Ventilation</li> </ul>	<ul> <li>Ventilation</li> </ul>	<ul> <li>Ventilation</li> </ul>	<ul> <li>Ventilation</li> </ul>
	<ul> <li>Massage</li> </ul>	<ul> <li>Massage</li> </ul>	<ul> <li>Massage</li> </ul>	<ul> <li>Massage</li> </ul>
Electrically adjustable third row seats	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment
Third row seat adjustment method	<ul> <li>Backrest adjustment</li> </ul>			
	First row	First row	First row	First row
center armrest	<ul> <li>Second row</li> </ul>			
Seat layout	• 2+2+3	• 2+2+3	• 2+2+3	• 2+2+3
Rear seat folding method	<ul> <li>Inverted proportions</li> </ul>			
Electrically reclining rear seats	-	-	-	-
Rear cup holder	<ul> <li>Second row</li> </ul>	<ul> <li>Second row</li> </ul>	<ul> <li>Second row</li> </ul>	Second row
Real cup holder	Third row	Third row	Third row	Third row
Heated/cooled cup holder	-	-	-	-
Rear folding table	<ul> <li>Second row</li> </ul>	-	Second row	<ul> <li>Second row</li> </ul>
		Car/Internet		1
Central control color screen	• Touch LCD screen			
Central control screen size [inch]	• 12.3	• 12.3	• 12.3	• 12.3

Central control screen resolution [px]	• 1920 x 720	● 1920 x 720	● 1920 x 720	● 1920 x 720
Central control screen pixel density [PPI]	• 167	• 167	• 167	• 167
Passenger screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen
Passenger screen size [inches]	• 12.3	• 12.3	• 12.3	• 12.3
Passenger screen resolution [px]	• 1920 x 720	● 1920 x 720	● 1920 x 720	● 1920 x 720
Passenger screen pixel density [PPI]	• 167	• 167	• 167	• 167
Vehicle system	Windlink	Windlink	Windlink	Windlink
Car chip	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155
Vehicle-to-machine network	• 5G	• 5G	• 5G	• 5G
OTA upgrade	Vehicle OTA	<ul> <li>Vehicle OTA</li> </ul>	Vehicle OTA	<ul> <li>Vehicle OTA</li> </ul>
Car WiFi function	WiFi connection	WiFi connection	WiFi connection	WiFi connection
	• WiFi hotspot	WiFi hotspot	<ul> <li>WiFi hotspot</li> </ul>	• WiFi hotspot
Car navigation map	• Baidu	• Baidu	• Baidu	• Baidu
V2X communication	-	-	-	-
roadside assistance call	•	•	•	•
Bluetooth/car phone	•	•	•	•
Mobile phone interconnection/mapping	• Support HiCar	• Support HiCar	• Support HiCar	• Support HiCar
Voice assistant wake word	• Hi, Lantu	• Hi, Lantu	• Hi, Lantu	• Hi, Lantu
Voice zono wako un	• First row	• First row	• First row	First row
Voice zone wake-up	Second row		Second row	<ul> <li>Second row</li> </ul>
Voice wake-up-free	•	•	•	•

Speech continuous recognition	•	•	•	•
	<ul> <li>Multimedia system</li> </ul>	<ul> <li>Multimedia system</li> </ul>	<ul> <li>Multimedia system</li> </ul>	<ul> <li>Multimedia system</li> </ul>
Voice recognition control	Navigation	Navigation	Navigation	Navigation
function	Telephone	Telephone	Telephone	Telephone
	Air conditioning	Air conditioning	Air conditioning	Air conditioning
	<ul> <li>Skylight</li> </ul>	<ul> <li>Skylight</li> </ul>	<ul> <li>Skylight</li> </ul>	<ul> <li>Skylight</li> </ul>
gesture control	•	•	•	•
face recognition	•	•	•	•
	Door control	Door control	Door control	Door control
	Vehicle starts	Vehicle starts	Vehicle starts	Vehicle starts
	• Air conditioning control	• Air conditioning control	• Air conditioning control	• Air conditioning control
	• Charging management	<ul> <li>Charging management</li> </ul>	<ul> <li>Charging management</li> </ul>	<ul> <li>Charging management</li> </ul>
	<ul> <li>Vehicle condition inquiry/diagnosis</li> </ul>	<ul> <li>Vehicle condition inquiry/diagnosis</li> </ul>	<ul> <li>Vehicle condition inquiry/diagnosis</li> </ul>	<ul> <li>Vehicle condition inquiry/diagnosis</li> </ul>
Remote control function	<ul> <li>Vehicle positioning/car search</li> </ul>	<ul> <li>Vehicle positioning/car search</li> </ul>	<ul> <li>Vehicle positioning/car search</li> </ul>	<ul> <li>Vehicle positioning/car search</li> </ul>
	<ul> <li>Maintenance/repair appointment</li> </ul>	<ul> <li>Maintenance/repair appointment</li> </ul>	<ul> <li>Maintenance/repair appointment</li> </ul>	<ul> <li>Maintenance/repair appointment</li> </ul>
	<ul> <li>Car owner services (find charging piles, gas stations, parking lots, etc.)</li> </ul>		<ul> <li>Car owner services (find charging piles, gas stations, parking lots, etc.)</li> </ul>	<ul> <li>Car owner services (find charging piles, gas stations parking lots, etc.)</li> </ul>
		Media entertainment		
Car APP application market	•	•	•	•
Car CD/DVD	-	-	-	-
Multimedia/charging interface	● USB ● Type-C	● USB ● Type-C	● USB ● Type-C	● USB ● Type-C
Number of USB/Type-C interfaces	• 2 people in the front row/6 people in the back row	• 2 people in the front row/6 people in the back row	• 2 people in the front row/6 people in the back row	• 2 people in the front row/6 people in the back row
In-car entertainment functions	• Karaoke	• Karaoke	• Karaoke	• Karaoke
	Games	Games	Games	Games
Rear seat control multimedia	•	-	0	0

Number of multimedia screens in the rear row	• 1	-	o <b>1</b>	o <b>1</b>
Rear multimedia screen size [inch]	• 15.6	-	o <b>15.6</b>	o <b>15.6</b>
Rear multimedia screen material	• LCD	-	∘ LCD	∘ LCD
Rear multimedia screen resolution [px]	• 1920 x 1080	-	∘ 1920 x 1080	∘ 1920 x 1080
Cockpit 220V/230V power supply	-	_	-	-
Luggage compartment power interface	• 12V	• 12V	• 12V	• 12V
audio brand	Dynaudio		Dynaudio	Dynaudio
Number of speakers	• 10	• 8	• 10	• 10
		Light function		
Low beam light source	• LED	• LED	• LED	• LED
high beam light source	• LED	• LED	• LED	• LED
Lighting features	-	-	-	-
LED daytime running lights	•	•	•	•
	• Height adjustment	Height adjustment	<ul> <li>Height adjustment</li> </ul>	Height adjustment
	<ul> <li>Automatic opening and closing</li> </ul>			
Headlight function	<ul> <li>Adaptive high and low beam</li> </ul>			
	• Automatic steering	Automatic steering	Automatic steering	Automatic steering
	<ul> <li>Delayed shutdown</li> </ul>			
Turn assist light	•	•	•	•
Front fog lights	• LED	• LED	• LED	• LED

Headlight cleaning device	-	-	-	-
Car interior ambient light	• 64 colors	-	• 64 colors	• 64 colors
		glass/rear view mirror		
First row electric windows	•	•	•	•
Second row electric windows	•	•	•	•
One-click lifting and lowering of windows	• The whole car			
Window anti-pinch function	• The whole car			
Multilayer soundproof glass	• The whole car	• First row	• The whole car	• The whole car
	Electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment
	Heated rearview mirrors	Heated rearview mirrors	Heated rearview mirrors	Heated rearview mirrors
	Electric folding	Electric folding	Electric folding	Electric folding
Exterior rearview mirror	Rearview mirror memory	Rearview mirror memory	Rearview mirror memory	Rearview mirror memory
function	<ul> <li>Automatically roll down when reversing</li> </ul>			
	<ul> <li>Automatic folding when locking the car</li> </ul>			
Interior rearview mirror function	<ul> <li>Automatic anti-dazzle</li> </ul>	• Automatic anti-dazzle	<ul> <li>Automatic anti-dazzle</li> </ul>	<ul> <li>Automatic anti-dazzle</li> </ul>
Rear side privacy glass	•	•	•	•
Rear side sunshades	-	-	-	-
Rear windshield sunshade	-	-	-	-
Car vanity mirror	• Main driving + lighting			
	• Co-pilot + lighting			

				<b>.</b>	
Sensing wiper function	Rain sensor type	<ul> <li>Rain sensor type</li> </ul>	<ul> <li>Rain sensor type</li> </ul>	Rain sensor type	
rear wiper	•	•	•	•	
Heated water nozzle	-	-	-	-	
	Air	conditioning/refrigera	tion		
First row air conditioner	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zor automatic air conditionir	
Second row air conditioner	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning	• Single temperature zone automatic air conditioning	<ul> <li>Single temperature zo automatic air conditionii</li> </ul>	
Third row air conditioner	• Air outlet	• Air outlet	• Air outlet	• Air outlet	
heat pump air conditioner	•	-	-	-	
air quality monitoring	•	-	•	•	
In-car PM2.5 filter device	•	•	•	•	
Car air purifier	•	•	•	•	
negative ion generator	•	-	-	•	
Fragrance system	•	-	-	•	
car refrigerator	-	-	-	-	
		Featured configuratior	1		
It can be said that it is visible	-	-	-	-	
		Optional package			
Rear cabin calfskin suit	-	-	-	-	
	-	Rear cabin -	calfskin suit -	-	
entertainment package	4K high-definition ceiling screen and electric seat upgrade package				
	-	-	-	_	

Customized business class package (personalized color matching)	High-end leather ceiling & interior high-end leather covering (Dianqing black + ocher brown, Yishan purple + frost white, Windsor blue + Aoxue white), seat color matching leather covering (Dianqing black + ocher brown, Yishan purple + frost Snow White, Windsor Blue + Snow White), electric seat upgrade package, deep sea extra sound insulation and noise reduction, multi-color adjustable starry sky roof				
Customized business class package (original color)	-	ge, deep sea extra sound insi	- legant black + camel brown, ulation and noise reduction, roof	- slate gray + cotton rice), multi-color adjustable starry	
Customized business class package (personalized color matching)	frost white, Windsor blue black + ocher brown, Yisha	+ Aoxue white), three rows c an purple Mountain purple +	- vering (Dianqing black + och of seats with color matching l - frosty white, Windsor blue I noise reduction, multi-color	eather covering (Dianqing + proud snow white), first-	
Customized business class package (original color)		0 0	- ant black + camel brown, sla noise reduction, multi-color	<b>C</b> .	
Customized First Class Package	frost white, Windsor blue black + ocher brown, Yisha class airline seats, deep sea	+ Aoxue white), three rows c an purple Mountain purple + extra sound insulation and r on aluminum floor (ink paint	- vering (Dianqing black + och of seats with color matching l frosty white, Windsor blue noise reduction, multi-color a ing version), aluminum alloy inition ceiling screen	eather covering (Dianqing + proud snow white), first- adjustable starry sky ceiling,	

starry sky dome	-	-	-	-
starty sky dome		starry sk	ky dome	
Light luxury and comfort package	-	-	-	-
	Aviation aluminum floor (ink painting style), aluminum alloy pedals (dazhanlan style), electric seat upgrade package, 4K high-definition ceiling screen			
	-	-	-	-
Elegant package	Aviation aluminum floor (yacht craft model), aluminum alloy pedals (Dazhanlan Tu model), electric seat upgrade package			