

Yuanhe Unique New Energy

Email: wenbin_zheng@hotmail.com WhatsApp: +86 139 0639 1027

	2023 Version 580 Rear Drive Long Range Pro	2023 Version 580 rear drive long range Max	2023 Version 755 Rear Drive Super Long Range Pro	2023 Version 755 rear-wheel drive super long range Max	2023 Version 700 four-wheel drive high-performance Max
Basic Information					
level	Medium SUV	Medium SUV	Medium SUV	Medium SUV	Medium SUV
Energy type	pure electricity	pure electricity	pure electricity	pure electricity	pure electricity
time to market	2023/6/29	2023/6/29	2023/6/29	2023/6/29	2023/6/29
CLTC pure electric range [km]	580	580	755	755	700
Fast charging time[h]	0.32	0.32	0.32	0.32	0.32
Fast charging capacity [%]	10-80	10-80	10-80	10-80	10-80
Motor[Ps]	296	296	296	296	487
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	4753*1920*1650	4753*1920*1650	4753*1920*1650	4753*1920*1650	4753*1920*1650
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed [km/h]	202	202	202	202	202
Official 0-100km/h acceleration [s]	6.6	6.6	5.9	5.9	3.9
Vehicle warranty	5 years or 120,000 kilometers	5 years or 120,000 kilometers	5 years or 120,000 kilometers	5 years or 120,000 kilometers	5 years or 120,000 kilometers
Exterior color					
interior color					
Body					
Length[mm]	4753	4753	4753	4753	4753
Width[mm]	1920	1920	1920	1920	1920
Height[mm]	1650	1650	1650	1650	1650
Wheelbase [mm]	2890	2890	2890	2890	2890
Front wheelbase [mm]	1635	1635	1635	1635	1635
Rear wheelbase [mm]	1650	1650	1650	1650	1650
Car door opening method	swing door	swing door	swing door	swing door	swing door
Number of doors	5	5	5	5	5
number of seats	5	5	5	5	5
Approach angle [°]	16	16	16	16	16
Departure angle [°]	20	20	20	20	20
Drag coefficient [Cd]	0.248	0.248	0.248	0.248	0.248

Official trunk volume [L]	571-1374	571-1374	571-1374	571-1374	571-1374
Curb weight [kg]	1995	1995	1995	1995	2095
Full load mass [kg]	2390	2390	2390	2390	2490
electric motor					
Number of drive motors	single motor	single motor	single motor	single motor	Dual motor
Motor layout	rear	rear	rear	rear	Front + rear
Motor type	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization	Front induction asynchronous/rear permanent magnet synchronous
Total motor power [kW]	218	218	218	218	358
Total motor horsepower [Ps]	296	296	296	296	487
Motor total torque [N·m]	440	440	440	440	660
Maximum power of front electric motor [kW]	-	-	-	-	140
Maximum torque of front electric motor [N·m]	-	-	-	-	220
Maximum power of rear electric motor [kW]	218	218	218	218	218
Maximum torque of rear electric motor [N·m]	440	440	440	440	440
Battery/recharge					
Battery Type	Lithium iron phosphate battery	Lithium iron phosphate battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery brand	China New Airlines	China New Airlines	China New Airlines	China New Airlines	China New Airlines
Battery temperature management	• Low temperature heating	• Low temperature heating	• Low temperature heating	• Low temperature heating	• Low temperature heating
	• Liquid cooling	• Liquid cooling	• Liquid cooling	• Liquid cooling	• Liquid cooling
CLTC pure electric range [km]	580	580	755	755	700
Battery power [kWh]	66	66	87.5	87.5	87.5

Electricity consumption per 100 kilometers [kWh/100km]	13.2	13.2	13.2	13.2	14.1
vehicle charging port	• Slow charging port	• Slow charging port	• Slow charging port	• Slow charging port	• Slow charging port
	• Quick charging port	• Quick charging port	• Quick charging port	• Quick charging port	• Quick charging port
Slow charging port location	• Right rear side of car	• Right rear side of car	• Right rear side of car	• Right rear side of car	• Right rear side of car
Fast charging port location	• Right rear side of car	• Right rear side of car	• Right rear side of car	• Right rear side of car	• Right rear side of car
Fast charging power [kW]	280	280	280	280	280
Fast charging time[min]	19	19	19	19	19
Fast charging time[h]	0.32	0.32	0.32	0.32	0.32
Fast charging capacity [%]	10-80	10-80	10-80	10-80	10-80
Vehicle battery swap	-	-	-	-	-
Home charging pile	-	-	-	-	-
Car charging gun	-	-	-	-	-
External discharge function	•	•	•	•	•
Battery pack warranty	8 years or 160,000 kilometers	8 years or 160,000 kilometers	8 years or 160,000 kilometers	8 years or 160,000 kilometers	8 years or 160,000 kilometers
gearbox					
Gearbox description	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio
Number of gears	1	1	1	1	1
chassis steering					
Drive form	rear wheel drive	rear wheel drive	rear wheel drive	rear wheel drive	Dual motor four-wheel drive
four-wheel drive	-	-	-	-	Electric four-wheel drive
Center differential structure	-	-	-	-	-
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist	electric assist

Adjustable suspension features	-	-	-	-	-
Adjustable suspension types	-	-	-	-	-
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing
limited slip differential	-	-	-	-	-
differential lock	-	-	-	-	-
wheel brake					
Front brake type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type
rear brake type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type	• Ventilated disc type
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	• 235/60 R18	• 235/60 R18	• 235/60 R18	• 235/60 R18	• 235/60 R18
	○ 255/45 R20 6,000 yuan	○ 255/45 R20 6,000 yuan	○ 255/45 R20 6,000 yuan	○ 255/45 R20 6,000 yuan	○ 255/45 R20 6,000 yuan
Rear tire specifications	• 235/60 R18	• 235/60 R18	• 235/60 R18	• 235/60 R18	• 235/60 R18
	○ 255/45 R20 6,000 yuan	○ 255/45 R20 6,000 yuan	○ 255/45 R20 6,000 yuan	○ 255/45 R20 6,000 yuan	○ 255/45 R20 6,000 yuan
Spare tire	• No spare tire	• No spare tire	• No spare tire	• No spare tire	• No spare tire
Spare tire placement	-	-	-	-	-
active safety					
ABS anti-lock	•	•	•	•	•
Braking force distribution (EBD/CBC, etc.)	•	•	•	•	•
Brake assist (BA/EBA/BAS, etc.)	•	•	•	•	•
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•	•
Body stability control (ESP/DSC/VSC, etc.)	•	•	•	•	•
Seat belt not fastened reminder	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Tire pressure monitoring	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display
In-car biometric monitoring	-	-	-	-	-
passive safety					
Main driver airbag	•	•	•	•	•

Passenger airbag	•	•	•	•	•
First row side airbag	•	•	•	•	•
Second row side airbags	-	-	-	-	-
side curtain airbags	•	•	•	•	•
knee air bag	-	-	-	-	-
Passenger seat cushion airbag	-	-	-	-	-
Rear seat belt airbag	-	-	-	-	-
Rear seat anti-skid airbags	-	-	-	-	-
center airbag	-	-	-	-	-
Second row forward airbags	-	-	-	-	-
child seat interface	•	•	•	•	•
passive pedestrian protection	-	-	-	-	-
Run-flat tires	-	-	-	-	-
Auxiliary/control configuration					
front parking radar	•	•	•	•	•
Rear parking radar	•	•	•	•	•
Reverse side warning system	•	•	•	•	•
Door opening collision warning	•	•	•	•	•
Driving assistance images	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image
Chassis perspective	•	•	•	•	•
cruise system	• Full-speed adaptive cruise	• Full-speed adaptive cruise	• Full-speed adaptive cruise	• Full-speed adaptive cruise	• Full-speed adaptive cruise
Driving mode selection	• Sports	• Sports	• Sports	• Sports	• Sports
	• Standard/Comfortable	• Standard/Comfortable	• Standard/Comfortable	• Standard/Comfortable	• Standard/Comfortable
					• Off-road
Fatigue reminder	•	•	•	•	•
automatic parking	•	•	•	•	•
remote control parking	•	•	•	•	•
remote summoning	•	•	•	•	•
Engine start and stop	-	-	-	-	-

automatic parking	•	•	•	•	•
Hill assist	•	•	•	•	•
steep descent	•	•	•	•	•
night vision system	-	-	-	-	-
variable steering ratio	-	-	-	-	-
Integral active steering system	-	-	-	-	-
Wading sensing system	-	-	-	-	-
low speed four wheel drive	-	-	-	-	-
creep mode	-	-	-	-	-
tank turns	-	-	-	-	-
Assisted driving functions					
Parallel assistance (BSM/BSD)	•	•	•	•	•
Lane Departure Warning (LDWS)	•	•	•	•	•
Lane Keeping (LKAS)	•	•	•	•	•
Lane centering	•	•	•	•	•
Road traffic sign recognition	•	•	•	•	•
forward collision warning	•	•	•	•	•
rear collision warning	•	•	•	•	•
Active braking	•	•	•	•	•
Automatic lane change assist	•	•	•	•	•
Automatic ramp exit/entry	•	•	•	•	•
High-speed assisted driving	•	•	•	•	•
Urban assisted driving	-	•	-	•	•
Reverse tracking	•	•	•	•	•
Assisted driving hardware					
Driving assistance level	• L2	• L2	• L2	• L2	• L2
Assisted driving system	• XPILOT	• XNGP	• XPILOT	• XNGP	• XNGP
Assisted driving chip	• 1 NVIDIA Drive Orin-X	• 2 NVIDIA Drive Orin-X	• 1 NVIDIA Drive Orin-X	• 2 NVIDIA Drive Orin-X	• 2 NVIDIA Drive Orin-X
Chip computing power	• 254 TOPS	• 508 TOPS	• 254 TOPS	• 508 TOPS	• 508 TOPS

Lidar brand	-	• RoboSense	-	• RoboSense	• RoboSense
Lidar model	-	• RS-LiDAR M1	-	• RS-LiDAR M1	• RS-LiDAR M1
LiDAR quantity	-	• 2	-	• 2	• 2
Lidar line number	-	• 96 lines	-	• 96 lines	• 96 lines
Lidar maximum detection distance [m]	-	• 200	-	• 200	• 200
Lidar 10% reflectivity detection distance [m]	-	• 150	-	• 150	• 150
Number of lidar point clouds [10,000/second]	-	• 78	-	• 78	• 78
millimeter wave radar	• 5	• 5	• 5	• 5	• 5
ultrasonic radar	• First 6/Last 6	• First 6/Last 6	• First 6/Last 6	• First 6/Last 6	• First 6/Last 6
Front sensing camera type	• Binocular	• Binocular	• Binocular	• Binocular	• Binocular
Front sensing camera pixels [10,000]	• 800	• 800	• 800	• 800	• 800
Environment aware camera	• 7	• 7	• 7	• 7	• 7
Environment sensing camera pixels [10,000]	• 200	• 200	• 200	• 200	• 200
surround camera	• 4	• 4	• 4	• 4	• 4
Surround camera pixels [10,000]	• 200	• 200	• 200	• 200	• 200
car camera	• 1	• 1	• 1	• 1	• 1
External configuration					
Skylight type	• The panoramic sunroof cannot be opened	• The panoramic sunroof cannot be opened	• The panoramic sunroof cannot be opened	• The panoramic sunroof cannot be opened	• The panoramic sunroof cannot be opened
Light-sensing awning	-	-	-	-	-
Sport appearance package	-	-	-	-	-
Electric spoiler	○	○	○	○	○
Rim material	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy
Electric suction door	-	-	-	-	-
Automatic opening and closing of car doors	-	-	-	-	-

Frameless door	•	•	•	•	•
sliding door	-	-	-	-	-
roof rack	-	-	-	-	-
Key type	• Remote key	• Remote key	• Remote key	• Remote key	• Remote key
	• Bluetooth key	• Bluetooth key	• Bluetooth key	• Bluetooth key	• Bluetooth key
Keyless start	•	•	•	•	•
keyless entry	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Hidden electric door handle	•	•	•	•	•
Active closing air intake grille	-	-	-	-	-
Electric tailgate	•	•	•	•	•
Tailgate position memory	•	•	•	•	•
Induction tailgate	•	•	•	•	•
Tailgate glass opens independently	-	-	-	-	-
car side pedals	-	-	-	-	-
Low speed driving warning sound	•	•	•	•	•
Sentinel (clairvoyance) mode	•	•	•	•	•
Internal configuration					
Steering wheel material	• Genuine leather	• Genuine leather	• Genuine leather	• Genuine leather	• Genuine leather
steering wheel adjustment	• Manual up and down + front and rear adjustment	• Manual up and down + front and rear adjustment	• Manual up and down + front and rear adjustment	• Manual up and down + front and rear adjustment	• Manual up and down + front and rear adjustment
Shift pattern	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting
Multifunction steering wheel	•	•	•	•	•
steering wheel gear shift	-	-	-	-	-
Steering wheel heating	•	•	•	•	•
Trip computer display	• Color	• Color	• Color	• Color	• Color
Full LCD instrument panel	•	•	•	•	•
Instrument screen size [inches]	• 10.2	• 10.2	• 10.2	• 10.2	• 10.2
HUD heads up display	-	-	-	-	-
Built-in driving recorder	•	•	•	•	•

Mobile phone wireless charging	• First row	• First row	• First row	• First row	• First row
ETC device	-	-	-	-	-
Active noise reduction	-	-	-	-	-
Electrically adjustable pedals	-	-	-	-	-
Single pedal mode	•	•	•	•	•
Seat configuration					
seat material	• Leather	• Genuine leather	• Leather	• Genuine leather	• Genuine leather
Sports style seats	-	-	-	-	-
Electric driver's seat adjustment	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory
Passenger seat electric adjustment	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory	• Electric adjustment with memory
Driver's seat adjustment method	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment
	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)	• Height adjustment (4-way)
	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)	• Waist adjustment (4-way)
Passenger seat adjustment method	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment	• Front and back adjustment
	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
	• Height adjustment (2-way)	• Height adjustment (2-way)	• Height adjustment (2-way)	• Height adjustment (2-way)	• Height adjustment (2-way)
First row seat functions	• Heating	• Heating	• Heating	• Heating	• Heating
	• Ventilation	• Ventilation	• Ventilation	• Ventilation	• Ventilation
Boss button	-	-	-	-	-
Electrically adjustable second row seats	-	-	-	-	-
Second row seat adjustment method	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment	• Backrest adjustment
Second row seat functions	-	-	-	-	-
center armrest	• First row	• First row	• First row	• First row	• First row
	• Second row	• Second row	• Second row	• Second row	• Second row
Seat layout	• 2+3	• 2+3	• 2+3	• 2+3	• 2+3
Rear seat folding method	• Inverted proportions	• Inverted proportions	• Inverted proportions	• Inverted proportions	• Inverted proportions
Electrically reclining rear seats	-	-	-	-	-
Rear cup holder	• Second row	• Second row	• Second row	• Second row	• Second row

Heated/cooled cup holder	-	-	-	-	-
Rear folding table	-	-	-	-	-
Car/Internet					
Central control color screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen
Central control screen size [inch]	• 14.96	• 14.96	• 14.96	• 14.96	• 14.96
Central control screen material	• LCD	• LCD	• LCD	• LCD	• LCD
Passenger screen	-	-	-	-	-
Vehicle system	Xmart OS	Xmart OS	Xmart OS	Xmart OS	Xmart OS
Car chip	Qualcomm Snapdragon SA8155P	Qualcomm Snapdragon SA8155P	Qualcomm Snapdragon SA8155P	Qualcomm Snapdragon SA8155P	Qualcomm Snapdragon SA8155P
Vehicle-to-machine network	• 4G	• 4G	• 4G	• 4G	• 4G
OTA upgrade	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA	• Vehicle OTA
Car WiFi function	• WiFi connection	• WiFi connection	• WiFi connection	• WiFi connection	• WiFi connection
	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot	• WiFi hotspot
AR real-life navigation	-	-	-	-	-
Car navigation map	• Gaode	• Gaode	• Gaode	• Gaode	• Gaode
HD map	•	•	•	•	•
V2X communication	-	-	-	-	-
roadside assistance call	•	•	•	•	•
Bluetooth/car phone	•	•	•	•	•
Mobile phone interconnection/mapping	• Original interconnection/mapping	• Original interconnection/mapping	• Original interconnection/mapping	• Original interconnection/mapping	• Original interconnection/mapping
Voice assistant wake word	• Hello, little P	• Hello, little P	• Hello, little P	• Hello, little P	• Hello, little P
Voice zone wake-up	• First row	• First row	• First row	• First row	• First row
	• Second row	• Second row	• Second row	• Second row	• Second row
Voice wake-up-free	•	•	•	•	•
Speech continuous recognition	•	•	•	•	•
Voice recognition control function	• Multimedia system	• Multimedia system	• Multimedia system	• Multimedia system	• Multimedia system
	• Navigation	• Navigation	• Navigation	• Navigation	• Navigation
	• Telephone	• Telephone	• Telephone	• Telephone	• Telephone
	• Air conditioning	• Air conditioning	• Air conditioning	• Air conditioning	• Air conditioning
	• Car windows	• Car windows	• Car windows	• Car windows	• Car windows
	• Skylight	• Skylight	• Skylight	• Skylight	• Skylight

gesture control	-	-	-	-	-
face recognition	•	•	•	•	•
Remote control function	• Door control	• Door control	• Door control	• Door control	• Door control
	• Window control	• Window control	• Window control	• Window control	• Window control
	• Vehicle starts	• Vehicle starts	• Vehicle starts	• Vehicle starts	• Vehicle starts
	• Air conditioning control	• Air conditioning control	• Air conditioning control	• Air conditioning control	• Air conditioning control
	• Charging management	• Charging management	• Charging management	• Charging management	• Charging management
	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis	• Vehicle condition inquiry/diagnosis
	• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search	• Vehicle positioning/car search
	• Maintenance/repair appointment	• Maintenance/repair appointment	• Maintenance/repair appointment	• Maintenance/repair appointment	• Maintenance/repair appointment
	• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)
Media entertainment					
Car APP application market	•	•	•	•	•
Car CD/DVD	-	-	-	-	-
Multimedia/charging interface	• USB	• USB	• USB	• USB	• USB
	• Type-C	• Type-C	• Type-C	• Type-C	• Type-C
Number of USB/Type-C interfaces	• 2 in the front row/2 in the back row	• 2 in the front row/2 in the back row	• 2 in the front row/2 in the back row	• 2 in the front row/2 in the back row	• 2 in the front row/2 in the back row
Rear seat control multimedia	-	-	-	-	-
Cockpit 220V/230V power supply	-	-	-	-	-
Luggage compartment power interface	• 12V	• 12V	• 12V	• 12V	• 12V
audio brand	-	-	-	-	-
Number of speakers	• 18	• 18	• 18	• 18	• 18
Light function					
Low beam light source	• LED	• LED	• LED	• LED	• LED
high beam light source	• LED	• LED	• LED	• LED	• LED
Lighting features	-	-	-	-	-
LED daytime running lights	•	•	•	•	•

Headlight function	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment	• Height adjustment
	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing	• Automatic opening and closing
	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam	• Adaptive high and low beam
	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown	• Delayed shutdown
Turn assist light	-	-	-	-	-
Front fog lights	-	-	-	-	-
Headlight cleaning device	-	-	-	-	-
Car interior ambient light	• Multicolor	• Multicolor	• Multicolor	• Multicolor	• Multicolor
glass/rear view mirror					
First row electric windows	•	•	•	•	•
Second row power windows	•	•	•	•	•
One-click lifting and lowering of windows	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Window anti-pinch function	• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
Multilayer soundproof glass	• First row	• First row	• First row	• First row	• First row
Exterior rearview mirror function	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment	• Electric adjustment
	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors	• Heated rearview mirrors
	• Electric folding	• Electric folding	• Electric folding	• Electric folding	• Electric folding
	• Rearview mirror memory	• Rearview mirror memory	• Rearview mirror memory	• Rearview mirror memory	• Rearview mirror memory
	• Automatically roll down when reversing	• Automatically roll down when reversing	• Automatically roll down when reversing	• Automatically roll down when reversing	• Automatically roll down when reversing
	• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car	• Automatic folding when locking the car
Interior rearview mirror function	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle	• Automatic anti-dazzle
Rear side privacy glass	-	-	-	-	-
Rear side sunshades	-	-	-	-	-
Rear windshield sunshade	-	-	-	-	-

Car vanity mirror	• Main driving + lighting	• Main driving + lighting	• Main driving + lighting	• Main driving + lighting	• Main driving + lighting
	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting
Sensing wiper function	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type	• Rain sensor type
rear wiper	•	•	•	•	•
Heated water nozzle	-	-	-	-	-
Air conditioning/refrigeration					
First row air conditioner	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning	• Dual temperature zone automatic air conditioning
Second row air conditioner	• Air outlet	• Air outlet	• Air outlet	• Air outlet	• Air outlet
Third row air conditioner	-	-	-	-	-
heat pump air conditioner	•	•	•	•	•
air quality monitoring	•	•	•	•	•
In-car PM2.5 filter device	•	•	•	•	•
Car air purifier	•	•	•	•	•
negative ion generator	-	-	-	-	-
Fragrance system	-	-	-	-	-
car refrigerator	-	-	-	-	-
Optional package					
Sport performance package	○ Optional 9000	○ Optional 9000	○ Optional 9000	○ Optional 9000	○ Optional 9000
	Adaptive lifting electric rear wing, 20-inch sports wheels (equipped with 255/45 R20 high-performance brand silent tires)				