Yuanhe Unique New Energy									
Email: wenbin_zheng@hotmail.com WhatsApp: +86 139 0639 1027									
	2024 Version 570 RWD Long Range Pro	2024 Version 570 rear drive long range Max	2024 Version 702 rear drive super long battery life Pro	2024 Version 702 rear- wheel drive super long range Max	2024 Version 650 four- wheel drive high- performance Max				
Basic Information									
level	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV				
Energy type	pure electricity	pure electricity	pure electricity	pure electricity	pure electricity				
time to market	2023/9/19	2023/9/19	2023/9/19	2023/9/19	2023/9/19				
CLTC pure electric range [km]	570	570	702	702	650				
Fast charging time[h]	0.33	0.33	0.33	0.33	0.33				
Fast charging capacity [%]	10-80	10-80	10-80	10-80	10-80				
Motor[Ps]	313	313	313	313	551				
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio				
Length*width*height[mm]	4891*1937*1680	4891*1937*1680	4891*1937*1680	4891*1937*1680	4891*1937*1670				
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV				
Maximum speed [km/h]	200	200	200	200	200				
Official 0-100km/h acceleration [s]	6.4	6.4	6.4	6.4	3.9				
Vehicle warranty	5 years or 120,000 kilometers	5 years or 120,000 kilometers	5 years or 120,000 kilometers	5 years or 120,000 kilometers	5 years or 120,000 kilometers				
Exterior color									
interior color									
		Во	dy						
Length[mm]	4891	4891	4891	4891	4891				
Width[mm]	1937	1937	1937	1937	1937				
Height[mm]	1680	1680	1680	1680	1670				
Wheelbase [mm]	2998	2998	2998	2998	2998				
Front wheelbase [mm]	1656	1656	1656	1656	1656				
Rear wheelbase [mm]	1663	1663	1663	1663	1663				
Car door opening method	swing door	swing door	swing door	swing door	swing door				
Number of doors	5	5	5	5	5				
number of seats	5	5	5	5	5				
Approach angle [°]	19	19	19	19	19				
Departure angle[°]	20	20	20	20	20				

				_	
Minimum ground clearance with full load [mm]	145	145	145	145	145
Minimum turning radius [m]	5.9	5.9	5.9	5.9	5.9
Drag coefficient [Cd]	0.272	0.272	0.272	0.272	0.272
Official front trunk volume [L]	71	71	71	71	71
Official trunk volume [L]	660-1576	660-1576	660-1576	660-1576	660-1576
Actual measured trunk volume [L]	-	-	-	-	-
Curb weight [kg]	2230	2245	2205	2225	2335
Full load mass [kg]	2680	2680	2680	2680	2800
Traction mass [kg]	-	-	-	-	-
		electric	motor		
Number of drive motors	single motor	single motor	single motor	single motor	Dual motor
Motor layout	Rear	Rear	Rear	Rear	Front + rear
Motor type	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization	Permanent magnet synchronization	Front AC asynchronous/rear permanent magnet synchronous
Total motor power [kW]	230	230	230	230	405
Total motor horsepower [Ps]	313	313	313	313	551
Motor total torque [N·m]	430	430	430	430	717
Maximum power of front electric motor [kW]	-	-	-	-	175
Maximum torque of front electric motor [N·m]	-	-	-	-	287
Maximum power of rear electric motor [kW]	230	230	230	230	230
Maximum torque of rear electric motor [N·m]	430	430	430	430	430
		Batterv/	 recharge	I	I
			<i>y</i> -		

		T	T		T
Battery Type	Lithium iron phosphate battery	Lithium iron phosphate battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery brand	Made by Zhipeng				
Battery temperature	Low temperature heating				
management	Liquid cooling				
CLTC pure electric range [km]	570	570	702	702	650
Battery power [kWh]	78.4	78.4	98	98	98
Battery energy density [Wh/kg]	130	130	160	160	160
Electricity consumption per 100 kilometers [kWh/100km]	15.2	15.2	15.2	15.2	16
vehicle charging port	Slow charging port	Slow charging port	Slow charging port	Slow charging port	Slow charging port
vehicle charging port	Quick charging port	Quick charging port	Quick charging port	Quick charging port	Quick charging port
Slow charging port location	Right rear side of car				
Fast charging port location	Right rear side of car				
Fast charging power [kW]	315	315	315	315	315
Fast charging time[min]	20	20	20	20	20
Fast charging time[h]	0.33	0.33	0.33	0.33	0.33
Fast charging capacity [%]	10-80	10-80	10-80	10-80	10-80
Vehicle battery swap	-	-	-	-	-
Home charging pile	-	-	-	-	-
Car charging gun	-	-	-	-	-
External discharge function	•	•	•	•	•
External discharge power	• 3.3kw				
Battery pack warranty	8 years or 160,000 kilometers				
		gea	rbox		
Gearbox description	Electric vehicle single speed gearbox				
Gearbox type	Fixed gear ratio				

Number of gears	1	1	1	1	1			
chassis steering								
Drive form	rear wheel drive	rear wheel drive	rear wheel drive	rear wheel drive	Dual motor four-wheel drive			
four-wheel drive	-	-	-	-	Electric four-wheel drive			
Center differential structure	-	-	-	-	-			
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension			
rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension			
Assist type	electric assist	electric assist	electric assist	electric assist	electric assist			
A divertable averages	 Height adjustment 	 Height adjustment 	Height adjustment	Height adjustment	Height adjustment			
Adjustable suspension features	 Soft and hard adjustment 	 Soft and hard adjustment 	 Soft and hard adjustment 	 Soft and hard adjustment 	 Soft and hard adjustment 			
					Air suspension			
Adjustable suspension types	o Air suspension	o Air suspension	Air suspension	o Air suspension	Electromagnetic induction suspension			
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing	Load-bearing			
limited slip differential	-	-	-	-	-			
differential lock	-	-	-	-	-			
		wheel	brake					
Front brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type			
rear brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type			
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking			
Front tire specifications	• 255/55 R19 • 255/45 R21	• 255/45 R21	• 255/55 R19 • 255/45 R21	• 255/45 R21	• 255/45 R21			
	• 255/55 R19		• 255/55 R19					
Rear tire specifications	255/45 R21	• 255/45 R21	o 255/45 R21	• 255/45 R21	• 255/45 R21			
Spare tire	Tire repair tools only	Tire repair tools only	Tire repair tools only	Tire repair tools only	Tire repair tools only			
Spare tire placement	-	-	-	-	-			
		active	safety					
ABS anti-lock	•	•	•	•	•			
Braking force distribution (EBD/CBC, etc.)	•	•	•	•	•			
Brake assist (BA/EBA/BAS, etc.)	•	•	•	•	•			
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•	•			

		T	I	ı	
Body stability control (ESP/DSC/VSC, etc.)	•	•	•	•	•
Seat belt not fastened reminder	The whole car	• The whole car	The whole car	• The whole car	The whole car
Tire pressure monitoring	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display
		passive	safety		
Main driver airbag	•	•	•	•	•
Passenger airbag	•	•	•	•	•
First row side airbag	•	•	•	•	•
Second row side airbags	-	-	-	-	-
side curtain airbags	•	•	•	•	•
knee air bag	-	-	-	-	-
Passenger seat cushion airbag	-	-	-	-	-
Rear seat belt airbag	-	-	-	-	-
Rear seat anti-skid airbags	-	-	-	-	-
center airbag	-	-	-	-	-
Second row forward airbags	-	-	-	-	-
child seat interface	•	•	•	•	•
passive pedestrian protection	-	-	-	-	-
Run-flat tires	-	-	-	-	-
		Auxiliary/contro	ol configuration		
front parking radar	•	•	•	•	•
Rear parking radar	•	•	•	•	•
Reverse side warning system	•	•	•	•	•
Door opening collision warning	•	•	•	•	•
Driving assistance images	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image	360-degree panoramic image	• 360-degree panoramic image
Chassis perspective	•	•	•	•	•
cruise system	Full-speed adaptive cruise	Full-speed adaptive cruise	Full-speed adaptive cruise	Full-speed adaptive cruise	Full-speed adaptive cruise
	Sports Economy	Sports Economy	Sports Economy	• Sports • Economy	Sports Economy

Driving mode selection	Standard/Comfortable	Standard/Comfortable	Standard/Comfortable	Standard/Comfortable	Standard/Comfortable
					Off-road
Fatigue reminder	•	•	•	•	•
automatic parking	•	•	•	•	•
remote control parking	•	•	•	•	•
remote summoning	•	•	•	•	•
Engine start and stop	-	-	-	-	-
automatic parking	•	•	•	•	•
Hill assist	•	•	•	•	•
steep descent	•	•	•	•	•
night vision system	-	-	-	-	-
variable steering ratio	-	-	-	-	-
Integral active steering system	-	-	-	-	-
Wading sensing system	-	-	-	-	-
low speed four wheel drive	-	-	-	-	-
creep mode	-	-	-	-	-
tank turns	-	-	-	-	-
		Assisted driv	ing functions		
Parallel assistance (BSM/BSD)	•	•	•	•	•
Lane Departure Warning (LDWS)	•	•	•	•	•
Lane Keeping (LKAS)	•	•	•	•	•
Lane centering	•	•	•	•	•
Road traffic sign recognition	•	•	•	•	•
forward collision warning	•	•	•	•	•
rear collision warning	•	•	•	•	•
Active braking	•	•	•	•	•
Automatic lane change assist	•	•	•	•	•
Automatic ramp exit/entry	•	•	•	•	•
High-speed assisted driving	•	•	•	•	•

Urban assisted driving	-	•	-	•	•					
Reverse tracking	•	•	•	•	•					
Assisted driving hardware										
Driving assistance level	• L2									
Assisted driving system	• XPILOT	• XNGP	• XPILOT	• XNGP	• XNGP					
Assisted driving chip	• 1 NVIDIA Drive Orin-X	2 NVIDIA Drive Orin-X	• 1 NVIDIA Drive Orin-X	• 2 NVIDIA Drive Orin-X	2 NVIDIA Drive Orin-X					
Chip computing power	• 254 TOPS	• 508 TOPS	• 254 TOPS	• 508 TOPS	• 508 TOPS					
Lidar brand	-	 RoboSense 	-	 RoboSense 	 RoboSense 					
Lidar model	-	• RS-LiDAR M1	-	• RS-LiDAR M1	• RS-LiDAR M1					
LiDAR quantity	-	• 2	-	• 2	• 2					
Lidar line number	-	• 126 lines	-	• 126 lines	• 126 lines					
Lidar maximum detection distance [m]	-	• 200	-	• 200	• 200					
Number of lidar point clouds [10,000/second]	-	• 78	-	• 78	• 78					
millimeter wave radar	• 5	• 5	• 5	• 5	• 5					
ultrasonic radar	• First 6/Last 6									
Front sensing camera type	• Binocular	• Binocular	• Binocular	 Binocular 	• Binocular					
Front sensing camera pixels [10,000]	• 800	• 800	• 800	• 800	• 800					
Environment aware camera	• 7	• 7	• 7	• 7	• 7					
Environment sensing camera pixels [10,000]	• 200	• 200	• 200	• 200	• 200					
surround camera	• 4	• 4	• 4	• 4	• 4					
Surround camera pixels [10,000]	• 200	• 200	• 200	• 200	• 200					
car camera	• 1	• 1	• 1	• 1	• 1					
		External co	nfiguration		1					
Skylight type	The panoramic sunroof cannot be opened									
Sport appearance package	-	-	-	-	-					
Electric spoiler	-	-	-	-	-					
Rim material	Aluminum alloy									
Electric suction door	o The whole car	The whole car	○ The whole car	The whole car	The whole car					

Automatic opening and closing of car doors	-	-	-	-	-
Frameless door	•	•	•	•	•
sliding door	-	-	-	-	-
roof rack	•	•	•	•	•
	Remote key	Remote key	Remote key	Remote key	Remote key
Key type	Bluetooth key	Bluetooth key	Bluetooth key	Bluetooth key	Bluetooth key
Keyless start	•	•	•	•	•
keyless entry	The whole car	The whole car	The whole car	The whole car	The whole car
Hidden electric door handle	•	•	•	•	•
Active closing air intake grille	•	•	•	•	•
Electric tailgate	•	•	•	•	•
Tailgate position memory	•	•	•	•	•
Induction tailgate	-	-	-	-	-
Tailgate glass opens independently	-	-	-	-	-
car side pedals	-	-	-	-	-
Low speed driving warning sound	•	•	•	•	•
Sentinel (clairvoyance) mode	•	•	•	•	•
tow hook	-	-	-	-	-
Trailer power outlet	-	-	-	-	-
		Internal co	nfiguration		
Steering wheel material	Genuine leather	Genuine leather	Genuine leather	Genuine leather	Genuine leather
	Manual up and down + front and rear adjustment	Electric up and down + front and rear adjustment	Manual up and down + front and rear adjustment	Electric up and down + front and rear adjustment	• Electric up and down + front and rear adjustment
steering wheel adjustment	 Electric up and down + front and rear adjustment 	Steering wheel memory	 Electric up and down + front and rear adjustment 	Steering wheel memory	Steering wheel memory
	Steering wheel memory		Steering wheel memory		
Shift pattern	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting
Multifunction steering wheel	•	•	•	•	•
steering wheel gear shift	-	-	-	-	-
Steering wheel heating	0	•	0	•	•

Trip computer display	• Color	• Color	• Color	• Color	• Color
Full LCD instrument panel	•	•	•	•	•
Instrument screen size [inches]	• 10.25	• 10.25	• 10.25	• 10.25	• 10.25
HUD heads up display	-	-	-	-	-
Built-in driving recorder	•	•	•	•	•
Mobile phone wireless charging	• First row	• First row	• First row	• First row	• First row
Maximum wireless charging power of mobile phones [W]	• 50	• 50	• 50	• 50	• 50
ETC device	-	-	-	-	-
Active noise reduction	-	-	-	-	-
Electrically adjustable pedals	-	-	-	-	-
Single pedal mode	•	•	•	•	•
		Seat conf	iguration		
seat material	Genuine leather	Genuine leather	Genuine leather	Genuine leather	Genuine leather
Sports style seats	-	-	-	-	-
Electric driver's seat adjustment	Electric adjustment with memory	Electric adjustment with memory	Electric adjustment with memory	Electric adjustment with memory	Electric adjustment with memory
Passenger seat electric adjustment	Electric adjustment with memory	Electric adjustment with memory	Electric adjustment with memory	Electric adjustment with memory	Electric adjustment with memory
	Front and back adjustment	 Front and back adjustment 	Front and back adjustment	 Front and back adjustment 	Front and back adjustment
Driver's seat adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment
method	Height adjustment (4- way)	Height adjustment (4- way)	Height adjustment (4- way)	Height adjustment (4- way)	Height adjustment (4- way)
	Waist adjustment (4- way)	 Waist adjustment (4- way) 	Waist adjustment (4- way)	 Waist adjustment (4- way) 	Waist adjustment (4- way)
	 Front and back adjustment 	 Front and back adjustment 	 Front and back adjustment 	 Front and back adjustment 	 Front and back adjustment
	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment
Passenger seat adjustment method	Height adjustment (2- way)	 Height adjustment (2- way) 	Height adjustment (2- way)	 Height adjustment (2- way) 	Height adjustment (2- way)
	Waist adjustment (4- way)	Waist adjustment (4- way)	Waist adjustment (4- way)	Waist adjustment (4- way)	Waist adjustment (4- way)
	Leg rest adjustment	Leg rest adjustment	Leg rest adjustment	Leg rest adjustment	Leg rest adjustment
First row seat functions	Heating Ventilation	Heating Ventilation	Heating Ventilation	Heating Ventilation	Heating Ventilation
	Massage	Massage	Massage	Massage	Massage

Boss button	-	-	-	-	-
Electrically adjustable second row seats	• Electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment
Second row seat adjustment method	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment
Second row seat functions	o Heating	Heating	∘ Heating	Heating	Heating
center armrest	• First row	• First row	• First row	• First row	• First row
	Second row	Second row	Second row	Second row	Second row
Seat layout	• 2+3	• 2+3	• 2+3	• 2+3	• 2+3
Rear seat folding method	Inverted proportions	Inverted proportions	Inverted proportions	Inverted proportions	Inverted proportions
Electrically reclining rear seats	 Second row 	Second row	Second row	Second row	Second row
Rear cup holder	Second row	Second row	Second row	Second row	Second row
Heated/cooled cup holder	-	-	-	-	-
Rear folding table	-	-	-	-	-
		Car/In	ternet		
Central control color screen	Touch LCD screen	Touch LCD screen	Touch LCD screen	Touch LCD screen	Touch LCD screen
Central control screen size [inch]	• 14.96	• 14.96	• 14.96	• 14.96	• 14.96
Central control screen material	• LCD	• LCD	• LCD	• LCD	• LCD
Central control screen resolution [px]	• 2400 x 1200	• 2400 x 1200	• 2400 x 1200	• 2400 x 1200	• 2400 x 1200
Central control screen pixel density [PPI]	• 179	• 179	• 179	• 179	• 179
Central control screen refresh rate [Hz]	• 60	• 60	• 60	• 60	• 60
Passenger screen	Touch LCD screen	Touch LCD screen	Touch LCD screen	Touch LCD screen	Touch LCD screen
Passenger screen size [inches]	• 14.96	• 14.96	• 14.96	• 14.96	• 14.96
Passenger screen material	• LCD	• LCD	• LCD	• LCD	• LCD
Passenger screen resolution [px]	• 2400 x 1200	• 2400 x 1200	• 2400 x 1200	• 2400 x 1200	• 2400 x 1200

Passenger screen pixel density [PPI]	• 179	• 179	• 179	• 179	• 179
Passenger screen refresh rate [Hz]	• 60	• 60	• 60	• 60	• 60
Vehicle system	Xmart OS				
Car chip	Qualcomm Snapdragon SA8155P				
Vehicle system memory [GB]	• 16	• 16	• 16	• 16	• 16
Vehicle system storage [GB]	• 256	• 256	• 256	• 256	• 256
Vehicle-to-machine network	• 4G				
OTA upgrade	Vehicle OTA				
Car WiFi function	WiFi hotspot				
Car navigation map	• Gaode				
HD map	•	•	•	•	•
V2X communication	-	-	-	-	-
roadside assistance call	•	•	•	•	•
Bluetooth/car phone	•	•	•	•	•
Mobile phone interconnection/mapping	-	-	-	-	-
Voice assistant wake word	• Hello, little P	• Hello, little P	Hello, little P	• Hello, little P	• Hello, little P
	• First row				
Voice zone wake-up	Second row	Second row	Second row	 Second row 	Second row
Voice wake-up-free	•	•	•	•	•
Speech continuous recognition	•	•	•	•	•
	Multimedia system				
	Navigation	Navigation	Navigation	Navigation	Navigation
Voice recognition control function	Telephone	Telephone	Telephone	Telephone	Telephone
Tunction	Air conditioning				
	Car windows				
gesture control	-	-	-	-	-
		-	-	-	-
face recognition	-	_			
face recognition			Door control	Door control	Door control
face recognition	Door control Window control				

	Air conditioning control	Air conditioning control	Air conditioning control	Air conditioning control	Air conditioning control
	Charging management	Charging management	Charging management	Charging management	Charging management
	 Vehicle condition inquiry/diagnosis 	 Vehicle condition inquiry/diagnosis 	 Vehicle condition inquiry/diagnosis 	 Vehicle condition inquiry/diagnosis 	 Vehicle condition inquiry/diagnosis
Remote control function	Vehicle positioning/car search	Vehicle positioning/car search	Vehicle positioning/car search	Vehicle positioning/car search	Vehicle positioning/car search
	Maintenance/repair appointment	Maintenance/repair appointment	Maintenance/repair appointment	Maintenance/repair appointment	Maintenance/repair appointment
	Car owner services (find charging piles, gas stations, parking lots, etc.)	Car owner services (find charging piles, gas stations, parking lots, etc.)	• Car owner services (find charging piles, gas stations, parking lots, etc.)	Car owner services (find charging piles, gas stations, parking lots, etc.)	Car owner services (find charging piles, gas stations, parking lots, etc.)
		Media ent	ertainment		
Split screen function	-	-	-	-	-
Car APP application market	•	•	•	•	•
Car CD/DVD	-	-	-	-	-
Multimedia/charging	• USB	• USB	• USB	• USB	• USB
interface	• Type-C	• Type-C	• Type-C	• Type-C	Type-C
Number of USB/Type-C interfaces	• 3 people in the front row/2 people in the back row	• 3 people in the front row/2 people in the back row	3 people in the front row/2 people in the back row	• 3 people in the front row/2 people in the back row	• 3 people in the front row/2 people in the back row
In-car entertainment functions	• Karaoke	• Karaoke	 Karaoke 	• Karaoke	• Karaoke
simulated sound	-	-	-	-	-
Rear seat control multimedia	-	-	-	-	-
Cockpit 220V/230V power supply	-	-	-	-	-
Luggage compartment power interface	• 12V	• 12V	• 12V	• 12V	• 12V
audio brand	-	-	-	-	-
Number of speakers	• 21	• 21	• 21	• 21	• 21
	•	Light fo	unction	•	•
Low beam light source	• LED	• LED	• LED	• LED	• LED
high beam light source	• LED	• LED	• LED	• LED	• LED
Lighting features	-	-	-	-	-
LED daytime running lights	•	•	•	•	•
	Height adjustment	Height adjustment	Height adjustment	Height adjustment	Height adjustment

Automatic opening and	. Automotic ananing and			
closing	 Automatic opening and closing 	 Automatic opening and closing 	 Automatic opening and closing 	Automatic opening and closing
Adaptive high and low beam	Adaptive high and low beam	Adaptive high and low beam	Adaptive high and low beam	Adaptive high and low beam
Delayed shutdown	Delayed shutdown	Delayed shutdown	Delayed shutdown	Delayed shutdown
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
Multicolor	 Multicolor 	 Multicolor 	 Multicolor 	• Multicolor
-	glass/rear v	view mirror		
•	•	•	•	•
•	•	•	•	•
• The whole car	• The whole car	• The whole car	• The whole car	• The whole car
• The whole car	• The whole car	The whole car	• The whole car	The whole car
-	-	-	-	-
Electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment	Electric adjustment
Heated rearview mirrors	Heated rearview mirrors	Heated rearview mirrors	Heated rearview mirrors	Heated rearview mirrors
Electric folding	Electric folding	Electric folding	Electric folding	Electric folding
Rearview mirror memory	Rearview mirror memory	Rearview mirror memory	Rearview mirror memory	Rearview mirror memory
Automatically roll down when reversing	Automatically roll down when reversing	Automatically roll down when reversing	Automatically roll down when reversing	Automatically roll down when reversing
Automatic folding when locking the car	Automatic folding when locking the car	Automatic folding when locking the car	Automatic folding when locking the car	Automatic folding when locking the car
• Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle
•	•	•	•	•
-	-	-	-	-
-	-	-	-	-
Main driving + lighting	Main driving + lighting	Main driving + lighting	Main driving + lighting	Main driving + lighting
	Delayed shutdown - - - Multicolor Multicolor The whole car The whole car Electric adjustment Heated rearview mirrors Electric folding Rearview mirror memory Automatically roll down when reversing Automatic folding when locking the car Automatic anti-dazzle -	Delayed shutdown Multicolor Glass/rear or Delayed shutdown Delayed shutd	beam beam beam Delayed shutdown Delayed shutdo	beam

	Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting	• Co-pilot + lighting	Co-pilot + lighting		
Sensing wiper function	Rain sensor type	Rain sensor type	Rain sensor type	Rain sensor type	Rain sensor type		
rear wiper	•	•	•	•	•		
Heated water nozzle	-	-	-	-	-		
		Air conditionin	g/refrigeration				
First row air conditioner	Dual temperature zone automatic air conditioning	Dual temperature zone automatic air conditioning	Dual temperature zone automatic air conditioning	Dual temperature zone automatic air conditioning	Dual temperature zone automatic air conditioning		
Second row air conditioner	Air outlet	• Air outlet	Air outlet	• Air outlet	Air outlet		
Third row air conditioner	-	-	-	-	-		
heat pump air conditioner	•	•	•	•	•		
air quality monitoring	•	•	•	•	•		
In-car PM2.5 filter device	•	•	•	•	•		
Car air purifier	•	•	•	•	•		
negative ion generator	-	-	-	-	-		
Fragrance system	0	•	0	•	•		
car refrigerator	-	-	-	-	-		
		Featured co	onfiguration				
It can be said that it is visible	-	-	-	-	-		
		Optional	package				
21-inch five-spoke wheels	-	-	-	-	-		
	21-inch five-spoke wheels (with 255/45 R21 silent tires)						
21-inch multi-spoke	-	-	-	-	-		
wheels		21-inch multi-	spoke wheels (with 255/45 R	21 silent tires)			
21-inch multi-spoke	-	-	-	-	-		
wheels		21-inch multi-	spoke wheels (with 255/45 R	21 silent tires)			
AC vilture for the state of	-	-	-	-	-		
4C ultra-fast charging battery pack	The fastest charging is 5 mi	The fastest charging is 5 minutes, and the battery life is increased by 200km+. It takes ≥15 minutes to charge SOC 10% to 80% with DC fast charging. It takes ≥11.5 minutes to charge SOC 30% to 80%.					
Intelligent dual-chamber air suspension	o Optional 25000	o Optional 25000	o Optional 25000	o Optional 25000	-		
	Cont	ains intelligent dual-chambe	r air springs and intelligent v	rariable damping shock abso	orbers		
	o Optional 10000	-	o Optional 10000	-	-		
Comfort set	make-up mirror + ring LED	make-up light, beauty space ons and backrests on both s	electric lumbar support, passe e), main/passenger seat back iides of the rear row, intellige ed steering wheel, four-door	professional-grade ten-poir ent fragrance system, 4-way	nt massage , 6 seat massage		