| | Yuanhe Unique New Energy | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | Email: wenbin_zhen | g@hotmail.com WhatsApp: | +86 139 0639 1027 | | | | | |
| | 23 models 741km rear drive WE version | 23 models of 1032km rear drive thousand mile range version | 23 models of 560km four- wheel drive WE version | 23 models with 656km four-wheel drive ME version | 23 models 656km four- wheel drive YOU version | 23 models of 550km four- wheel drive FR version | | | |
| | | | Basic Information | | | | | | |
| level | Medium and large cars | Medium and large cars | Medium and large cars | Medium and large cars | Medium and large cars | Medium and large cars | | | |
| Energy type | pure electricity | pure electricity | pure electricity | pure electricity | pure electricity | pure electricity | | | |
| time to market | 2023/1/1 | 2023/1/1 | 2023/1/1 | 2023/1/1 | 2023/1/1 | 2023/10/27 | | | |
| CLTC pure electric range [km] | 741 | 1032 | 560 | 656 | 656 | 550 | | | |
| Fast charging time[h] | - | - | - | - | - | 0.25 | | | |
| Fast charging capacity [%] | - | - | - | - | - | 10-80 | | | |
| Motor[Ps] | 272 | 272 | 544 | 544 | 544 | 1265 | | | |
| gearbox | 1st gear fixed gear ratio | 1st gear fixed gear ratio | 1st gear fixed gear ratio | 1st gear fixed gear ratio | 1st gear fixed gear ratio | 1st gear fixed gear ratio | | | |
| Length*width*height[mm] | 4970*1999*1560 | 4970*1999*1560 | 4970*1999*1560 | 4970*1999*1560 | 4970*1999*1548 | 5018*1999*1545 | | | |
| Body structure | 5-door, 5-seater hatchback | 5-door, 5-seater hatchback | 5-door, 5-seater hatchback | 5-door, 5-seater hatchback | 5-door, 5-seater hatchback | 5-door, 5-seater hatchback | | | |
| Maximum speed [km/h] | 200 | 200 | 200 | 200 | 200 | 280 | | | |
| Official 0-100km/h | 6.9 | 6.9 | 3.8 | 3.8 | 3.8 | 2.02 | | | |
| acceleration [s] | 4 years or 100,000 | 4 years or 100,000 | 4 years or 100,000 | 4 years or 100,000 | 4 years or 100,000 | 4 years or 100,000 | | | |
| Vehicle warranty | kilometers | kilometers | kilometers | kilometers | kilometers | kilometers | | | |
| | 6 years or 150 000 | 6 years or 150,000 | 6 years or 150,000 | 6 years or 150,000 | 6 years or 150,000 | 6 years or 150,000 | | | |
| First owner warranty policy | kilometers | kilometers | kilometers | kilometers | kilometers | kilometers | | | |
| Exterior color | Knometers | Kilotricters | Miorrieceis | Kilotifeteis | Kirotricters | Kilometers | | | |
| interior color | | | | | | | | | |
| | | | Body | | | | | | |
| Length[mm] | 4970 | 4970 | 4970 | 4970 | 4970 | 5018 | | | |
| Width[mm] | 1999 | 1999 | 1999 | 1999 | 1999 | 1999 | | | |
| Height[mm] | 1560 | 1560 | 1560 | 1560 | 1548 | 1545 | | | |
| Wheelbase [mm] | 3005 | 3005 | 3005 | 3005 | 3005 | 3005 | | | |
| Front wheelbase [mm] | 1703 | 1703 | 1703 | 1703 | 1713 | 1697 | | | |
| Rear wheelbase [mm] | 1716 | 1716 | 1716 | 1716 | 1726 | 1699 | | | |
| Car door opening method | swing door | swing door | swing door | swing door | swing door | swing door | | | |
| Number of doors | 5 | 5 | 5 | 5 | 5 | 5 | | | |
| number of seats | 5 | 5 | 5 | 5 | 5 | 5 | | | |
| Approach angle [°] | 15.5 | 15 | 15.5 | 15.5 | 15.7 | 12 | | | |
| Departure angle[°] | 20 | 20 | 20 | 20 | 21.5 | 16 | | | |
| Minimum ground clearance with full load [mm] | 155 | 155 | 155 | 155 | - | 147 | | | |
| Minimum ground clearance without load [mm] | 174 | 174 | 174 | 174 | 162 | 160 | | | |
| Drag coefficient [Cd] | 0.23 | 0.23 | 0.23 | 0.23 | 0.23 | - | | | |
| Official trunk volume [L] | 2144 | 2144 | 2144 | 2144 | 2144 | 2144 | | | |

| Maximum power of front Maximum power of fr | Actual magazinad trunk | | | | Т | Г | |
|--|--|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Cut weight Red 2225 2345 2290 2350 2350 2300 2000 | Actual measured trunk volume [L] | 589-1186 | 589-1186 | 589-1186 | 589-1186 | 589-1186 | - |
| Part | | 2225 | 2345 | 2290 | 2350 | 2350 | 2525 |
| Number of drive motors Motor layout Motor layout Rear Rear Rear Rear Front + rea | | 2715 | 2845 | 2780 | 2840 | 2840 | 3000 |
| Motor layout Rear Rear Front + rear Front # rear Front | | | | electric motor | | | |
| Permanent magnet synchronization synchroniza | Number of drive motors | single motor | single motor | Dual motor | Dual motor | Dual motor | Four motors |
| Motor type | Motor layout | Rear | Rear | Front + rear | Front + rear | Front + rear | Front + rear |
| Total motor power [kW] 200 200 400 400 400 330 | Motor type | 9 | • | | , | , | _ |
| Total motor horsepower Remay lithium battery Temay lithium battery Tem | Total motor power [kW] | • | , | | | • | |
| Motor total torque | Total motor horsepower | | | | | | |
| Maximum power of front electric motor [kW] Maximum power of front electric motor [kW] Maximum power of front electric motor [kW] Maximum power of freat electric motor [kW] Maximum power [kW] Maximum power electric motor [kW] | | 343 | 343 | 686 | 686 | 686 | 1280 |
| Maximum torque of front Maximum torque Maximum torque of front Maximum torque Maximu | | 3+3 | 3-13 | | | | |
| All Pattern persure Patter | electric motor [kW] | - | - | 200 | 200 | 200 | 310 |
| Askirum torque of rear electric motor [Nm] 343 3 | electric motor [N·m] | - | - | 343 | 343 | 343 | - |
| Battery Type | - | 200 | 200 | 200 | 200 | 200 | 620 |
| Battery Type Ternary lithium battery Ternary lithium battery Ningde era N | • | 343 | 343 | 343 | 343 | 343 | - |
| Battery brand Ningde era Ningde era Vair Electric Ningde era Ningde era Ningde era Pattery temperature heating heating anagement beating beati | | | | Battery/recharge | | | • |
| Battery brand Ningde era Ningde era Vair Electric Ningde era Ningde era Ningde era Pattery temperature heating heating anagement beating beati | Battery Type | Ternary lithium hattery |
| Battery temperature heating heating beating beating beating beating heating heating heating heating heating beating be | | | | | | 1 1 | 1 |
| CLTC pure electric range Eliquid cooling E | Battery temperature | Low temperature | Low temperature | Low temperature | Low temperature | Low temperature | Low temperature |
| CLTC pure electric range Km 1032 560 656 656 550 | management | Liquid cooling |
| Battery power [kWh] 100 | | | | - | | | |
| Battery energy density (Mh/kg) 176.6 200 170.21 176.6 176.6 - Electricity consumption per 100 kilometers (kWh/100km) 14.7 14.9 17.4 17.5 16.5 - wehicle charging port | | 100 | 140 | 86 | 100 | 100 | 100 |
| Electricity consumption per 100 kilometers 120 kilometers 180 kilo | Battery energy density | | | | | | - |
| vehicle charging port• Slow charging port• Car left rear side• Car left rear sideFast charging time[min] Fast charging time[min] Fa | Electricity consumption per 100 kilometers | 14.7 | 14.9 | 17.4 | 17.5 | 16.5 | - |
| Slow charging port location Car left front side Car left rear side Car left r | | | | | | | |
| Fast charging time[min] - - - - 15 Fast charging time[h] - - - - - 0.25 Fast charging capacity [%] - - - - - 10-80 Slow charging power [kW] 7 7 7 7 7 - | Slow charging port location | | | | | | |
| Fast charging time[h] - - - 0.25 Fast charging capacity [%] - - - - 10-80 Slow charging power [kW] 7 7 7 7 7 - Vehicle battery swap - | Fast charging port location | Car left rear side |
| Fast charging time[h] - - - 0.25 Fast charging capacity [%] - - - - 10-80 Slow charging power [kW] 7 7 7 7 7 - Vehicle battery swap - - - - - - - - - | Fast charging time[min] | - | - | - | - | - | 15 |
| Fast charging capacity [%] - - 10-80 Slow charging power [kW] 7 7 7 7 7 - | | - | - | - | - | - | |
| Vehicle battery swap | | - | - | - | - | - | |
| | Slow charging power [kW] | 7 | 7 | 7 | 7 | 7 | - |
| | Vehicle battery swap | | _ | - | - | - | |
| | | | | | | | |
| Car charging gun | | | | | - | | _ |

| External discharge function | • | • | • | • | • | • |
|-------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| External discharge power | • 3.3kW |
| Battery pack warranty | 8 years or 200,000 |
| Battery pack warranty | kilometers | kilometers | kilometers | kilometers | kilometers | kilometers |
| | Unlimited years/unlimited |
| First owner battery pack | mileage (the liability |
| warranty | exemption clause shall be |
| | subject to the official) |
| | subject to the official) | subject to the official) | gearbox | Judgeet to the official) | Subject to the official) | Subject to the official, |
| | | | | I=1 | | |
| Gearbox description | • | | | Electric vehicle single speed | l | |
| • | gearbox | gearbox | gearbox | gearbox | gearbox | gearbox |
| Gearbox type | Fixed gear ratio |
| Number of gears | l l | l l | l l | l l | <u> </u> | l I |
| | | | chassis steering | | | |
| Drive form | rear wheel drive | rear wheel drive | Dual motor four-wheel | Dual motor four-wheel | Dual motor four-wheel | Four-motor four-wheel |
| | real wheel alive | rear wheer arive | drive | drive | drive | drive |
| four-wheel drive | - | - | Electric four-wheel drive | Electric four-wheel drive | Electric four-wheel drive | Electric four-wheel drive |
| Center differential structure | - | - | - | - | - | - |
| Fuent even en sie et tra | Double wishbone |
| Front suspension type | independent suspension |
| rear suspension type | Multi-link independent |
| rear suspension type | suspension | suspension | suspension | suspension | suspension | suspension |
| Assist type | electric assist |
| Adjustable suspension | Height adjustment |
| features | Soft and hard | Soft and hard | Soft and hard | Soft and hard | Soft and hard | Soft and hard |
| reatures | adjustment | adjustment | adjustment | adjustment | adjustment | adjustment |
| Adjustable suspension | Air suspension | Air suspension | |
| types | Electromagnetic | - |
| • • | induction suspension | |
| Body structure | Load-bearing | Load-bearing | Load-bearing | Load-bearing | Load-bearing | Load-bearing |
| limited slip differential | - | - | - | - | - | - |
| differential lock | - | - | <u>-</u> | - | <u>-</u> | <u>-</u> |
| | | | wheel brake | | | |
| Front brake type | Ventilated disc type | Ventilated disc type | Ventilated disc type | Ventilated disc type | Ventilated disc type | Ceramic ventilated disc type |
| rear brake type | Ventilated disc type | Ventilated disc type | Ventilated disc type | Ventilated disc type | Ventilated disc type | Ceramic ventilated disc type |
| Parking brake type | Electronic parking |
| Front tire specifications | • 255/55 R19 | • 255/55 R19 | • 255/55 R19 | • 255/45 R21 | • 255/45 R21 | • 265/40 R22 |
| Rear tire specifications | • 255/55 R19 | • 255/55 R19 | • 255/55 R19 | • 255/45 R21 | • 255/45 R21 | • 295/35 R22 |
| Spare tire | No spare tire | No spare tire | No spare tire | No spare tire | No spare tire | No spare tire |
| Spare tire placement | - | - | - | <u>-</u> | - | - |
| | | | active safety | | | |
| ABS anti-lock | • | • | • | • | • | • |
| Braking force distribution | • | • | • | | • | • |
| (EBD/CBC, etc.) | | | | | | |

| Brake assist (BA/EBA/BAS, | • | • | • | • | • | • | | | |
|--|--|--|--|--|--|----------------------------------|--|--|--|
| etc.) | | | | | | | | | |
| Traction control | • | • | • | • | • | • | | | |
| (ASR/TCS/TRC, etc.) | | | | | | | | | |
| Body stability control | • | • | • | • | • | • | | | |
| (ESP/DSC/VSC, etc.) Seat belt not fastened | | | | | | | | | |
| reminder | The whole car | The whole car | The whole car | The whole car | The whole car | The whole car | | | |
| Tire pressure monitoring | Tire pressure display | Tire pressure display | | | |
| | | • The pressure display | The pressure display | The pressure display | • The pressure display | The pressure display | | | |
| In-car biometric monitoring | - | - | - | - | - | • | | | |
| passive safety | | | | | | | | | |
| Main driver airbag | • | • | • | • | • | • | | | |
| Passenger airbag | • | • | • | • | • | • | | | |
| First row side airbag | • | • | • | • | • | • | | | |
| Second row side airbags | - | - | - | - | - | - | | | |
| side curtain airbags | • | • | • | • | • | • | | | |
| knee air bag | - | - | - | - | - | - | | | |
| Passenger seat cushion | _ | _ | _ | _ | _ | _ | | | |
| airbag | | - | - | - | · · | _ | | | |
| Rear seat belt airbag | - | - | - | - | - | - | | | |
| Rear seat anti-skid airbags | - | - | - | - | - | - | | | |
| center airbag | - | - | - | - | - | - | | | |
| Second row forward | | | | | | | | | |
| airbags | - | - | - | _ | 1 | - | | | |
| child seat interface | • | • | • | • | • | • | | | |
| passive pedestrian | _ | _ | _ | _ | _ | _ | | | |
| protection | | | | | | | | | |
| Run-flat tires | 0 | 0 | 0 | 0 | 0 | - | | | |
| | | Auxi | liary/control configura | ation | | | | | |
| front parking radar | • | • | • | • | • | • | | | |
| Rear parking radar | • | • | • | • | • | • | | | |
| Reverse side warning | • | • | | | • | | | | |
| system | - | | | | | , | | | |
| Door opening collision | • | • | • | • | • | • | | | |
| warning | 260 1 | 360 1 | | 262 | | 262 | | | |
| Driving assistance images | • 360-degree panoramic | • 360-degree panoramic | | | |
| | image | image | image | image | image | image | | | |
| Chassis perspective | • Full speed adaptive | • Full speed adaptive | | | |
| cruise system | Full-speed adaptive . | Full-speed adaptive . | Full-speed adaptive . | Full-speed adaptive . | Full-speed adaptive | Full-speed adaptive . | | | |
| | cruise • Sports | cruise | cruise | cruise | cruise | cruise | | | |
| | • Sports | • Sports | | | |
| | EconomyStandard/Comfortable | EconomyStandard/Comfortable | EconomyStandard/Comfortable | EconomyStandard/Comfortable | EconomyStandard/Comfortable | Economy Standard/Comfortable | | | |
| | | Standard/Commontable | • Standard/Commontable | • Standard/Commontable | • Standard/Commontable | Standard/Comfortable | | | |
| | Customization/personalizat | Customization/personalizat | Off-road | Off-road | Off-road | Off-road | | | |
| Driving mode selection | | | On-road | Un-10au | UII-10au | Uni-ioau | | | |
| | ion | ion | • Snow | • Snow | • Snow | • Snow | | | |
| ı | ļ. | | J JIOW | J JIOW | ₹ JIIOVV | ₹ SHOW | | | |

| ı | | T | 1 | | | r |
|--|---------------------|-------------------|-------------------------|----------------------------|---------------------|---------------------|
| | | | | | | |
| | | | | Customization/personalizat | | |
| - · · · · | | | ion | ion | ion | ion |
| Fatigue reminder | • | • | • | • | • | • |
| automatic parking | • | • | • | • | • | • |
| remote control parking | • | • | • | • | • | • |
| remote summoning | - | - | - | - | - | - |
| Engine start and stop | <u>-</u> | - | - | - | - | - |
| automatic parking | • | • | • | • | • | • |
| Hill assist | • | • | • | • | • | • |
| steep descent | • | • | • | • | • | • |
| night vision system | - | - | - | - | - | - |
| variable steering ratio | • | • | • | • | • | • |
| Integral active steering | | | | | | |
| system | - | - | _ | - | - | - |
| Wading sensor system | - | - | - | - | - | - |
| tank turns | - | - | - | - | - | • |
| | | Λ | scietad driving functio | n.c. | | |
| | | A | ssisted driving functio | ns | | |
| Parallel assistance | _ | | | | | |
| (BSM/BSD) | • | • | _ | • | • | • |
| Lane Departure Warning | _ | _ | _ | _ | _ | _ |
| (LDWS) | • | • | • | • | • | • |
| Lane Keeping (LKAS) | • | • | • | • | • | • |
| Lane centering | • | • | • | • | • | • |
| Road traffic sign | | | | | | |
| recognition | • | • | • | • | • | • |
| forward collision warning | • | • | • | • | • | • |
| rear collision warning | • | • | • | • | • | • |
| Active braking | • | • | • | • | • | • |
| Automatic lane change | | - | + | | | |
| assist | • | • | • | • | • | • |
| | | | | | | |
| Automatic ramp exit/entry | 0 | 0 | 0 | 0 | 0 | 0 |
| High-speed assisted | 0 | 0 | 0 | 0 | 0 | 0 |
| driving | 0 | O | | O | O | O |
| Urban assisted driving | 0 | 0 | 0 | 0 | 0 | 0 |
| Reverse tracking | - | - | - | - | - | - |
| | | A | ssisted driving hardwa | re | | |
| Driving assistance level | • L2 | • L2 | • L2 | • L2 | • L2 | • L2 |
| Assisted driving system | • ZEEKR AD | ZEEKR AD | ZEEKR AD | ZEEKR AD | ZEEKR AD | • ZEEKR AD |
| Assisted driving system Assisted driving chip | • 2 Mobileye EyeQ5H | 2 Mobileye EyeQ5H | • 2 Mobileye EyeQ5H | • 2 Mobileye EyeQ5H | • 2 Mobileye EyeQ5H | • 2 Mobileye EyeQ5H |
| Chip computing power | • 48 TOPS | • 48 TOPS | • 48 TOPS | • 48 TOPS | • 48 TOPS | • 48 TOPS |
| LiDAR quantity | - | - | | 01013 | | o 1 |
| millimeter wave radar | • 1 | • 1 | • 1 | • 1 | • 1 | • 2 |
| ultrasonic radar | • First 6/Last 6 | • First 6/Last 6 | • First 6/Last 6 | • First 6/Last 6 | • First 6/Last 6 | • First 6/Last 6 |
| Front sensing camera type | Binocular | Binocular | Binocular | Binocular | Binocular | Binocular |
| | | - Diriocalai | - Diriocalai | - Dillocalai | - 5 | - 5.110 carar |
| Front sensing camera pixels [10,000] | • 800 | • 800 | • 800 | • 800 | • 800 | • 800 |
| Environment aware camera | • 8 | • 8 | • 8 | • 8 | • 8 | • 8 |

| surround camera | • 4 | • 4 | • 4 | • 4 | • 4 | • 4 |
|---|--|--|--|--|--|-------------------------------------|
| car camera | • 2 | • 2 | • 2 | • 2 | • 2 | • 1 |
| | | | External configuration | 1 | | |
| Skylight type | The panoramic sunroof | The panoramic sunroof | The panoramic sunroof | The panoramic sunroof | The panoramic sunroof | The panoramic sunroof |
| Light-sensing awning | cannot be opened Optional 10,000 yuan | cannot be opened Optional 10,000 yuan | cannot be opened ○ Optional 10,000 yuan | cannot be opened ○ Optional 10,000 yuan | cannot be opened ○ Optional 10,000 yuan | cannot be opened o Optional |
| | o Optional To,000 yaan | o Optional To,000 years | o Optional To,000 years | Sprional To,000 years | o Optional Tojogo yaari | o Optional |
| Sport appearance package | - | - | - | - | - | • |
| Electric spoiler | - | <u>-</u> | - | - | - | - |
| Rim material | Aluminum alloy | Aluminum alloy | Aluminum alloy | Aluminum alloy | Aluminum alloy | Aluminum alloy |
| Electric suction door | The whole car | The whole car | The whole car | The whole car | The whole car | The whole car |
| Automatic opening and closing of car doors | o The whole car | o The whole car | o The whole car | o The whole car | The whole car | The whole car |
| Frameless door | • | • | • | • | • | • |
| sliding door | - | - | - | - | - | - |
| roof rack | - | - | - | - | - | |
| | Remote key | Remote key | Remote key | Remote key | Remote key | Remote key |
| Key type | NFC/RFID key | NFC/RFID key | NFC/RFID key | NFC/RFID key | NFC/RFID key | Bluetooth key |
| | | | | | | UWB digital key |
| Keyless start | • | • | • | • | • | • |
| keyless entry | The whole car | The whole car | The whole car | The whole car | The whole car | The whole car |
| Hidden electric door handle | • | • | • | • | • | • |
| Active closing air intake grille | • | • | • | • | • | • |
| Electric tailgate | • | • | • | • | • | • |
| Tailgate position memory | • | • | • | • | • | • |
| Induction tailgate | 0 | 0 | 0 | 0 | • | • |
| Tailgate glass opens | | | | | | |
| independently | - | - | - | - | - | - |
| car side pedals | - | - | - | - | - | - |
| Low speed driving warning sound | • | • | • | • | • | • |
| Sentinel (clairvoyance) mode | • | • | • | • | • | • |
| mode | | | Internal configuration | | ļ | |
| Steering wheel material | Genuine leather | Genuine leather | Genuine leather | Genuine leather | Genuine leather | Genuine leather |
| Steering wheel material | Electric up and down + | Electric up and down + | Electric up and down + | Electric up and down + | Electric up and down + | Electric up and down + |
| | front and rear adjustment | front and rear adjustment | front and rear adjustment | front and rear adjustment | front and rear adjustment | front and rear adjustment |
| steering wheel adjustment | Steering wheel memory | Steering wheel memory | Steering wheel memory | Steering wheel memory | Steering wheel memory | Steering wheel memory |
| Cl : (: | | , | , | , | , | |
| Shift pattern Multifunction steering | Electronic gear shift | Electronic gear shift | Electronic gear shift | Electronic gear shift | Electronic gear shift | Electronic gear shift |
| wheel | • | • | • | • | • | • |
| steering wheel gear shift | - | - | - | - | - | - |
| Steering wheel heating | 0 | 0 | 0 | • | • | • |
| Trip computer display | Color | Color | • Color | Color | • Color | Color |
| Full LCD instrument panel | • | • | • | • | • | • |
| Instrument screen size | • 8.8 | • 8.8 | • 8.8 | • 8.8 | • 8.8 | • 13 |
| [inches] | | | | | | |

| Instrument screen resolation field instrument screen place of the properties of the | | | | | | | |
|--|-----------------------------|--|---|---|--|---|--|
| Instrument screen pixel density (PPI) HUD heads up display | | • 1920 x 480 | • 1920 x 480 | • 1920 x 480 | • 1920 x 480 | • 1920 x 480 | - |
| IND Predig up display | | - 225 | - 225 | - 225 | - 225 | - 225 | |
| Built-indiving recorder Abdraing Maximum wireless charging power of mobile phones IVI Eff. device. Act. Tic. device. Begliable and act. Begliable and ac | density [PPI] | • 225 | • 225 | • 225 | • 225 | • 225 | - |
| Built-indiving recorder Abdraing Maximum wireless charging power of mobile phones IVI Eff. device. Act. Tic. device. Begliar begliar begliar. Begliar begliar begliar. Begliar begliar. Soat material Sports style seats Electric adjustment with Electric adjustment Backrest adjustment Electric adjustment | HUD heads up display | • | • | • | • | • | • |
| Active noise reduction Bectrically adjustable photes RIM ETC device Active noise reduction Bectrically adjustable pedals Single pedal mode seat material Sports style seats Blectric driver's seat adjustment method Bectric adjustment with Bectric adjustment Bectric adjustment Bectric adjustme | | • | • | • | • | • | • |
| Maximum wireless charging power of mobile phones IMI ETC device | • | • First row | • First row | • First row | • First row | • First row | • First row |
| phones IWI ETC device Active noise reduction Passel material Single pedal Poperal Pope | | | | | | | |
| phones M/ ETC device Active noise reduction | charging power of mobile | • 15 | • 15 | • 15 | • 15 | • 15 | • 50 |
| Active noise reduction pedals Single pedal mode Single pedal mode Seat configuration Seat tarterial Sports style seats Electric driver's seat adjustment with adjustment with memory memory personnel adjustment with memory person person with memory person with memory person wit | phones [W] | | | | | | |
| Electrically adjustable | ETC device | 1 | - | - | - | - | - |
| Declais Single pedal mode | | - | - | - | - | - | - |
| Single pedal mode | | _ | _ | _ | _ | _ | - |
| Seat material sports style seats Electric driver's seat seat lectric adjustment with adjustment memory memo | | | | | | | |
| seat material Sports syle seats Electric driver's seat adjustment Adjustment Passenger seat adjustment Driver's seat adjustment method Augustment Passenger seat adjustment Passenger seat adjustment Method Augustment Method Method Augustment Method Meth | Single pedal mode | • | • | | • | • | • |
| Sports style seats Electric adjustment with adjustment Belctric adjustment with memory Belctric adjustment with me | | | | Seat configuration | | | |
| Electric driver's seat adjustment with memory memor | seat material | Genuine leather | Genuine leather | Genuine leather | Genuine leather | Genuine leather | Alcantara |
| Adjustment Passenger seat electric adjustment with memory memor | | 1 | - | - | - | 0 | • |
| Passenger seat electric adjustment with memory adjustment dajustment (4- Height adjustment (4- Height adjustment (4- Way) way) mayl wayl wayl wayl wayl wayl wayl wayl w | Electric driver's seat | Electric adjustment with | Electric adjustment with | Electric adjustment with | Electric adjustment with | Electric adjustment with | Electric adjustment with |
| ### adjustment ### ad | adjustment | | | | memory | memory | memory |
| Priver's seat adjustment method | Passenger seat electric | Electric adjustment with | Electric adjustment with | Electric adjustment with | Electric adjustment with | Electric adjustment with | Electric adjustment with |
| Adjustment Adj | adjustment | | | | | | |
| Backrest adjustment | | Front and back | Front and back | Front and back | Front and back | Front and back | Front and back |
| Passenger seat adjustment method Passenger seat adjustment (4- way) Passenger seat adjustment (4- way) Passenger seat adjustment (4- way) Passenger seat adjustment Passenger seat | | adjustment | | | adjustment | | |
| method way) | | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment | |
| • Waist adjustment (4- way) | Driver's seat adjustment | Height adjustment (4- | Height adjustment (4- | Height adjustment (4- | Height adjustment (4- | Height adjustment (4- | Height adjustment (4- |
| way | method | | | | | | |
| Passenger seat adjustment method Passenger seat adjustment passenger | | Waist adjustment (4- | Waist adjustment (4- | Waist adjustment (4- | Waist adjustment (4- | Waist adjustment (4- | Waist adjustment (4- |
| Passenger seat adjustment method Passenger seat adjustment method Passenger seat adjustment adjustment (2- way) | | way) | way) | way) | way) | way) | way) |
| Passenger seat adjustment ——————————————————————————————————— | | | | | | | Leg rest adjustment |
| Passenger seat adjustment method **Backrest adjustment** **Height adjustment (2- way) **Way) **Way | | Front and back | Front and back | Front and back | Front and back | Front and back | Front and back |
| ## Height adjustment (2-way) ## Heating | | adjustment | adjustment | adjustment | adjustment | | adjustment |
| way) way) way) way) way) way) way) way) | Passenger seat adjustment | | 3 | · | | | |
| First row seat functions Heating | method | Height adjustment (2- | Height adjustment (2- | • Height adjustment (2- | Height adjustment (2- | Height adjustment (4- | Height adjustment (4- |
| First row seat functions Heating Heating | | way) | way) | way) | way) | way) | - 17 |
| First row seat functions Outside Ventilation | | | | | | | |
| Boss button Electrically adjustable second row seats Second row seat adjustment method Second row seat functions Center armrest Center armrest Sear layout Sear seat folding method Sear layout Sear seat folding method Sear layout Sear | | | 3 | 2 | <u> </u> | 3 | |
| Boss button Electrically adjustable second row seats Second row seat adjustment method Second row seat functions Center armrest Second row Seat layout Seat layout Sear seat folding method Boss button • Electric adjustment • Backrest adjust | First row seat functions | | | | | | |
| Electric adjustment | | Massage | Massage | Massage | • Massage | Massage | Massage |
| Second row seats Second row seat adjustment method Second row seat functions center armrest Second row Seat layout Seat layout Second row Seat second row Seat second row Seat second row Seat seat folding method Second row Seat second row Seat second row | | • | • | • | • | • | • |
| Second row seats adjustment method Second row seat functions Center armrest Second row Seat layout Second row seat folding method O Heating O Hea | | Electric adjustment | Electric adjustment | Electric adjustment | Electric adjustment | Electric adjustment | Electric adjustment |
| adjustment method• Backrest adjustment• Backrest adjustment• Backrest adjustment• Backrest adjustment• Backrest adjustment• Backrest adjustment• Backrest adjustmentSecond row seat functions• Heating• Heating• Heating• Heating• First row• First row• First row• First row• First row• Second row• Second row• Second row• Second rowSeat layout• 2+3• 2+3• 2+3• 2+3Rear seat folding method• Inverted proportions• Inverted proportions• Inverted proportions• Inverted proportions | | | | <u> </u> | <u> </u> | | |
| Second row seat functions Center armrest Second row Seat layout Rear seat folding method O Heating O Hea | | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment | Backrest adjustment |
| center armrest• First row• Second row• Second row• Second row• Second row• Second rowSeat layout• 2+3• 2+3• 2+3• 2+3Rear seat folding method• Inverted proportions• Inverted proportions• Inverted proportions• Inverted proportions• Inverted proportions | | ∘ Heating | ∘ Heating | ∘ Heating | Heating | Heating | Heating |
| Seat layout Sear seat folding method Second row | | 3 | <u> </u> | J | 3 | | |
| Seat layout • 2+3 | center armrest | | | | | | |
| Rear seat folding method • Inverted proportions | Seat layout | | | | | | |
| | | | | | | | |
| Electrically reclining real | Electrically reclining rear | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | , , , , , , | , , , , , , | | , , , , , , , | |
| seats Second row | , , | - | - | - | _ | - | Second row |

| Rear cup holder | Second row | Second row | Second row | Second row | Second row | Second row |
|--|----------------------------------|----------------------------------|--|--|--|----------------------------------|
| Heated/cooled cup holder | - | - | - | - | - | - |
| Rear folding table | - | - | - | - | - | - |
| | | | Car/Internet | | | |
| Central control color screen | Touch LCD screen | Touch LCD screen | Touch LCD screen | Touch LCD screen | Touch LCD screen | Touch LCD screen |
| Central control screen size [inch] | • 15.4 | • 15.4 | • 15.4 | • 15.4 | • 15.4 | • 15 |
| Central control screen material | • LCD | • LCD | • LCD | • LCD | • LCD | - |
| Central control screen resolution [px] | • 1920 x 1200 | • 1920 x 1200 | • 1920 x 1200 | • 1920 x 1200 | • 1920 x 1200 | - |
| Central control screen pixel density [PPI] | • 147 | • 147 | • 147 | • 147 | • 147 | - |
| Passenger screen | | - | - | - | | |
| Vehicle system | ZEEKR OS | ZEEKR OS | ZEEKR OS | ZEEKR OS | ZEEKR OS | ZEEKR OS |
| Car chip | Qualcomm Snapdragon 8155 | Qualcomm Snapdragon 8155 | Qualcomm Snapdragon 8155 | Qualcomm Snapdragon 8155 | Qualcomm Snapdragon 8155 | Qualcomm Snapdragon 8295 |
| Vehicle system memory [GB] | • 8 | • 8 | • 8 | • 8 | • 8 | - |
| Vehicle system storage [GB] | • 128 | • 128 | • 128 | • 128 | • 128 | - |
| Vehicle-to-machine network | • 5G | • 5G | • 5G | • 5G | • 5G | • 5G |
| OTA upgrade | Vehicle OTA | Vehicle OTA | Vehicle OTA | Vehicle OTA | Vehicle OTA | Vehicle OTA |
| Car WiFi function | WiFi connection WiFi hotspot | WiFi connection WiFi hotspot | WiFi connectionWiFi hotspot | WiFi connectionWiFi hotspot | WiFi connectionWiFi hotspot | WiFi connection WiFi hotspot |
| Car navigation map | • Gaode | • Gaode | • Gaode | Gaode | Gaode | • Gaode |
| HD map | • | • | • | • | • | • |
| V2X communication | - | - | - | - | - | - |
| roadside assistance call | • | • | • | • | • | • |
| Bluetooth/car phone | • | • | • | • | • | • |
| Mobile phone | Original | Original | Original | Original | Original | Original |
| interconnection/mapping | interconnection/mapping | interconnection/mapping | interconnection/mapping | interconnection/mapping | interconnection/mapping | interconnection/mapping |
| Voice assistant wake word | ● Hi, EVA | ● Hi, EVA | ● Hi, EVA | • Hi, EVA | ● Hi, EVA | ● Hi, EVA |
| Voice zone wake-up | • First row | • First row | • First row | • First row | • First row | • First row |
| · | Second row | Second row | Second row | Second row | Second row | Second row |
| Voice wake-up-free Speech continuous | • | • | • | • | • | • |
| recognition | • | • | • | • | • | • |
| Maine managritica control | Multimedia system | Multimedia system | Multimedia system | Multimedia system | Multimedia system | Multimedia system |
| Voice recognition control | Navigation | Navigation | Navigation | Navigation | Navigation | Navigation |
| function | • Telephone | Telephone | Telephone | Telephone | • Telephone | • Telephone |
| | Air conditioning | Air conditioning | Air conditioning | Air conditioning | Air conditioning | Air conditioning |
| gesture control | - | - | - | - | - | - |
| face recognition | Door control | Door control | Door control | Door control | Door control | Door control |
| | Window control | Window control | Window control | Window control | Window control | Window control |
| | Vehicle starts | Vehicle starts | Vehicle starts | Vehicle starts | Vehicle starts | Vehicle starts |
| | | | | | | |
| | Air conditioning control | Air conditioning control | Air conditioning control | Air conditioning control | Air conditioning control | Air conditioning control |

| 1 | Charita and an and | Character and a second | Character and a second | Character and a second | | Character and a |
|--------------------------------------|---|---|---|---|---|---|
| | Charging managementVehicle condition |
| Remote control function | | | | | | |
| Remote control function | inquiry/diagnosis Vehicle positioning/car |
| | search | search | search | search | search | search |
| | Maintenance/repair | Maintenance/repair | Maintenance/repair | Maintenance/repair | Maintenance/repair | Maintenance/repair |
| | appointment | appointment | appointment | appointment | appointment | appointment |
| | Car owner services (find) |
| | charging piles, gas stations, | charging piles, gas stations, | , | 1 | 1 | charging piles, gas stations, |
| | parking lots, etc.) |
| | , | <u> </u> | Media entertainment | | , | , , , , , , , , , , , , , |
| Car APP application market | • | • | • | • | • | • |
| Car CD/DVD | - | - | - | - | _ | - |
| Multimedia/charging | | | | | | |
| interface | • Type-C |
| Number of USB/Type-C | • 1 person in the front | 1 person in the front | 1 person in the front | 1 person in the front | • 2 in the front row/2 in | • 2 in the front row/2 in |
| interfaces | row/1 person in the back | the back row | the back row |
| | row | row | row | row | the back fow | the back fow |
| In-car entertainment | Karaoke | Karaoke | Karaoke | Karaoke | Karaoke | Karaoke |
| functions | | | | | | |
| simulated sound Rear seat control | 0 | 0 | 0 | • | • | • |
| multimedia | • | • | • | • | • | • |
| Number of multimedia | | | | | | |
| screens in the rear row | • 1 | • 1 | • 1 | • 1 | • 1 | • 1 |
| Rear multimedia screen size | | | | | | |
| [inch] | • 5.7 | • 5.7 | • 5.7 | • 5.7 | • 5.7 | • 6 |
| Cockpit 220V/230V power | | | | | | |
| supply | - | - | <u>-</u> | _ | - | - |
| Luggaga compartment | | | | | | - 121/ |
| Luggage compartment | • 12V |
| power interface | | | | | | • 220V |
| audio brand | YAMAHA Yamaha | YAMAHA Yamaha | YAMAHA Yamaha | YAMAHAYamaha | YAMAHAYamaha | YAMAHAYamaha |
| | • 8 | • 8 | • 8 | | | |
| Number of speakers | | | | • 12 | • 12 | • 28 |
| | o 12 | o 12 | o 12 | | | |
| | | | Light function | | | |
| Low beam light source | • LED |
| high beam light source | • LED |
| Lighting features | Matrix | Matrix | Matrix | Matrix | Matrix | Matrix |
| LED daytime running lights | • | • | • | • | • | • |
| | Height adjustment |
| | Automatic opening and |
| Headlight function | closing | closing | closing | closing | closing | closing |
| Treading it fulletion | Adaptive high and low | Adaptive high and low |
| | beam | beam | beam | beam | beam | beam |
| | Delayed shutdown | Delayed shutdown | Delayed shutdown | Delayed shutdown | Delayed shutdown | Delayed shutdown |
| Turn assist light | - | - | - | - | - | - |

| Front fog lights | - | - | - | - | - | - |
|--|--|--|--|--|--|---|
| Headlight cleaning device | - | - | - | - | - | - |
| Car interior ambient light | Multicolor | Multicolor | Multicolor | Multicolor | Multicolor | Multicolor |
| | | | glass/rear view mirror | • | | |
| First row electric windows | • | • | • | • | • | • |
| Second row electric | • | • | • | • | • | • |
| windows One-click lifting and | | | | | | |
| lowering of windows | The whole car | The whole car | The whole car | The whole car | The whole car | The whole car |
| Window anti-pinch | a The whole ser | a The whole car | a The whole car | a The whole car | a The whole car | a Thoughologor |
| function | The whole car | The whole car | The whole car | The whole car | The whole car | The whole car |
| Multilayer soundproof | _ | - | - | - | - | _ |
| glass | Electric adjustment | Electric adjustment | Electric adjustment | Electric adjustment | Electric adjustment | Electric adjustment |
| | | | - | - | | |
| | Heated rearview mirrors | Heated rearview mirrors | Heated rearview mirrors | Heated rearview mirrors | Heated rearview mirrors | Heated rearview mirrors |
| | Electric folding | Electric folding | Electric folding | Electric folding | Electric folding | Electric folding |
| Exterior rearview mirror | Rearview mirror memory | Rearview mirror memory | Rearview mirror memory | Rearview mirror memory | Rearview mirror memory | Rearview mirror memory |
| function | Automatically roll down | Automatically roll down | Automatically roll down | Automatically roll down | Automatically roll down | Automatically roll dowr |
| | when reversing | when reversing | when reversing | when reversing | when reversing | when reversing |
| | Automatic folding when | Automatic folding when | Automatic folding when | Automatic folding when | _ | Automatic folding wher |
| | locking the car | locking the car | locking the car | locking the car | locking the car | locking the car |
| Interior reangious mirror | | | | | Automatic anti-dazzle | Automatic anti-dazzle |
| Interior rearview mirror function | Automatic anti-dazzle | Automatic anti-dazzle | Automatic anti-dazzle | Automatic anti-dazzle | Automatic anti-dazzle | Automatic anti-dazzle |
| Rear side privacy glass | - | - | - | - | • | • |
| Rear side sunshades | - | - | - | - | - | - |
| Rear windshield sunshade | - | - | - | - | - | - |
| Car vanity mirror | Main driving + lighting | Main driving + lighting | Main driving + lighting | Main driving + lighting | Main driving + lighting | Main driving + lighting |
| | Co-pilot + lighting Dain concerture | Co-pilot + lighting | Co-pilot + lighting | Co-pilot + lighting Dain concerture | Co-pilot + lighting | Co-pilot + lighting Rein concerture |
| Sensing wiper function | Rain sensor type | Rain sensor type | Rain sensor type | Rain sensor type | Rain sensor type | Rain sensor type |
| rear wiper Heated water nozzle | _ | <u>-</u> | _ | | | - |
| Treated water Hozzie | - | <u> </u> | conditioning/refrigera | tion | - | - |
| | | All | contaitioning, renigera | | | |
| First row air conditioner | | | | | | |
| | Dual temperature zone | Dual temperature zone | Dual temperature zone | Dual temperature zone | Dual temperature zone | Dual temperature zone |
| First row air conditioner | Dual temperature zone automatic air conditioning | Dual temperature zone automatic air conditioning | Dual temperature zone automatic air conditioning | Dual temperature zone automatic air conditioning | Dual temperature zone automatic air conditioning | |
| First row air conditioner | automatic air conditioning | automatic air conditioning | automatic air conditioning | automatic air conditioning | automatic air conditioning | automatic air conditioning |
| | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioning Single temperature zone |
| Second row air conditioner | automatic air conditioning | automatic air conditioning | automatic air conditioning | automatic air conditioning | automatic air conditioning | automatic air conditioning Single temperature zon |
| Second row air conditioner Third row air conditioner | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioning Single temperature zone |
| Second row air conditioner Third row air conditioner heat pump air conditioner | Single temperature zone automatic air conditioning | Single temperature zone automatic air conditioning temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning | automatic air conditioning Single temperature zone |
| Second row air conditioner Third row air conditioner heat pump air conditioner air quality monitoring | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioningSingle temperature zone | automatic air conditioning Single temperature zon |
| Second row air conditioner Third row air conditioner heat pump air conditioner air quality monitoring In-car PM2.5 filter device | Single temperature zone automatic air conditioning | Single temperature zone automatic air conditioning temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning | automatic air conditioning Single temperature zon |
| Second row air conditioner Third row air conditioner heat pump air conditioner air quality monitoring In-car PM2.5 filter device Car air purifier | Single temperature zone automatic air conditioning | Single temperature zone automatic air conditioning temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning | automatic air conditioning Single temperature zone |
| Second row air conditioner Third row air conditioner heat pump air conditioner air quality monitoring In-car PM2.5 filter device | Single temperature zone automatic air conditioning | Single temperature zone automatic air conditioning temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning temperature zone automatic air conditioning - | Single temperature zone automatic air conditioning | Dual temperature zone automatic air conditioning Single temperature zone automatic air conditioning - |

| | Optional package | | | | | | | | |
|---|---|--|---------------------------|---------------------------------------|--------------------------|----------------------------|--|--|--|
| | ∘ Free optional | - | ∘ Free optional | - | - | - | | | |
| 28,000 Yuan limited time [Xu Xin Voucher] Optional Fund | can be selected as you wi temperature package and o reduced in the order and loc | 28,000 yuan [Xi Xin Voucher] option fund, 100kWh battery pack, dual motor four-wheel drive, high-performance air suspension package and other hard-core large items can be selected as you wish* [Xi Xin Voucher] option fund is limited to: battery capacity, drive system, appearance, interior optional packages, accessories and winter temperature package and other optional items, other items in the software service cannot participate in the reduction; *[Xi Xin Voucher] optional funds will be reduced or educed in the order and lock order settlement interface, each option The order of deductions and exemptions for the projects from front to back is: battery capacity, drive system appearance, interior, optional packages, winter temperature package, accessories. The maximum reduction is 28,000 yuan and no change is required. It cannot be exchanged for cash and cannot be transferred. | | | | | | | |
| EC light-sensing canopy | No price for options yet | o No price for options yet | No price for options yet | No price for options yet | No price for options yet | - | | | |
| | | EC light-sensing canopy | | | | | | | |
| YAMAHA surround stereo | o Optional 6000 | o Optional 6000 | o Optional 6000 | - | - | - | | | |
| advanced audio | Contains 11 high-fidelity speakers and 1 subwoofer, integrated Yamaha audio fine-tuning φTune algorithm, S3D concert hall effect and HXT compression music compensation technology, and performance sound system | | | | | | | | |
| ZAD-Ultimate fully autonomous driving | - | - | - | - | - | ○ No price for options yet | | | |
| assistance system | NZP high-speed autonomous piloting, NZP urban autonomous piloting, HWP high-speed autonomous driving assistance with automatic overtaking, H2H active up and down ramps, MTM intersection active selection, LOT adjacent vehicle line active offset, APB preventive braking, TLB red light braking assist, TLW traffic light reminder | | | | | | | | |
| winter temperature pack | o Optional 2400 | o Optional 2400 | o Optional 2400 | | <u>-</u> | - | | | |
| winter temperature pack | | | Rear seat heating functio | n, steering wheel heating | | | | | |
| Upgraded Performance Air Suspension Package | - | - | - Lineway de d De Course | Free optional Air Suggestion Backers | - | - | | | |
| | | | Upgraded Performance | Air Suspension Package | | <u> </u> | | | |
| Intelligent technology package | - | - | Intelligent light | - noing conony lidor | - | ∘ No price for options yet | | | |
| | l | | intelligent light-se | nsing canopy, lidar | | | | | |

| | | | 1 | 1 | | | | | | | | | |
|--|--|---|------------------------------|----------------------------|------------------------------|--|--|--|--|--|--|--|--|
| Smart sensor automatic | o Optional 15000 | - | o Optional 15000 | o Optional 15000 | - | - | | | | | | | |
| door set | | 4-door sensor-type frameless automatic door, kick-type sensor height memory electric tailgate | | | | | | | | | | | |
| | - | - | - | - | - | o Optional 60000 | | | | | | | |
| Raikkonen model | Raikkonen persona | lly participated in the develo | pment and tuning, with a ma | ximum horsepower of 1,300 | horses and 9 exclusive custo | mized adjustments. | | | | | | | |
| Limited time free upgrade to Z-Sprot Sports | - | - | - | - | ∘ Free optional | - | | | | | | | |
| Advanced Package | The package includes: Yuguang Orange (with contrasting roof) orange and gray Alcantara interior, 22-inch multi-spoke sports forged wheels (front wheels with Brembo six-piston calipers & high-performance perforated brake discs), adaptive racing seats, Brand performance tires | | | | | | | | | | | | |
| Free upgrade to Extreme Blue appearance color for a limited time | ○ Free optional | - | ∘ Free optional | ∘ Free optional | ∘ Free optional | - | | | | | | | |
| | Free upgrade to Extreme Blue appearance color for a limited time* Limited time free upgrade event starts from August 11, 2023 to December 31, 2023 | | | | | | | | | | | | |
| High performance air suspension package | o Optional 28000 | o Optional 28000 | o Optional 28000 | o Optional 28000 | - | - | | | | | | | |
| Saspension package | | Fully automati | c air suspension system, CCD | electromagnetic shock abso | orption system. | | | | | | | | |
| | - | - | - | o Optional 19000 | o Optional 19000 | - | | | | | | | |
| Performance wheelset | 22-inch multi-spoke spo | ts forged wheels 265/40 R22 | | • • | & high-performance large-si | 22-inch multi-spoke sports forged wheels 265/40 R22 (front wheels equipped with Brembo six-piston calipers & high-performance large-size perforated brake discs throughout the vehicle) Brand high-performance tires | | | | | | | |