

Yuanhe Chelian New Energy

Email: wenbin_zheng@hotmail.com WhatsApp: +86 139 0639 1027

	ID.6 X 2023 modelGrade pure	ID.6 X 2023 modelPremium pure and long battery life	ID.6 X 2023 modelPremium model with extremely smart and long battery life	ID.6 X 2023 modelHigh-end powerful four-wheel drive
Basic parameters				
factory level	SAIC	SAIC	SAIC	SAIC
Energy type	pure electric	pure electric	pure electric	pure electric
Listed	2023.04	2023.04	2023.04	2023.04
CLTC pure electric cruising range (km)	460	617	617	555
(Hour)	0.67	0.67	0.67	0.67
(Hour)	9.5	12.5	12.5	12.5
percentage	80	80	80	80
(kW)	132	150	150	230
Torque(N·m)	310	310	310	472
Motor(Ps)	180	204	204	313
Length*width*height (mm)	4876*1848*1680	4876*1848*1680	4876*1848*1680	4876*1848*1680
Body structure	5-door, 7-seater SUV	5-door, 7-seater SUV	5-door, 7-seater SUV	5-door, 6-seater SUV
Maximum speed (km/h)	160	160	160	160
Official 0-100km/h acceleration (s)	-	-	-	-
Official 0-50km/h acceleration (s)	3.4	3.5	3.5	2.6
Electric energy equivalent fuel consumption (L/100km)	1.65	1.65	1.65	1.81
Complete vehicle	three10kilometer	three10kilometer	three10kilometer	three10kilometer
first ownerpolicy	-	-	-	-
Body				
(mm)	4876	4876	4876	4876
(mm)	1848	1848	1848	1848
(mm)	1680	1680	1680	1680
(mm)	2965	2965	2965	2965
Wheelbase(mm)	-	-	-	-
(mm)	-	-	-	-
Body structure	SUV	SUV	SUV	SUV

(individual)	5	5	5	5
Number of seats (seats)	7	7	7	6
trunk(L)	202-1820	202-1820	202-1820	202-1820
(kg)	2150	2280	2280	2395
Fully loaded(kg)	2710	2840	2840	2875
electric motor				
Motor type	/	/	/	/after asynchronous/
Motor total(kW)	132	150	150	230
Motor total(Ps)	180	204	204	313
Total torque of motor (N·m)	310	310	310	472
electric motor(kW)	-	-	-	80
electric motorTorque(N·m)	-	-	-	162
Rear electric motor(kW)	132	150	150	150
Rear electric motorTorque(N·m)	310	310	310	310
Number of drive motors	single motor	single motor	single motor	Dual motor
Motor layout				Set +
Battery Type	three	three	three	three
Battery brand	Ningde era	Ningde era	Ningde era	Ningde era
Battery cooling method	liquid cooling	liquid cooling	liquid cooling	liquid cooling
CLTC pure electric cruising range (km)	460	617	617	555
Battery energy (kWh)	63.2	83.4	83.4	83.4
Battery energy density (Wh/kg)	172	175	175	175
consumption per 100 kilometers(kWh/100km)	14.6	14.6	14.6	16
Battery	eight16kilometer	eight16kilometer	eight16kilometer	eight16kilometer
Function	support	support	support	support
(Hour)	0.67	0.67	0.67	0.67
(Hour)	9.5	12.5	12.5	12.5

(%)	80	80	80	80
gearbox				
Number of gears	1	1	1	1
Gearbox type	gearbox	gearbox	gearbox	gearbox
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
chassis steering				
Drive mode				Dual motor four-wheel drive
four-wheel drive	-	-	-	Electric four-wheel drive
structure	-	-	-	-
type	Mode	Mode	Mode	Mode
type	Mode	Mode	Mode	Mode
type	electric	electric	electric	electric
Body structure				
wheel brake				
Brake type				
type				
Brake type	electronic	electronic	electronic	electronic
tire	235/55 R19	235/50 R20	235/50 R20	235/45 R21
	255/50R19	265/45 R20	265/45 R20	255/40R21
	none	none	none	none
passive safety				
Driver/passenger seat safety	host / deputy	host / deputy	host / deputy	host / deputy
/side	/ back-	/ back-	/ back-	/ back-
/head(air curtain)	/ back	/ back	/ back	/ back
Tire pressure monitoring function	tire pressure alarm	tire pressure alarm	tire pressure alarm	tire pressure alarm
Run-flat tires				
Seat belt not fastened reminder	Row	Row	Row	Row
			second row	second row
ISOFIX				
ABS anti-lock				
(EBD/CBC, etc.)				
Brake assist (EBA/BAS/BA, etc.)				
(ASR/TCS/TRC, etc.)				
BodyControl (ESC/ESP/DSC, etc.)				
active safety				
lane departuresystem				

Active braking/active safety system				
Fatigue driving tips				
DOW open the door	-	-		
square collision				
Low speed warning				
roadside assistance call				
Driving control				
Driving mode switch	sports	sports	sports	sports
	economy	economy	economy	economy
	standard/	standard/	standard/	standard/
energy recovery system				
automatic				
Hill assist				
steep descent	-	-	-	-
variableFunction	-	-	-	Soft and hard
driving hardware				
/backradar	/ back	/ back	/ back	/ back
Driving assistance	reverse	360 degree panorama	360 degree panorama	360 degree panorama
driving function				
cruise system	full speed autosould cruise	full speed autosould cruise	full speed autosould cruise	full speed autosould cruise
Assisted driving system	IQ. Drive	IQ. Drive	IQ. Drive	IQ. Drive
Assisted driving level	L2	L2	L2	L2
Reversing sidesystem	-	-		
satelliteNavigation system				
Route status information display				
Auxiliary	-	-		
Lane Keeping Assist System				
Lane centering				

Road traffic sign recognition				
Automatic parking	-	-		
Appearance/anti-theft				
Rim				
Electric trunk	(¥2000)			
induction trunk				
Electric trunk position memory				
roof rack				
Central locking in car				
Key type	remote key	remote key	remote key	remote key
Start the system				
Enter function	whole car	whole car	whole car	whole car
Active closing air intake grille				
Remote start function				
Battery pre-				
exterior lights				
light source	led	led	led	led
light source	led	led	led	led
Lighting features	Matrix	Matrix	Matrix	Matrix
LED daytime running lights				
sinceShould be far and near light				
automatic headlight				
turn headlight				
carfog lights	-	-	-	-
Headlight rain and fog mode				
headlightAdjustable				
Delayed turn off of headlights				
skylight/glass				

skylight/glass

Skylight type	Panoramic sunroof cannot be opened	Panoramic sunroof can be opened	Panoramic sunroof can be opened	Panoramic sunroof can be opened
		Panoramic sunroof cannot be opened	Panoramic sunroof cannot be opened	Panoramic sunroof cannot be opened
/Rear electric windows	/ back	/ back	/ back	/ back
One-click car windowdowngrade function	whole car	whole car	whole car	whole car
Window anti-pinch function				
Car vanity mirror	Main driving + lighting	Main driving + lighting	Main driving + lighting	Main driving + lighting
	Co-pilot + lighting	Co-pilot + lighting	Co-pilot + lighting	Co-pilot + lighting
rear wiper				
Sensing wiper function	Rain sensing	Rain sensing	Rain sensing	Rain sensing
Canwater spout	-			
exterior rearview mirror				
Exterior rearview mirror function	electric	electric	electric	electric
	Electric folding	Electric folding	Electric folding	Electric folding
	rearview mirror	rearview mirror	rear view mirror memory	rear view mirror memory
	Automatic downturn when reversing	Automatic downturn when reversing	rearview mirror	rearview mirror
	Automatic folding when locking the car	Automatic folding when locking the car	Automatic downturn when reversing	Automatic downturn when reversing
			Automatic folding when locking the car	Automatic folding when locking the car
screen/system				
Central control color screen	Touch LCD screen	Touch LCD screen	Touch LCD screen	Touch LCD screen
Central control screen size	12 inches	12 inches	12 inches	12 inches
/car mounted				
Mobile phone interconnection/mapping	Support CarPlay	Support CarPlay	Support CarPlay	Support CarPlay
	SupportCarLife	SupportCarLife	SupportCarLife	SupportCarLife
Voice recognition control system	multimedia system	multimedia system	multimedia system	multimedia system
	sail	sail	sail	sail
	air conditioner	air conditioner	air conditioner	air conditioner
Vehicle intelligent system	MOS smart car connection	MOS smart car connection	MOS smart car connection	MOS smart car connection
Intelligent configuration				
Internet of Vehicles				
4G/5G network	4G	4G	4G	4G

4G/3G network	4G	4G	4G	4G
OTAclass				
Wi-Fi hotspot				
Mobile APP remote function	Charging management	Charging management	Charging management	Charging management
	air conditioning control	air conditioning control	air conditioning control	air conditioning control
	Vehicle condition inquiry/diagnosis	Vehicle condition inquiry/diagnosis	Vehicle condition inquiry/diagnosis	Vehicle condition inquiry/diagnosis
	Vehicle location/finding	Vehicle location/finding	Vehicle location/finding	Vehicle location/finding
	Make an appointment for maintenance/repair	Make an appointment for maintenance/repair	Make an appointment for maintenance/repair	Make an appointment for maintenance/repair
Steering wheel/interior rearview mirror				
steering wheel				
steering wheel position	Manual+back	Manual+back	Manual+back	Manual+back
Shift pattern	Integrated gearshift	Integrated gearshift	Integrated gearshift	Integrated gearshift
Multifunction steering wheel				
steering wheel gear shift	-	-	-	-
steering wheel				
steering wheel memory	-	-	-	-
display screen	color	color	color	color
LCD instrument size	5.3 inches	5.3 inches	5.3 inches	5.3 inches
AR-HUD augmented reality head-up display	-	(¥5000)		
Interior rearview mirror function	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle	Automatic anti-dazzle
ETC device	(¥200)	(¥200)	(¥200)	(¥200)
Charging in car				
Multimedia/Charging	Type-C	Type-C	Type-C	Type-C
USB/Type-Cquantity	Row 3/2	Row 3/2	Row 3/2	Row 3/2
Mobile phone wireless charging function	-	-	Row	Row
12V power supply for luggage compartment				
Seat configuration				
seat	imitation leather	imitation leather	imitation leather	imitation leather
	back	back	back	back

main seatWay	backrest	backrest	backrest	backrest
	high or low(4-way)	high or low(4-way)	high or low(4-way)	high or low(4-way)
	waist(2 way)	waist(2 way)	waist(4-way)	waist(4-way)
	back	back	back	back
	backrest	backrest	backrest	backrest
Passenger seatWay	high or low(4-way)	high or low(4-way)	high or low(4-way)	high or low(4-way)
	waist(2 way)	waist(2 way)	waist(4-way)	waist(4-way)
	host / deputy	host / deputy	host / deputy	host / deputy
	Row seat function		massage	massage
	Power seat memory function	-	-	driver's seat
			Passenger seat	Passenger seat
Passenger seatCanbutton	-	-	-	-
second row seats	back	back	back	back
	backrest	backrest	backrest	backrest
Second row seat functions	-	-		
second rowseat	-	-		
Seat layout	2002/3/2	2002/3/2	2002/3/2	2002/2/2
			2002/2/2	
seatform				
/backarmrest	/ back	/ back	/ back	/ back
cup holder				
Audio/interior lighting				
brand	-	-	Harman/Kardon Harman Kardon (¥4000)	Harman/KardonHarman Kardon
quantity	9	9	9	12
			12	
touch reading light				
Car interior ambient lighting	monochrome	monochrome	30 colors	30 colors
Air conditioner/refrigerator				
Air conditioning temperature control method	automatic air conditioner	automatic air conditioner	automatic air conditioner	automatic air conditioner
heat pump air conditioner	-			
air conditioner	-	-		

Back seat outmouth				
Temperature zone control				
Vehicle mountedfilter	-	-		
In-car PM2.5 filter device				
negative ion generator	-	-		
Optional package				
Exterior color				
interior color				
Note: The above parameter configuration information is for reference only. The actual parameter configuration information is subject to the vehicle sold in the store. The right of interpretation belongs to the manufacturer.				
Basic parameters				
Body				
electric motor				
gearbox				
chassis steering				
wheel brake				
passive safety				
active safety				
Driving control				
driving hardware				
driving function				
Appearance/anti-theft				
exterior lights				

skylight/glass				
exterior rearview mirror				
screen/system				
Intelligent configuration				
Steering wheel/interior rearview mirror				
Charging in car				
Seat configuration				
Audio/interior lighting				
Air conditioner/refrigerator				
Optional package				