Yuanhe Unique New Energy				
	Email: wenbin_zher	ng@hotmail.com WhatsApp:	+86 139 0639 1027	
Parameter configuration	23 models of 560km rear- wheel drive Max standard version	23 models of 680km rear- drive Max long-range version	23 models of 760km rear- drive Max ultra-long range version	23 models of 702km four- wheel drive Max super performance version
Basic Information				
level	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV
Energy type time to market	pure electricity 2023/10/12	pure electricity 2023/10/12	pure electricity 2023/10/12	pure electricity 2023/10/12
CLTC pure electric range	560	680	760	702
[km] Motor[Ps]	314	340	515	787
gearbox	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio
Length*width*height[mm]	4904*1988*1669	4904*1988*1669	4904*1988*1669	4904*1988*1669
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed [km/h] Official 0-100km/h	200	200	220	252
acceleration [s]	5.9	5.9	5.5	3.48
Vehicle warranty	5 years or 150,000	5 years or 150,000	5 years or 150,000	5 years or 150,000
•	kilometers 5 years or 150,000	kilometers 5 years or 150,000	kilometers 5 years or 150,000	kilometers 5 years or 150,000
First owner warranty policy	kilometers	kilometers	kilometers	kilometers
Exterior color interior color				
Body				
Length[mm]	4904	4904	4904	4904
Width[mm]	1988	1988	1988	1988
Height[mm]	1669	1669	1669	1669
Wheelbase [mm] Front wheelbase [mm]	2950 1698	2950 1698	2950 1698	2950 1698
Rear wheelbase [mm]	1707	1707	1707	1707
Car door opening method	swing door	swing door	swing door	swing door
Number of doors	5	5	5	5
number of seats	5	5	5	5
Approach angle [°] Departure angle [°]	17 twenty one	17 twenty one	17 twenty one	17 twenty one
Drag coefficient [Cd]	0.237	0.237	0.237	0.237
Official front trunk volume	32	32	32	32
[L]				
Official trunk volume [L] Curb weight [kg]	665-1640 2150	665-1640 2227	665-1640 2352	665-1640 2432
Full load mass [kg]	2601	2678	2803	2883
electric motor				
Number of drive motors	single motor	single motor	single motor	Dual motor
Motor layout	rear	rear	rear	Front + rear
Motor type	Permanent magnet	Permanent magnet	Permanent magnet	Permanent magnet
Total motor power [kW]	synchronization 231	synchronization 250	synchronization 379	synchronization 579
Total motor horsepower				
[Ps]	314	340	515	787
Motor total torque [N·m]	450	450	500	800
Maximum power of front electric motor [kW]	-	-	-	200
Maximum torque of front	-	-	-	300
electric motor [N·m] Maximum power of rear	224	250	270	270
electric motor [kW]	231	250	379	379
Maximum torque of rear electric motor [N·m]	450	450	500	500
Battery/recharge		•		
Battery Type	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery brand	Times SAIC	Times SAIC	Ningde era	Ningde era
Battery temperature management	• Low temperature heating	• Low temperature heating	• Low temperature heating	• Low temperature heating
9	Liquid cooling	 Liquid cooling 	 Liquid cooling 	Liquid cooling
CLTC pure electric range [km]	560	680	760	702
Battery power [kWh]	71	90	100	100
Battery energy density	-	-	235.7	235.7
[Wh/kg]	• Class shareing	• Class shareing		
vehicle charging port	Slow charging portQuick charging port	Slow charging portQuick charging port	Slow charging portQuick charging port	Slow charging portQuick charging port
		Left rear side of car	Left rear side of car	Left rear side of car
Slow charging port	 Left rear side of car 			
location			• Left rear side of car	• Left rear side of car
location Fast charging port location	Left rear side of car Left rear side of car	• Left rear side of car	• Left rear side of car	• Left rear side of car
location			Left rear side of car 800V platform	Left rear side of car800V platform

Car charging gun	-	-	-	-
External discharge function	•	•	•	•
External discharge power	• 6.6kW	• 6.6kW	● 6.6kW	• 6.6kW
	8 years or 240,000	8 years or 240,000	8 years or 240,000	8 years or 240,000
Battery pack warranty	kilometers	kilometers	kilometers	kilometers
First owner battery pack	8 years or 240,000	8 years or 240,000	8 years or 240,000	8 years or 240,000
warranty	kilometers	kilometers	kilometers	kilometers
gearbox	El			
Gearbox description	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
Gearbox type	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio	Fixed gear ratio
Number of gears	1	1	1	1
chassis steering				
Drive form	rear wheel drive	rear wheel drive	rear wheel drive	Dual motor four-wheel
	rear wheel drive	rear wheel drive	rear wheel drive	drive
four-wheel drive Center differential	-	-	-	Electric four-wheel drive
structure	-	-	-	-
Front suspension type	Double wishbone	Double wishbone	Double wishbone	Double wishbone
Tront suspension type	independent suspension	independent suspension	independent suspension	independent suspension
rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist
Adjustable suspension	-	-	-	-
features	_	_	_	_
Adjustable suspension	-	-	-	-
types Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
limited slip differential	-	- · · · · · · · · · · · · · · · · · · ·		- -
differential lock	-	-	-	-
wheel brake				
Front brake type	 Ventilated disc type 	 Ventilated disc type 	 Ventilated disc type 	 Ventilated disc type
rear brake type	Ventilated disc type Floatronic parking	Ventilated disc type Floatronic parking	Ventilated disc type Floatronic parking	Ventilated disc type Floatronic parking
Parking brake type	Electronic parking ● 235/50 R20	Electronic parking ● 235/50 R20	Electronic parking ● 235/50 R20	Electronic parking ● 235/50 R20
Front tire specifications	○ 235/45 R21	○ 235/45 R21	○ 235/45 R21	○ 235/45 R21
Rear tire specifications	• 255/45 R20	• 255/45 R20	• 255/45 R20	• 255/45 R20
·	o 265/40 R21	o 265/40 R21	o 265/40 R21	○ 265/40 R21
Spare tire Spare tire placement	• No spare tire	No spare tire -	• No spare tire	No spare tire -
active safety				
ABS anti-lock				
Braking force distribution	•	•	•	•
(EBD/CBC, etc.)	•	•	•	•
Brake assist (BA/EBA/BAS,	•	•	•	•
etc.) Traction control				
(ASR/TCS/TRC, etc.)	•	•	•	•
Body stability control	_	_	_	_
(ESP/DSC/VSC, etc.)			•	•
Seat belt not fastened reminder	The whole car	The whole car	The whole car	The whole car
Tire pressure monitoring	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display
passive safety				
Main driver airbag	•	•	•	•
Passenger airbag	•	•	•	•
First row side airbag	•	•	•	•
Second row side airbags	-	•	-	-
side curtain airbags knee air bag	-	-	-	-
Passenger seat cushion				
airbag	-	-	-	-
Rear seat belt airbag	-	-	-	-
Rear seat anti-skid airbags	-	-	-	-
center airbag	-	-	-	<u> </u>
Second row forward		-	-	-
airbags child seat interface	•	•	•	•
passive pedestrian	-	•	•	•
protection	-	-	-	-
Run-flat tires	-	-	-	-
Auxiliary/control configu	ration			
front parking radar	•	•	•	•
Rear parking radar	•	•	•	•
Reverse side warning system	•	•	•	•
Door opening collision				
warning	•	•	•	•
	• 360-degree panoramic	• 360-degree panoramic	• 360-degree panoramic	• 360-degree panoramic
	image	image	image ◆ Vehicle side blind spot	image • Vehicle side blind spot
Driving assistance images	 Vehicle side blind spot 	 Vehicle side blind snot 		v
Driving assistance images	 Vehicle side blind spot 	 Vehicle side blind spot image 	·	·
Driving assistance images Chassis perspective	 Vehicle side blind spot image 	image •	image •	image •
Chassis perspective	Vehicle side blind spot image Full-speed adaptive	image ● Full-speed adaptive	image ● Full-speed adaptive	image ● • Full-speed adaptive
	 Vehicle side blind spot image 	image •	image •	image •

Driving mode selection	EconomyStandard/Comfortable	EconomyStandard/Comfortable	EconomyStandard/Comfortable	Economy Standard/Comfortable
Driving mode selection	Customize/Personalize	Customize/Personalize	Customize/Personalize	• Snow
	·	·		Customize/Personalize
Fatigue reminder	-	-	-	-
automatic parking remote control parking	•	•	•	•
remote control parking	•	•	•	•
Engine start and stop	-	-	-	-
automatic parking	•	•	•	•
Hill assist	•	•	•	•
steep descent	•	•	•	•
night vision system	-	-	-	-
variable steering ratio	-	-	-	-
Integral active steering	-	-	-	-
system Wading sensor system	_	_	_	_
	_			
Assisted driving functions	8			
Parallel assistance	•	•	•	•
(BSM/BSD)				
Lane Departure Warning	•	•	•	•
(LDWS) Lane Keeping (LKAS)	•	•	•	•
Lane centering	•	•	•	•
Road traffic sign	_	-	_	
recognition	•	•	•	•
forward collision warning	•	•	•	•
rear collision warning	•	•	•	•
Active braking	•	•	•	•
Automatic lane change	•	•	•	•
assist				
Automatic ramp exit/entry	0	0	0	0
High-speed assisted				
driving	0	0	0	0
Urban assisted driving	0	0	0	0
Reverse tracking	•	•	•	•
Assisted driving hardwar	e			
g				
Driving assistance level	● L2	• L2	● L2	● L2
3	∘ L3	∘ L3	∘ L3	∘ L3
Assisted driving system	• IM AD	• IM AD	• IM AD	• IM AD
Assisted driving chip	• 1 NVIDIA Drive Orin-X	• 1 NVIDIA Drive Orin-X	• 1 NVIDIA Drive Orin-X	• 1 NVIDIA Drive Orin-X
Chip computing power	• 254 TOPS	• 254 TOPS	• 254 TOPS	• 254 TOPS
Lidar brand Lidar model	RoboSenseRS-LiDAR M1	RoboSenseRS-LiDAR M1	RoboSenseRS-LiDAR M1	RoboSenseRS-LiDAR M1
LiDAR quantity	• 1	• 1	• 1	• 1
Lidar line number	• 126 lines	• 126 lines	• 126 lines	• 126 lines
Lidar maximum detection		• 200	• 200	• 200
distance [m]	• 200	• 200	• 200	• 200
Number of lidar point	• 78	• 78	• 78	• 78
clouds [10,000/second]				
millimeter wave radar	• 3	• 3	• 3	• 3
ultrasonic radar	• First 6/Last 6	• First 6/Last 6	• First 6/Last 6	• First 6/Last 6
Front sensing camera type	Binocular	Binocular	Binocular	Binocular
Environment aware camera	• 11	• 11	• 11	• 11
surround camera	• 4	• 4	• 4	• 4
car camera		-		
External configuration				
	The panoramic sunroof	The panoramic sunroof	• The panoramic sunroof	The panoramic sunroo
Skylight type	·	cannot be opened	cannot be opened	cannot be opened
	Cannot no onened			carriot be opened
	cannot be opened	cannot be opened	earmer se operied	
Sport appearance package	cannot be opened -	-	-	-
Electric spoiler	-	-	-	-
Electric spoiler Rim material	- • Aluminum alloy	- Aluminum alloy	Aluminum alloy	- - • Aluminum alloy
Electric spoiler Rim material Electric suction door	-	-	-	- - • Aluminum alloy -
Electric spoiler Rim material Electric suction door Automatic opening and	-	-	-	- - Aluminum alloy - -
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors	- • Aluminum alloy - -	- • Aluminum alloy - -	- • Aluminum alloy - -	-
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door	-	-	-	Aluminum alloy
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door	- • Aluminum alloy - -	- • Aluminum alloy - -	- • Aluminum alloy - -	-
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack	- • Aluminum alloy - -	- Aluminum alloy	- Aluminum alloy	- - - -
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door		- • Aluminum alloy - -	- • Aluminum alloy - -	-
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start	- Aluminum alloy	- Aluminum alloy	- Aluminum alloy	Bluetooth Key • NFC/RFID key
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start keyless entry	- Aluminum alloy		- Aluminum alloy	- - - - - • Bluetooth Key
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start keyless entry Hidden electric door	- Aluminum alloy	- Aluminum alloy	- Aluminum alloy	Bluetooth Key • NFC/RFID key
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start keyless entry Hidden electric door handle	- Aluminum alloy	- Aluminum alloy	- Aluminum alloy	Bluetooth Key • NFC/RFID key
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start keyless entry Hidden electric door handle Active closing air intake	- Aluminum alloy	- Aluminum alloy	- Aluminum alloy	Bluetooth Key • NFC/RFID key
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start keyless entry Hidden electric door handle Active closing air intake grille	- Aluminum alloy	Aluminum alloy Aluminum alloy - Buetooth Key NFC/RFID key The whole car	- Aluminum alloy	
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start keyless entry Hidden electric door handle Active closing air intake grille Electric tailgate	- Aluminum alloy	- Aluminum alloy	- Aluminum alloy	Bluetooth Key NFC/RFID key The whole car
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start keyless entry Hidden electric door handle Active closing air intake grille Electric tailgate Tailgate position memory	- Aluminum alloy	Aluminum alloy Aluminum alloy - Buetooth Key NFC/RFID key The whole car	- Aluminum alloy	Bluetooth Key NFC/RFID key The whole car
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start keyless entry Hidden electric door handle Active closing air intake grille Electric tailgate Tailgate position memory Induction tailgate	- Aluminum alloy	- Aluminum alloy	- Aluminum alloy	Bluetooth Key NFC/RFID key The whole car
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start keyless entry Hidden electric door handle Active closing air intake grille Electric tailgate Tailgate position memory	- Aluminum alloy	- Aluminum alloy	- Aluminum alloy	Bluetooth Key NFC/RFID key The whole car
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start keyless entry Hidden electric door handle Active closing air intake grille Electric tailgate Tailgate position memory Induction tailgate Tailgate glass opens independently car side pedals	- Aluminum alloy	- Aluminum alloy	- Aluminum alloy	
Electric spoiler Rim material Electric suction door Automatic opening and closing of car doors Frameless door sliding door roof rack Key type Keyless start keyless entry Hidden electric door handle Active closing air intake grille Electric tailgate Tailgate position memory Induction tailgate Tailgate glass opens independently	- Aluminum alloy	Aluminum alloy - - - - - - - - - - - - -	- Aluminum alloy	

micinai comiguration				
Steering wheel material	Genuine leather	Genuine leather	Genuine leather	Genuine leather
steering wheel adjustment	■ Manual up and down ±	Manual up and down +	 Manual up and down + 	Manual up and down +
	front and rear adjustment			
Shift pattern Multifunction steering	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting	Electronic gear shifting
wheel	•	•	•	•
steering wheel gear shift	-	-	-	-
Steering wheel heating Trip computer display	• Color	• Color	• Color	• Color
Full LCD instrument panel	• Coloi	• Coloi	• Coloi	• Color
HUD heads up display	-	-	-	-
Built-in driving recorder	•	•	•	•
Mobile phone wireless charging	• First row	• First row	• First row	• First row
Maximum wireless charging power of mobile phones [W]	• 15	• 15	• 15	• 15
ETC device	-	-	-	-
Active noise reduction Electrically adjustable	-	-	-	-
pedals	-	-	-	-
Seat configuration				
Seat comiguration	- Imitation loather	- Imitation loather	Imitation leather	- Imitation leather
seat material	Imitation leatherGenuine leather 9800yuan	Imitation leatherGenuine leather 9800yuan	Genuine leather 9800 yuan	Imitation leatherGenuine leather 9800yuan
Sports style seats Electric driver's seat	- Flootric adjustmant with	- Floatric adjustment with	- Flootiis adiustra ant with	- Flootiis adivetes ant with
adjustment	Electric adjustment with memory			
Passenger seat electric adjustment	• Electric adjustment	 Electric adjustment 	 Electric adjustment 	 Electric adjustment
aujustiilellt	Forward and backward	Forward and backward	Forward and backward	Forward and backward
	adjustment	adjustment	adjustment	adjustment
Driver's seat adjustment	Backrest adjustment High and law adjustment	Backrest adjustment High and law adjustment	Backrest adjustment High and law adjustment	Backrest adjustment High and law adjustment
Driver's seat adjustment method	(4-way)	 High and low adjustment (4-way) 	 High and low adjustment (4-way) 	• High and low adjustment (4-way)
	•	Waist adjustment (4-way)	•	
	Leg rest adjustment Forward and backward	Leg rest adjustment Forward and backward	Leg rest adjustment Forward and backward	Leg rest adjustmentForward and backward
Passenger seat adjustment	adjustment	adjustment	adjustment	adjustment
method	Backrest adjustmentHigh and low adjustment	Backrest adjustmentHigh and low adjustment	Backrest adjustmentHigh and low adjustment	Backrest adjustment High and low adjustment
	(2-way)	(2-way)	(2-way)	(2-way)
First row seat functions	Heating	• Heating	Heating	Heating
	Ventilation	Ventilation	Ventilation	Ventilation
Boss button	-	-	-	-
Electrically adjustable	-	-	-	-
Electrically adjustable second row seats Second row seat adjustment method	- - • Backrest adjustment	- - • Backrest adjustment	- - • Backrest adjustment	- - • Backrest adjustment
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions	-	-	-	-
Electrically adjustable second row seats Second row seat adjustment method	• First row	• First row	• First row	- • First row
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout	• First row • Second row • 2+3	• First row • Second row • 2+3	• First row • Second row • 2+3	• First row • Second row • 2+3
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method	• First row • Second row			
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear	• First row • Second row • 2+3	• First row • Second row • 2+3	• First row • Second row • 2+3	• First row • Second row • 2+3
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats	• First row • Second row • 2+3 • Scale down	• First row • Second row • 2+3 • Scale down	• First row • Second row • 2+3 • Scale down	• First row • Second row • 2+3 • Scale down
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder	• First row • Second row • 2+3 • Scale down - • Second row	• First row • Second row • 2+3	• First row • Second row • 2+3	• First row • Second row • 2+3
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder	First row Second row 2+3 Scale down - Second row	• First row • Second row • 2+3 • Scale down	• First row • Second row • 2+3 • Scale down	• First row • Second row • 2+3 • Scale down
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table	• First row • Second row • 2+3 • Scale down - • Second row	• First row • Second row • 2+3 • Scale down	• First row • Second row • 2+3 • Scale down	• First row • Second row • 2+3 • Scale down
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet	First row Second row 2+3 Scale down - Second row	• First row • Second row • 2+3 • Scale down	• First row • Second row • 2+3 • Scale down	• First row • Second row • 2+3 • Scale down
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color	First row Second row 2+3 Scale down - Second row	• First row • Second row • 2+3 • Scale down	• First row • Second row • 2+3 • Scale down	• First row • Second row • 2+3 • Scale down
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size	• First row • Second row • 2+3 • Scale down - • Second row	- First row - Second row - 2+3 - Scale down	• First row • Second row • 2+3 • Scale down - • Second row	• First row • Second row • 2+3 • Scale down - • Second row
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen	- First row	-	- First row - Second row - 2+3 - Scale down	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen material Central control screen	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen • 26.3	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen • 26.3	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen • 26.3	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen • 26.3
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel	• First row • Second row • 2+3 • Scale down - • Second row - • Touch OLED screen • 26.3 • OLED • 4320 x 720	• First row • Second row • 2+3 • Scale down - • Second row - • Touch OLED screen • 26.3 • OLED	• First row • Second row • 2+3 • Scale down - • Second row - • Touch OLED screen • 26.3 • OLED	• First row • Second row • 2+3 • Scale down - • Second row - • Touch OLED screen • 26.3 • OLED
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Screen size under center	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI]	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5	• First row • Second row • 2+3 • Scale down - • Second row - • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Screen size under center control [inches] Screen material under central control	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen control screen pixel density [PPI] Screen size under center control [inches] Screen material under central control Screen resolution under central control [px]	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5	• First row • Second row • 2+3 • Scale down - • Second row - • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Screen size under center control [inches] Screen material under central control Screen resolution under	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Screen size under center control [inches] Screen material under central control [px] Screen resolution under central control [px] Screen pixel density [PPI] under central control Passenger screen	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640	• First row • Second row • 2+3 • Scale down - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Screen size under center control [inches] Screen material under central control Screen resolution under central control [px] Screen pixel density [PPI] under central control Passenger screen Passenger screen size	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen pixel density [PPI] Screen size under center control [inches] Screen material under central control [px] Screen resolution under central control [px] Screen pixel density [PPI] under central control Passenger screen Passenger screen Passenger screen size [inches]	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 26.3	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 26.3	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 26.3
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen size finch] Central control screen material Central control screen resolution [px] Central control screen resolution [px] Central control screen paste under center control [inches] Screen material under central control Screen resolution under central control [px] Screen pixel density [PPI] under central control Passenger screen Passenger screen size [inches] Passenger screen material Passenger screen	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 15.5 6,000 yuan • OLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 15.5 6,000 yuan • OLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 15.5 6,000 yuan • OLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 26.3 • OLED
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen size finch] Central control screen material Central control screen resolution [px] Central control screen resolution [px] Screen size under center control [inches] Screen material under central control Screen resolution under central control Screen pixel density [PPI] under central control Passenger screen Passenger screen Passenger screen material Passenger screen resolution [px]	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 26.3	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 26.3	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 26.3	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 26.3
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen material Central control screen resolution [px] Central control screen resolution [px] Central control screen paster under center control [inches] Screen material under central control Screen resolution under central control Screen pixel density [PPI] under central control Passenger screen Passenger screen Passenger screen Passenger screen resolution [px] Passenger screen pixel	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 15.5 6,000 yuan • OLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 15.5 6,000 yuan • OLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 15.5 6,000 yuan • OLED	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 26.3
Electrically adjustable second row seats Second row seat adjustment method Second row seat functions center armrest Seat layout Rear seat folding method Electrically reclining rear seats Rear cup holder Heated/cooled cup holder Rear folding table Car/Internet Central control color screen Central control screen size [inch] Central control screen size finch] Central control screen material Central control screen resolution [px] Central control screen resolution [px] Screen size under center control [inches] Screen material under central control Screen resolution under central control Screen pixel density [PPI] under central control Passenger screen Passenger screen Passenger screen material Passenger screen resolution [px]	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 15.5 6,000 yuan • OLED • 2488 x 720	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 15.5 6,000 yuan • OLED • 2488 x 720	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 15.5 6,000 yuan • OLED • 2488 x 720	• First row • Second row • 2+3 • Scale down - • Second row - • Second row • Touch OLED screen • 26.3 • OLED • 4320 x 720 • 167 • 10.5 • AMOLED • 1500 x 1640 • 212 • Touch OLED screen • 15.5 6,000 yuan • OLED • 2488 x 720

Welkie to machine White consideration White consi		Qualcomm Snapdragon	Qualcomm Snapdragon	Qualcomm Snapdragon	Qualcomm Snapdragon
Well-de-to-machine	Car chip				
Detection of the control of the cont	Vehicle-to-machine				
Car Wiff Indiction Wiff Commertion Wiff Commertion Wiff Commertion Wiff Commertion Wiff Commertion Wiff Commertion Wiff Indispot Viff Commertion Wiff Indispot Car avaigation map Viff Commertion Viff Commert		● 5G	● 5G	● 5G	● 5G
Car reproduction with Hotspot w		Vehicle OTA	 Vehicle OTA 	Vehicle OTA	 Vehicle OTA
Car APP application market Car CDOVD Multimedia system Media entertainment Car APP application market Car CDOVD Multimedia system About mar					
Voice zone wake-up	Car wiri function	 WiFi Hotspot 	 WiFi Hotspot 	 WiFi Hotspot 	 WiFi Hotspot
Bactoothzon-phone		Gaode	Gaode	Gaode	Gaode
Bellecoth/car phone		-	-	-	-
Mobile phone		•	•	•	•
interconnection/mapping Voice assistant wake word Voice vaccone wake-up Voice vaccone wake-up Voice water-up-free Specch continuous recognition Voice recogn		•	•	•	•
Voice zone wake-up Voice value-up-free Second row S	•	_	-	_	-
Voice zone wake-up * First row * Second ro					
Voice valeu-pi-free Speech continuous recognition Voice recognition Voice recognition Voice recognition Voice recognition **Multimedia system **New year of the property of t	Voice assistant wake word				
Voice recognition control Multimedia system Multimedia syste	Voice zone wake-up				
Speech continuous recognition Multimedia system Multimedia s	Vaisa waka wa fran		• Second row	• Second row	
Multimedia system Multimedia system Multimedia system Navigation Navigati		•	•	•	•
Multimedia system Nultimedia system Nultimedia system Navigation Navigati	•	•	•	•	•
Valce recognition control • Navigation • Navi	recognition	Multimedia system	Multimedia system	Multimedia system	Multimedia system
Face processes Face phone	Voice recognition control				
Air conditioning	_			7	
Gac recognition	Tariction				
Appointment	gesture control	-	-		-
Door control Door control Door control Door control Door control Mindow control Window control		_	_		-
Window control Charding Management Charging Management Charging Management Charging Management Charging Management Charging Management Wehicle condition Inquiry/diagnosis Vehicle positioning/car Wehicle positi	idee recognition	Door control	Door control	Door control	Door control
Pelnice starts Pelnice starts Pelnice starts Pelnice starts Pelnice starts Pelnice starts Pelnice distriction gontrol Pelnice distriction on the condition in control Pelnice distriction on the condition in control Pelnice distriction on the condition in control Pelnice distriction on the condition in control on inquiry/diagnosis inquiry/diagnosis inquiry/diagnosis Pelnice positioning/car Pelnic					
## Air conditioning control Air condition Condition Air condition Ai					
Charqing Management					
Semote control function			Charging Management		Charging Management
* Vehicle positioning/car search sear		Vehicle condition	Vehicle condition	Vehicle condition	Vehicle condition
* Vehicle positioning/car search sear	Pomoto control for ation	inquiry/diagnosis	inguiry/diagnosis	inguiry/diagnosis	inguiry/diagnosis
## Search ## Search ## Search ## Search ## Search ## Appointment #	kemote control function	 Vehicle positioning/car 	 Vehicle positioning/car 	 Vehicle positioning/car 	Vehicle positioning/car
* Maintenance/Repair Appointment - Appointment - Appointment - Car owner service (find charging piles, gas stations, parkina lots, etc.) **Media entertainment** Car APP application market - Car CD/DVD - Multimedia charging - interface - Number of US6/rype-C - 1 the front row/1 in interface and interface and interface and interface high beam light source - Light function - Low beam light source - Light function - Headlight function - Headlight function - Headlight function - Turn assist light - Front tog lights - Front		search	search	search	search
Car owner service (find charging piles, gas stations. parking lots. etc.) Car owner service (find charging piles, gas stations. parking lots. etc.) Stations. parking lots. etc. Stations. parking lots. etc.			Maintenance/Repair	 Maintenance/Repair 	
Charging piles, gas stations. parking lots, etc. Stations. parking lots, etc.		Appointment	Appointment	Appointment	Appointment
Stations. parking lots. etc. Stations. parking lots. Stations. par		 Car owner service (find 	 Car owner service (find 	 Car owner service (find 	 Car owner service (find
Car CD/DVD		charging piles, gas	charging piles, gas	charging piles, gas	charging piles, gas
Car APP application market Car CD/DVD Multimedia/charging interface Number of USB/Type-C • 1ype-C • 1ype-C • 1ype-C Number of USB/Type-C • 2 in the front row/1 in interfaces Rear seat control multimedia Cockpit 220V/230V power subply Luggage compartment power interface audio brand Low beam light source high beam light source Light function Headlight function Headlight function Headlight function Turn assist light Front fog lights - Adaptive high and low beam beam beam - Delayed shutdown - Delay		stations, parking lots, etc.)	stations, parking lots, etc.)	stations, parking lots, etc.)	stations, parking lots, etc.)
Car APP application market Car CD/DVD Multimedia/charging interface Number of USB/Type-C • 1ype-C • 1ype-C • 1ype-C Number of USB/Type-C • 2 in the front row/1 in interfaces Rear seat control multimedia Cockpit 220V/230V power subply Luggage compartment power interface audio brand Low beam light source high beam light source Light function Headlight function Headlight function Headlight function Turn assist light Front fog lights - Adaptive high and low beam beam beam - Delayed shutdown - Delay	Media entertainment				
Car CD/DVD Multimedia/charging interface Number of USB/Type-C 1 yee-C 1 ype-C					
Multimedia/Charqing interface Number of USB/Type-C 2 in the front row/1 in the back row 1 the back row 2 in the front row/1 in the back row 2 in the front row/1 i	Car APP application market	•	•	•	•
Multimedia/Charqing interface Number of USB/Type-C 2 in the front row/1 in the back row 1 the back row 2 in the front row/1 in the back row 2 in the front row/1 i	Car CD/DVD	_			
Interface Number of USB/Type-C 2 in the front row/1 in the back row 1 interfaces 1 the back row 2 in the front row/1 in the back row 1 the back r	Multimedia/charging				
Number of USB/Type-C 2 in the front row/1 in the back row the back		Type-C	Type-C	Type-C	Type-C
interfaces the back row the bac		• 2 in the front row/1 in	• 2 in the front row/1 in	• 2 in the front row/1 in	• 2 in the front row/1 in
Rear seat control multimedia Cockpit 220V/230V power supply Luggage compartment power interface audio brand Number of speakers Light function Low beam light source Lighting features LED daytime running lights				-	
multimedia Cockpit 220V/230V power supply Luggage compartment power interface audio brand	Rear seat control	the back fow	the back fow	the back row	the back row
Cockpit 220V/230V power Supply Luggage compartment power interface audio brand		-	-	-	-
Luggage compartment power interface audio brand					
Luggage compartment power interface audio brand		-	-	-	-
power interface audio brand Number of speakers Light function Low beam light source high beam light source Lighting features LED daytime running lights Headlight function Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting Diass/rear view mirror Multilayer soundproof glass Window anti-pinch function Multilayer soundproof glass Exterior rearview mirror Exterior rearview mirror Low beam beaD LED LED LED LED LED LED LED LED LED L		- 121/	- 121/	- 12)/	- 121/
Number of speakers • 20 • 20 • 20 • 20 • 20	power interface	● 12V	• 12V	• 12V	• 12V
Light function Low beam light source LED	audio brand	-	-	1	1
Low beam light source LED	Number of speakers	• 20	• 20	• 20	• 20
Low beam light source LED	Light function				
high beam light source LED	O	- 150	LED	- 150	- 150
Lighting features LED daytime running lights - Height adjustment - Automatic opening and closing - Adaptive high and low beam - Delayed shutdown - Turn assist light - Front fog lights			● LED		
LED daytime running lights - Height adjustment - Automatic opening and closing - Adaptive high and low beam - Delayed shutdown - Turn assist light - Front fog lights		● LED	נובר		
Headlight function Adaptive high and low beam Delayed shutdown	Lighting leatures	_	• LED		
Headlight function Turn assist light Front fog lights Front fog lights Front fog lights Headlight cleaning device Gar interior ambient light Active ambient lighting Headlight function First row electric windows Second row power windows One-click lifting and low beam beam beam beam Headlight cleaning device Headlight function Headlight function Headlight function Headlight shad low beam beam beam beam beam beam beam beam	l ————————————————————————————————————	-	• LED		
Headlight function Turn assist light Front fog lights Front fog lights Front fog lights Headlight cleaning device Gar interior ambient light Active ambient lighting Headlight function First row electric windows Second row power windows One-click lifting and low beam beam beam beam Headlight cleaning device Headlight function Headlight function Headlight function Headlight shad low beam beam beam beam beam beam beam beam	LED daytime running lights	-	• LED -		
Headlight function	LED daytime running lights		•	• LED - •	• LED - •
Adaptive high and low beam Delayed shutdown Turn assist light Front fog lights Headlight cleaning device Car interior ambient lighting glass/rear view mirror First row electric windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass Multilayer soundproof glass Exterior rearview mirror Exterior rearview mirror • Adaptive high and low beam • Delayed shutdown • Delayets • Delayets • Delayets • Pleaved shutdown • Delayets • Delayets • Delayets • Delayets • Delayets • Pleaved shutdown • Delayets • Delayets • Delayets • Delayets • Delayets • Pleaved shutdown • Delayets	LED daytime running lights	Height adjustment	- • Height adjustment	LED - Height adjustment	LED - Height adjustment
beam beam beam beam beam beam beam beam	, , , , ,	Height adjustment Automatic opening and	Height adjustment Automatic opening and	LED - Height adjustment Automatic opening and	LED - Height adjustment Automatic opening and
Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass Multilayer soundproof glass Exterior rearview mirror Exterior rearview mirror Exterior rearview mirror Polelayed shutdown Delayed shutdown Delayels Delayed shutdown Delayels Delayel	, , , , ,	Height adjustmentAutomatic opening and closing	Height adjustment Automatic opening and closing	LED - Height adjustment Automatic opening and closing	LED - Height adjustment Automatic opening and
Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass Exterior rearview mirror Exterior rearview mirror First row electric adjustment • The whole car • The whole	, , , , ,	 Height adjustment Automatic opening and closing Adaptive high and low 	Height adjustment Automatic opening and closing Adaptive high and low	LED Height adjustment Automatic opening and closing Adaptive high and low	 LED - Height adjustment Automatic opening and closing Adaptive high and low
Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof qlass • Electric adjustment • Heated mirrors • Rearview mirror Exterior rearview mirror Front fog lights	Headlight function	 Height adjustment Automatic opening and closing Adaptive high and low beam 	Height adjustment Automatic opening and closing Adaptive high and low beam	LED Height adjustment Automatic opening and closing Adaptive high and low beam	LED - Height adjustment Automatic opening and closing Adaptive high and low beam
Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass The whole car The	Headlight function Turn assist light	 Height adjustment Automatic opening and closing Adaptive high and low beam 	Height adjustment Automatic opening and closing Adaptive high and low beam	LED Height adjustment Automatic opening and closing Adaptive high and low beam	LED - Height adjustment Automatic opening and closing Adaptive high and low beam
Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass The whole car The	Headlight function Turn assist light Front fog lights	 Height adjustment Automatic opening and closing Adaptive high and low beam 	Height adjustment Automatic opening and closing Adaptive high and low beam	LED Height adjustment Automatic opening and closing Adaptive high and low beam	 LED Height adjustment Automatic opening and closing Adaptive high and low beam
First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass Exterior rearview mirror First row electric windows One-click lifting and lowering of the whole car O	Headlight function Turn assist light Front fog lights Headlight cleaning device	 Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 	- • Height adjustment • Automatic opening and closing • Adaptive high and low beam • Delayed shutdown	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -
First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass The whole car Th	Headlight function Turn assist light Front fog lights Headlight cleaning device Car interior ambient light	 Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 	- • Height adjustment • Automatic opening and closing • Adaptive high and low beam • Delayed shutdown	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -
First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass The whole car Th	Headlight function Turn assist light Front fog lights Headlight cleaning device Car interior ambient light	 Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors 	- • Height adjustment • Automatic opening and closing • Adaptive high and low beam • Delayed shutdown	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -
Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass - The whole car -	Headlight function Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting	 Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors 	- • Height adjustment • Automatic opening and closing • Adaptive high and low beam • Delayed shutdown	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -
windows One-click lifting and lowering of windows • The whole car • The whole c	Headlight function Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror	 Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors 	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -
One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass One-click lifting and lowering of windows One-click lifting and lowering of whole car One-click lifting and lowering on the whole car One-click lifting and lowering of whole car One-click lifting and lowering of whole car One-click lifting and lowering of whole car One-click lifting and lowering on the whole car One-click lifting and lowering and lowering and whole car One-click lifting and lowering and lowering and whole car One-click lifting and lowering and low	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows	 Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors 	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -
Ine whole car Ine whole ca	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power	 Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors 	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - - -
Window anti-pinch function Multilayer soundproof glass • The whole car	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors •	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors •	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors •
function Multilayer soundproof glass The whole car The whole ca	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors •	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors •	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors •
Multilayer soundproof glass The whole car Electric adjustment Heated mirrors Electric folding Exterior rearview mirror Figure stiese The whole car Electric adjustment Electric adjustment Heated mirrors Heated mirrors Electric folding Exterior rearview mirror Rearview mirror memory Rearview mirror memory Rearview mirror memory Rearview mirror memory	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors • The whole car	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors • The whole car
The whole car	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors • The whole car	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors • The whole car
● Electric adjustment ● Heated mirrors ● Heated mirrors ● Heated mirrors ● Heated mirrors ● Electric folding	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - 256 colors • The whole car The whole car	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car
● Heated mirrors ● Electric folding ● Electric folding ● Electric folding ● Electric folding ● Rearview mirror memory	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors The whole car The whole car	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car
● Electric folding ● Rearview mirror memory ● Rearview mirror	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors The whole car The whole car	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors The whole car The whole car	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car
Exterior rearview mirror • Rearview mirror memory • Rearview mirror memory • Rearview mirror memory • Rearview mirror memory	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors The whole car The whole car The whole car Electric adjustment Heated mirrors	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car The whole car Electric adjustment Heated mirrors	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car Electric adjustment Heated mirrors	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car Electric adjustment Heated mirrors
function	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors The whole car The whole car The whole car Electric adjustment Heated mirrors	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car The whole car Electric adjustment Heated mirrors	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car Electric adjustment Heated mirrors	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car Electric adjustment Heated mirrors
● Automatically roll down • Automatically roll down • Automatically roll down • Automatically roll down	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car Electric adjustment Heated mirrors Electric folding	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car The whole car Electric adjustment Heated mirrors Electric folding	LED -	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors The whole car The whole car The whole car Electric adjustment Heated mirrors Electric folding
	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass Exterior rearview mirror	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car The whole car Electric adjustment Heated mirrors Electric folding Rearview mirror memory	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car The whole car Electric adjustment Heated mirrors Electric folding Rearview mirror memory	LED -	LED -
when reversing when reversing when reversing when reversing	Turn assist light Front fog lights Headlight cleaning device Car interior ambient light Active ambient lighting glass/rear view mirror First row electric windows Second row power windows One-click lifting and lowering of windows Window anti-pinch function Multilayer soundproof glass Exterior rearview mirror	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car Electric adjustment Heated mirrors Electric folding Rearview mirror memory Automatically roll down	Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car The whole car Electric adjustment Heated mirrors Electric folding Rearview mirror memory Automatically roll down	LED -	LED - Height adjustment Automatic opening and closing Adaptive high and low beam Delayed shutdown - - - 256 colors • The whole car The whole car The whole car Electric adjustment Heated mirrors Electric folding Rearview mirror memory Automatically roll down

	Automatically fold when	Automatically fold when	Automatically fold when	Automatically fold when		
Interior rearview mirror	locked	locked	locked	locked		
function	 Automatic anti-dazzle 	Automatic anti-dazzle	 Automatic anti-dazzle 	Automatic anti-dazzle		
Rear side privacy glass	-	-	-	-		
Rear side sunshades	-	-	-	-		
Rear windshield sunshade	 Main driver + lighting 	Main driver + lighting	Main driver + lighting	Main driver + lighting		
Car vanity mirror	• Co-pilot+light	• Co-pilot+light	Co-pilot+light	• Co-pilot+light		
Sensing wiper function	Rain sensor type	Rain sensor type	Rain sensor type	Rain sensor type		
rear wiper	-	-	-	-		
Heated water nozzle	-	-	-	-		
Air conditioning/refrigera	ation					
First row air conditioner	• Dual-temperature zone automatic air conditioning	Dual-temperature zone automatic air conditioning	• Dual-temperature zone automatic air conditioning	Dual-temperature zone automatic air conditioning		
Second row air conditioner	• Air outlet	• Air outlet	• Air outlet	• Air outlet		
Third row air conditioner	-	-	-	-		
heat pump air conditioner	•	•	•	•		
·		_				
air quality monitoring In-car PM2.5 filter device	•	•	•	•		
Car air purifier	•	•	•	•		
negative ion generator	•	•	•	•		
Fragrance system	-	-	-	-		
car refrigerator	-	-	-	-		
Featured configuration						
ISC streamer shadow				o Ontional 0000		
interactive taillight YAT cruise half-width soft-	-	-	-	o Optional 8800 yuan		
YAT cruise half-width soft- feel instant heating steering wheel	o Optional 2000 yuan	o Optional 2000 yuan	o Optional 2000 yuan	o Optional 2000 yuan		
IM MAG magnetic docking station	•	•	•	•		
Global digital vision to	•		•			
compensate for blindness	•	•		•		
Optional package		<u> </u>				
20-inch ultra-fast lightweight aluminum alloy wheels	∘ Optional 3800	o Optional 3800	∘ Optional 3800	o Optional 3800		
	20-inch ultra-fast lightweight aluminum alloy wheels					
24 : 1						
21-inch sport performance rims	o Optional 9800	o Optional 9800	o Optional 9800	o Optional 9800		
111115		21-inch sport pe	erformance rims			
Nappa perforated first layer premium leather seats	∘ Optional 9800	o Optional 9800	∘ Optional 9800	∘ Optional 9800		
		Nanna perforated first la	er premium leather seats			
	- O-1		·	- 0-41 2022		
	o Optional 36800	o Optional 36800	o Optional 36800	o Optional 36800		
Full feature package	City Navigation Assist (NOA), High-speed Elevated Navigation Assist (NOA), High-Precision Automati (HDM AVP), Trust Enhancement (IM CE) Note: If you place an order between October 13, 2023 and N 12, 2023 (inclusive), you can enjoy it for free if you complete the payment for the entire vehicle with					
Passenger 15.5-inch smart independent	o Optional 6000	o Optional 6000	o Optional 6000	∘ Optional 6000		
entertainment screen	15.5-inch smart independent entertainment screen for the front passenger (including independent lifting and lowering functions for the main driver and front passenger)					
German Continental front four-piston integrated fixed caliper	∘ Optional 2000	∘ Optional 2000	∘ Optional 2000	∘ Optional 2000		
	German Conti	inental front four-piston inte	grated fixed caliper (exclusiv	e brand color)		